


section **16**



## **BUILDING TOOLS**

**733-737** Hammers

**737** Axes

**738-740** Bolsters & Chisels

**741-744** Trowels

**744** Plastering

**745-761** Contractors Tools

**762-764** Levels



## 1 Solid Forged Soft Grip Claw Hammers

Expert Quality, fully polished solid forged head and shaft from one single piece fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Fitted with comfortable shock-absorbing double injection PP/TPR grip for anti-vibration protection. Sold Loose.

Stock No.	Part No.	Weight
21283	8988	450g (16oz)
21284	8988	560g (20oz)



## 2 Claw Hammers

Expert Quality, fully polished solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Hardened tubular shaft fitted with shock absorbing vinyl grip. Sold Loose.

Stock No.	Part No.	Weight
19249	8960	225g (8oz)
13975	8960	450g (16oz)
13976	8960	560g (20oz)



## 3 Fibreglass Shaft Claw Hammers

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Stock No.	Part No.	Weight
62163	FG1A	450g (16oz)
63347	FG1A	560g (20oz)



## 4 Claw Hammers

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Hardened tubular shaft fitted with shock absorbing vinyl grip. Sold Loose.


Stock No.	Part No.	Weight
51223	9001	450g (16oz)
63346	9001	560g (20oz)



## 5 Hickory Shaft Claw Hammers

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose

Stock No.	Part No.	Weight
42496	6213	450g (16oz)
42503	6213	560g (20oz)



## 6 450g (16oz) Easy Find Claw Hammers

Fully polished solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Hardened tubular shaft fitted with Easy Find colour vinyl grip.

**Minimum order 16 or multiples thereof**

Stock No.	Part No.	Weight
78432	CHS/EFG	450g/16oz





### 1 Cross Pein Pin Hammer, 110g/4oz

Polished solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Stock No.	Part No.
33888	6212A/L



### 2 Joiner's/Warrington Hammer, 225g/8oz

Polished solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Stock No.	Part No.
64595	6215A



### 3 Magnetic Tack Hammer, 190g/7oz

Expert Quality, polished solid forged head from fine grain high carbon steel correctly hardened and tempered, magnetic forked face with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose

Stock No.	Part No.
19724	TH7



### 4 Locksmith Hammer with Hickory Shaft

Quality crafted locksmith hammer has a genuine hickory handle. Manufactured to DIN 1041, it has a drop forged hammer head made from high quality carbon steel with black lacquered finish and polished peen and face. Beneath the head is a strong overstrike collar to help protect the handle from damaging overstrike.

Stock No.	Part No.	Weight
70482	LH300D	300g
70484	LH500D	500g
70486	LH800D	800g



### 5 Fibreglass Shaft Club Hammers

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Stock No.	Part No.	Weight
63350	FG3A	1.0kg (2.2lb)
30672	FG3A/L	1.8kg (4.0lb)



### 6 Fibreglass Shaft Club Hammers

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing rubber grip. Sold Loose.

Stock No.	Part No.	Weight
81440	FG3/B	1.0kg (2.2lb)
81443	FG3/B	1.8kg (4.0lb)



### 7 Hickory Shaft Club Hammers

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Stock No.	Part No.	Weight
51281	190T	1.0kg (2.2lb)
51299	190T	1.8kg (4lb)



### 8 Hickory Shaft Club Hammers

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Stock No.	Part No.	Weight
81431	190T/B	1.0kg (2.2lb)
81432	190T/B	1.8kg (4lb)



### 9 Dead Blow Hammer, 1kg/2.2lb

Expert Quality, manufactured from high quality SBR material which is oil and cold resistant. Hollow head has steel particles helping to prevent rebound. Sold loose.

Stock No.	Part No.
37324	DBH



## 1 Rubber Head Mallets with Fibreglass Shafts

Expert Quality, combination mallet with non-marking rubber head. Fitted with a fibreglass shaft. Perfect for use on sensitive surfaces. Sold loose.

Stock No.	Part No.	Weight
53021	CRM/FG	450g (16oz)
53029	CRM/FG	620g (24oz)
53035	CRM/FG	800g (32oz)



## 2 Non-Marking Rubber Head Mallet with Fibreglass Shaft, 680g/24oz

Expert Quality, fibreglass shaft with shock-absorbing rubber hand grip. The non-marking head is ideal for use when using on sensitive or easily marked surfaces. Sold loose.

Stock No.	Part No.
09119	RM/NMFG



## 3 Rubber Mallet with Fibreglass Shaft (680g/24oz)

Expert Quality, with rubber head, fibreglass shaft with shock-absorbing rubber hand grip. Particularly useful for use when laying paving, camping etc. Sold loose.

Stock No.	Part No.
72020	RM750FG



## 4 Hardwood Shaft Rubber Mallets

Manufactured with a heavy duty rubber head, that's securely fitted to a hardwood shaft by a fixed pin. Sold loose

Stock No.	Part No.	Weight
51095	RM956/2	410G (14.5oz)
78614	RM956/2	620G (24oz)
78615	RM956/2	800G (32oz)



## 5 400g (14oz) Soft Grip Drywall Hammer

Expert Quality, polished and ground solid forged round face and cutting edge from fine grain carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Fitted with comfortable PP/TPR grip for anti-vibration protection. Sold Loose.

Stock No.	Part No.
09121	DWH/SG



## 6 Bricklayer's Hammers

Expert Quality, polished and ground solid forged head and cutting edge from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Hardened tubular shaft fitted with shock absorbing vinyl grip. Sold Loose.

Stock No.	Part No.	Weight
00353	9019	450g (16oz)
13964	9019	560g (20oz)



## 7 Double Ended Scutch Hammer

Solid forged double ended scutch hammer from fine grain high carbon steel correctly hardened and tempered. Fitted with 1 plain and 1 combed scutch. Hardened tubular shaft fitted with shock absorbing vinyl grip. Sold Loose.

Stock No.	Part No.
57539	DESH



## 8 Single Ended Scutch Hammer

Solid forged single ended scutch hammer, made from fine grain high carbon steel correctly hardened and tempered fully painted with combed scutch fitted and machined face. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.


Stock No.	Part No.
11504	BSH



## 10 Soft Faced Hammer, 680g/24oz

Expert Quality, for use on a wide variety of materials where no surface marking is required. The head is chrome plated and is Supplied with replaceable screw-in 38mm diameter faces of soft plastic and nylon. The unbreakable nylon handle has a nonslip PVC grip. Sold loose.

Stock No.	Part No.	Description
72027	9901R	Hammer
72029	9901BR	Spare Plastic Face
72028	9901AR	Spare Nylon Face



## 11 Beechwood Mallet, 480g/17oz

Solid head and angled striking faces. Tapered morticed shaft. Average face size 80 x 55mm. Sold loose.

Stock No.	Part No.
45237	305/L



## 9 Copper/Rawhide Faced Hammers

Expert Quality, with a heavy malleable iron head fitted with a copper and a rawhide face. The copper face is especially suitable for dismantling and assembly work where it will help to avoid damaging component parts. The rawhide face is ideal for use on materials where bruising needs to be avoided. An excellent dual purpose hammer. Shaped wood shaft. Sold loose.

Stock No.	Part No.	Description	Weight
20070	210D	680g (24oz) hammer	680g (24oz)
20088	210D	1100g (38oz) hammer	1100g (38oz)
20850	210D/RF	Rawhide Face for 20070	
21826	210D/CF	Copper Face for 20070	
21825	210D/RF	Rawhide Face for 20088	
21827	210D/CF	Copper Face for 20088	



**1**  
**Fibreglass Short Shaft Sledge Hammer, 1.8kg/4lb**

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. **Sold Loose.**

Stock No.	Part No.	Length
09937	FG4S/L	400mm



**2**  
**Fibreglass Short Shaft Sledge Hammer, 1.8kg/4lb**

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing rubber grip. **Sold Loose.**

Stock No.	Part No.	Length
81436	FG4S/B	400mm



**3**  
**Fibreglass Shaft Sledge Hammers**

Expert Quality, forged from fine grain carbon steel correctly hardened and tempered with a polished and lacquered head. Fibreglass shaft fitted with comfortable shock-absorbing rubber grip. **Sold loose.**

Stock No.	Part No.	Weight
09938	FG4/L	3.2kg (7lb)
09939	FG4/L	4.5kg (10lb)
09940	FG4/L	6.4kg (14lb)



**4**  
**Fibreglass Shaft Sledge Hammers**

Forged from high carbon steel correctly hardened and tempered with a polished face. Fitted with a fibreglass shaft attached with a comfortable shock absorbing grip. **Sold loose.**

Stock No.	Part No.	Weight
81433	FG4/B	3.2kg (7lb)
81434	FG4/B	4.5kg (10lb)
81435	FG4/B	6.4kg (14lb)



**5**  
**Hickory Shaft Sledge Hammers**

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. **Sold Loose.**

Stock No.	Part No.	Weight
09948	6220/L	3.2kg (7lb)
09949	6220/L	4.5kg (10lb)
09950	6220/L	6.4kg (14lb)



**6**  
**Hickory Shaft Sledge Hammers**

Polished face, high carbon steel solid forged head, that's correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. **Sold Loose.**

Stock No.	Part No.	Weight
81428	6220/B	3.2kg (7lb)
81429	6220/B	4.5kg (10lb)
81430	6220/B	6.4kg (14lb)



**7**  
**Builders Kit With Hickory Handle (3 Piece)**

Kit comprising of 1kg club hammer with Polished Face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. 75mm bolster and 25mm cold chisel both manufactured to BS3066: 1995. Display packed

**Contents:**  
1 x 1kg club hammer with hickory handle  
1 x 75mm bolster  
1 x 25mm cold chisel

Stock No.	Part No.
26120	CCB



**8**  
**Hammer Wedges (Pack of 5)**

One each of Nos. 1, 3, and 4 and two of No.2.

Stock No.	Part No.	Quantity
12241	1142AST	5



**9**  
**Sledge Hammer Wedges (Pack of 3)**

One of each size 4A, 4AH and 5.

**Order number of packs required (3 wedges per pack)**

Stock No.	Part No.	Quantity
38994	1142/LAST	3



## 1 6kg Paviers Rubber Mallet

Rubber head and hardwood shaft. Overall length 1055mm. Face diameter 125mm. Sold loose.

Stock No.	Part No.
78453	PM



## 2 5.4kg (12lb) Fibreglass Shaft Fencing Hammer

Cast iron head with polypropylene coated fibreglass shaft. Head width 130mm. Shock - absorbing rubber grip. Sold loose.

**Not to be used to hammer in metal posts**

Stock No.	Part No.
81065	FHFGS/P



## 3 Hickory Hammer Shafts

A collection of straight grained hickory hammers shafts. All sanded and waxed for added comfort and strength and supplied with a suitable wedge. Display packed.

Stock No.	Part No.	Length	For Type of Hammer
31149	W208	225mm	Pein/Joiners
10941	W205	305mm	
10942	W207	330mm	Ball/Pein
31153	W205	400mm	



## 4 Fiberglass Pick Axe/Mattock Shaft

915mm pick axe shaft, made from high density polyethylene covered fibreglass. The fibreglass core contains 60% continuous unidirectional and longitudinal glass fibres. Attached with a soft grip rubber handle. Sold loose.

Stock No.	Part No.
85210	FG-PH



## 5 915mm Hickory Pick Axe/Mattock Shaft

Straight grained hickory, sanded and waxed. Eye size 78 x 54mm. Sold loose.

Stock No.	Part No.	Description
05161	215/HICK	Hickory Shaft



## 6 900mm Hickory Sledge Hammer Shaft

Straight grained hickory shaft sanded and waxed. Eye size 43 x 30mm. Suitable for all weights of sledge hammer. Sold loose.

Stock No.	Part No.	Length	Weight
67270	214	45 x 32mm	900mm



## 7 3.2kg Pick Axe Head

Forged steel, chisel and point pattern. Eye size 70 x 50mm. Will accept standard pick axe shafts. Sold loose.

Stock No.	Part No.	Description
13702	6225	Pick Axe Head
05161	215/HICK	Hickory Shaft
82430	215/COMS	Hickory Composite



## 8 2.27kg Mattock Head

For chopping tree roots and digging heavy soil. Forged steel with 65mm chisel tip and 90mm wide blade. Eye size 70 x 50mm. Will accept standard pick axe shafts. Sold loose.

Stock No.	Part No.	Description
27590	CM	Mattock Head
05161	215/HICK	Hickory Shaft
82430	215/COMS	Hickory Composite



## 1 Electrician's Bolster with Guard, 225 x 60mm

Draper Expert electricians chisel with a protective hand guard. The octagonal shank is manufactured from high - quality steel with cutting edges correctly hardened, tempered and polished. Securely fitted with rubber blade guard.

Stock No.	Part No.
99167	BD8G/EP



## 2 Brick Bolsters with Guards

Draper Expert brick bolsters with a protective hand guard. The octagonal shank is manufactured from high - quality steel with cutting edges correctly hardened, tempered and polished. Securely fitted with rubber blade guard.

Stock No.	Part No.	Size
99168	BD6G/EP	75mm
99169	BD6G/EP	100mm



## 3 Cold Chisels with Guards

Draper Expert cold chisels with a protective hand guard. The octagonal shank is manufactured from high - quality steel with cutting edges correctly hardened, tempered and polished. Securely fitted with rubber blade guard.

Stock No.	Part No.	Size
99170	BD5G/EP	19 x 250 x 16mm
99171	BD5G/EP	25 x 250 x 23mm
99172	BD5G/EP	25 x 300 x 23mm



## 4 Plugging Chisel, 250mm

Draper Expert plugging chisel with a protective hand guard. The octagonal shank is manufactured from high - quality steel with cutting edges correctly hardened, tempered and polished. Securely fitted with rubber blade guard.

Stock No.	Part No.
99174	BD7G/EP



## 5 Point Chisel and Guard, 16 x 300mm

Draper Expert pointed chisel with a protective hand guard. The octagonal shank is manufactured from high - quality steel with cutting edges correctly hardened, tempered and polished. Securely fitted with rubber blade guard.

Stock No.	Part No.
99173	BD10G/EP



## 6 Bolster and Chisel Set (3 Piece)

Generally in accordance with BS3066

Hardened and tempered cutting edges attached to an octagonal shank. Fitted with impact absorbing hand protection grip.

### Contents:

- 1 x 60mm x 225mm Electricians Bolster
- 1 x 25mm x 250mm Cold Chisel
- 1 x 75mm x 225mm Brick Bolster

Stock No.	Part No.
70375	CBS/3



## 7 Electrician's Bolster with Hand Guard, 225 x 60mm (Display Packed)

Generally in accordance with BS3066

Ground cutting edges and octagonal shank. Fitted with impact absorbing hand protection grip. For levering up and cutting through the tongues and grooves of floorboards. Display packed.

Stock No.	Part No.
64676	BD8G/AP



## 9 Brick Bolsters with Hand Guard, 225mm (Display Packed)

Generally in accordance with BS3066

Ground cutting edges and octagonal shank. For cutting bricks and composite blocks. Fitted with impact absorbing hand protection grip. Display packed.

Stock No.	Part No.	Blade Width
64679	BD6G/AP	75mm
64680	BD6G/AP	100mm



## 11 Octagonal Shank Cold Chisels with Hand Guard (Display Packed)

Generally in accordance with BS3066

Octagonal shank chisel manufactured from selected steel with polished cutting edge. Fitted with impact absorbing hand protection grip. Display packed

Stock No.	Part No.	Length	Blade Width
64681	BD5G/AP	250mm	19mm
64686	BD5G/AP	250mm	25mm
64682	BD5G/AP	300mm	25mm

## 8 Electrician's Bolster with Hand Guard, 225 x 60mm (Sold Loose)

Generally in accordance with BS3066

Ground cutting edges and octagonal shank. Fitted with impact absorbing hand protection grip. For levering up and cutting through the tongues and grooves of floorboards. Sold loose.

Stock No.	Part No.
63752	BD8G/A

## 10 Brick Bolsters with Hand Guard, 225mm (Sold Loose)

Generally in accordance with BS3066

Ground cutting edges and octagonal shank. For cutting bricks and composite blocks. Fitted with impact absorbing hand protection grip. Sold loose.

Stock No.	Part No.	Blade Width
63730	BD6G/A	75mm
63733	BD6G/A	100mm

## 12 Octagonal Shank Cold Chisels with Hand Guard (Sold Loose)

Generally in accordance with BS3066

Octagonal shank chisel manufactured from selected steel with polished cutting edge. Fitted with impact absorbing hand protection grip. Sold loose.

Stock No.	Part No.	Length	Blade Width
63747	BD5G/A	250mm	19mm
08576	BD5G/A	250mm	25mm
63748	BD5G/A	300mm	25mm



## 1 Electrician's Bolster, 225 x 60mm (Display Packed)

Generally in accordance with BS3066

Ground cutting edges and octagonal shank. For levering up and cutting through the tongues and grooves of floorboards. Display packed.

Stock No.	Part No.
63751	BD8/A

## 2 Electrician's Bolster, 225 x 60mm (Sold Loose)

Generally in accordance with BS3066

Ground cutting edges and octagonal shank. For levering up and cutting through the tongues and grooves of floorboards. Sold loose.

Stock No.	Part No.
63750	BD8/A



## 3 Brick Bolsters, 225mm (Display Packed)

Generally in accordance with BS3066

Ground cutting edges and octagonal shank. For cutting bricks and composite blocks. Display packed.

Stock No.	Part No.	Blade Width
63729	BD6/A	75mm
63732	BD6/A	100mm

## 4 Brick Bolsters, 225mm (Sold Loose)

Generally in accordance with BS3066

Ground cutting edges and octagonal shank. For cutting bricks and composite blocks. Sold loose.

Stock No.	Part No.	Blade Width
63727	BD6/A(B)	75mm
63731	BD6/A(B)	100mm



## 5 Octagonal Shank Cold Chisels (Display Packed)

Generally in accordance with BS3066

Octagonal shank chisel from selected steel with polished cutting edge. Display packed.

Stock No.	Part No.	Length	Blade Width
63735	BD5/A	100mm	10mm
63737	BD5/A	150mm	13mm
63739	BD5/A	200mm	19mm
63741	BD5/A	250mm	19mm
64841	BD5/A	450mm	19mm
63743	BD5/A	250mm	25mm
64829	BD5/A	300mm	25mm
64838	BD5/A	380mm	25mm
64850	BD5/A	450mm	25mm

## 6 Octagonal Shank Cold Chisels (Sold Loose)

Generally in accordance with BS3066

Octagonal shank chisel from selected steel with polished cutting edge. Sold loose.

Stock No.	Part No.	Length	Blade Width
63734	BD5/A(B)	100mm	10mm
63736	BD5/A(B)	150mm	13mm
63738	BD5/A(B)	200mm	19mm
63740	BD5/A(B)	250mm	19mm
77607	BD5/A(B)	450mm	19mm
63742	BD5/A(B)	250mm	25mm
63744	BD5/A(B)	300mm	25mm
63745	BD5/A(B)	380mm	25mm
63746	BD5/A(B)	450mm	25mm



## 7 Scutch Holding Chisels (Display Packed)

Generally in accordance with BS3066

Octagonal shank chisel with recessed end to accept toothed or plain edge scutches. Supplied with one replaceable comb scutch. Display packed.

Stock No.	Part No.	Size
78203	BD5C/A	200 x 25mm
00754	BD5D/A	200 x 38mm

## 8 Scutch Holding Chisel (Sold Loose)

Generally in accordance with BS3066

Octagonal shank chisel with recessed end to accept toothed or plain edge scutches. Supplied with one replaceable comb scutch. Sold loose.

Stock No.	Part No.	Size
71269	BD5C/A(B)	200 x 25mm
00755	BD5D/A(B)	200 x 38mm





## 1 Scutches for Scutch Holding Chisels/ Hammers

Plain and comb scutches for use with 25 and 38mm Scutch Holding Chisels and Scutch Hammers. Stock No's, 22266 and 03136 comprises two comb scutches and one plain scutch whilst Stock No's, 54252 and 00756 have comb scutches only. Display packed.

**Order number of cards or boxes required**

Stock No.	Part No.	Size	Description
22266	SS2C1P	25mm	Card of 3 Scutches
03136	SS2C1P38	38mm	Card of 3 Scutches
54252	YBD5C/25	25mm	Box of 25 Scutches
00756	YBD5D/25	38mm	Box of 25 Scutches



## 2 Mason's Bolster, 225 x 50mm (Display Packed)

**Generally in accordance with BS3066**

Ground cutting edges and octagonal shank. For cutting stone. Display packed.

Stock No.	Part No.
84738	BD4/AP

## 3 Mason's Bolster, 225 x 50mm (Sold Loose)

**Generally in accordance with BS3066**

Ground cutting edges and octagonal shank. For cutting stone. Display packed.

Stock No.	Part No.
76379	BD4/A



## 4 Plugging Chisel, 250mm (Display Packed)

Fluted angled blade chisel designed to remove mortar between bricks. Octagonal shank with ground cutting edge. Display packed.

Stock No.	Part No.
64828	BD7/AP

## 5 Plugging Chisel, 250mm (Sold Loose)

Fluted angled blade chisel designed to remove mortar between bricks. Octagonal shank with ground cutting edge. Sold loose.

Stock No.	Part No.
78084	BD7/A

## 6 Display of 50 Bolsters and Chisels

**Generally in accordance with BS3066**

All - metal stand with slots for a mixture of 50 Draper bolsters and chisels. Carton packed with contents as listed.

**Contents:**

- 3 x 100mm wide brick bolsters - Stock No.63731
- 3 x 100mm wide brick bolsters with hand guards - Stock No.63733
- 3 x 75mm wide brick bolsters - Stock No.63727
- 3 x 75mm wide brick bolsters with hand guards - Stock No.63730
- 6 x 60mm wide electricians bolsters - Stock No.63750
- 3 x 60mm wide Masons Bolsters - Stock No.76379
- 3 x 200mm scutch holding chisels - Stock No.71269
- 3 x 250mm plugging chisels - Stock No.78084
- 5 x cold chisels size: 13 x 150mm - Stock No.63736
- 6 x cold chisels size: 19 x 200mm - Stock No. 63738
- 3 x cold chisels size: 19 x 250mm - Stock No. 63740
- 3 x cold chisels size: 19 x 450mm - Stock No.77607
- 2 x cold chisels size: 25 x 250mm - Stock No.63742
- 2 x cold chisels size: 25 x 300mm - Stock No. 63744
- 2 x cold chisels size: 25 x 450mm - Stock No.63746

Stock No.	Part No.	Dimensions
78202	*CB50	580 x 340mm





## 1 Soft Grip Stainless Steel London Pattern Brick Trowel (275mm)

Expert Quality, stainless steel blade hardened and tempered with lacquered finish. Blade firmly fixed to tang by heavy duty weld. Soft grip handle for user comfort.

Stock No.	Part No.
82148	BTSS/SGW



## 2 Soft Grip London Pattern Brick Trowel (275mm)

Expert Quality, carbon steel blade hardened and tempered with lacquered finish. Blade firmly fixed to tang by heavy duty weld. Soft grip handle for user comfort.

Stock No.	Part No.
81211	BT11/SGW



## 3 Soft Grip Pointing Trowel (150mm)

Expert Quality, carbon steel blade hardened and tempered with lacquered finish. Blade firmly fixed to tang by heavy duty weld. Soft grip handle for user comfort.

Stock No.	Part No.
81213	PT/SGW



## 4 175mm Soft Grip Gauging Trowel (175mm)

Expert Quality, carbon steel blade hardened and tempered with lacquered finish. Blade firmly fixed to tang by heavy duty weld. Soft grip handle for user comfort.

Stock No.	Part No.
81214	GT/SGW



## 5 Soft Grip Bucket Trowel (140mm)

Expert Quality, carbon steel blade hardened and tempered with lacquered finish. Blade firmly fixed to tang by heavy duty weld. Soft grip handle for user comfort.

Stock No.	Part No.
81215	BT/SGW



## 6 Soft Grip Stainless Steel Plastering Trowels

Expert Quality, stainless steel 'worn-in' blade, hardened and tempered with a lacquer finish. Soft grip handle for user comfort.

Stock No.	Part No.	Length	Width
81200	PTSSW/SGW	280mm	119mm
82149	PTSSW/SGW	455mm	120mm



## 7 Soft Grip Plastering Trowels

Expert Quality, carbon steel blade, hardened and tempered with lacquered finish. Blades firmly fixed to tang by welded rivets. Soft grip handle for user comfort.

Stock No.	Part No.	Length	Width
81221	PT8/SGW	200mm	75mm
81222	PT11/SGW	280mm	120mm
81223	PT14/SGW	355mm	120mm
81230	PT18/SGW	450mm	120mm



## 8 400mm Soft Grip Flooring Trowel

Expert Quality, carbon steel blade hardened and tempered with a lacquered finish. Blade firmly fixed to tang by welded rivets. Soft grip handle for user comfort.

Stock No.	Part No.
81218	FT/SGW



## 9 Soft Grip Adhesive Spreading Trowel (280mm)

Expert Quality, serrated carbon steel blade, 120mm wide, hardened and tempered with lacquered finish. Blade firmly fixed to tang by welded rivets. Soft grip handle for user comfort. Display packed.

Stock No.	Part No.
81231	AST11/SGW



**1**  
**Soft Grip London Pattern Brick Trowel (275mm)**  
 Carbon steel blade hardened and tempered with a lacquered finish. Soft grip handle for user comfort.

Stock No.	Part No.
81233	BTSGW

**2**  
**Soft Grip Pointing Trowel (150mm)**  
 Carbon steel blade hardened and tempered with lacquered finish. Blade firmly fixed to tang by heavy duty weld. Soft grip handle for user comfort.

Stock No.	Part No.
81234	PTSGW



**3**  
**Soft Grip Gauging Trowel (175mm)**  
 Carbon steel blade hardened and tempered with lacquered finish. Soft grip handle for user comfort.

Stock No.	Part No.
81235	GTSGW

**4**  
**140mm Soft Grip Bucket Trowel (140mm)**  
 Carbon steel blade hardened and tempered with lacquered finish. Soft grip handle for user comfort.

Stock No.	Part No.
81237	BCTSGW



**5**  
**Soft Grip Plastering Trowels**  
 Carbon steel blade, hardened and tempered with lacquered finish. Soft grip handle for user comfort.

Stock No.	Part No.	Length
81242	PLTSGW	280mm
81243	PLTSGW	350mm
81255	PLTSGW	450mm

**6**  
**400mm Soft Grip Flooring Trowel**  
 Carbon steel blade, hardened and tempered with lacquered finish. Soft grip handle for user comfort.

Stock No.	Part No.
81241	FLT/SGW

**7**  
**Soft Grip Adhesive Spreading Trowel (280mm)**  
 Serrated carbon steel blade, 120mm wide, hardened and tempered with a lacquered finish. Soft grip handle for user comfort.

Stock No.	Part No.
81256	ASTSGW



## 1 Soft Grip Trowel Set (5 Piece)

Carbon steel blades hardened and tempered with a lacquered finish. Soft grip handle for added user comfort.

### Contents:

- 1 x 280mm Brick Trowel
- 1 x 280mm x 130mm Plasterers Trowel
- 1 x 175mm Gauging Trowel
- 1 x 150mm Pointing Trowel
- 1 x 13mm x 16mm Brick Jointing Trowel

Stock No.	Part No.
70372	TKSG/5



## 2 Soft Grip Edging Trowel Set (3 Piece)

Carbon steel blades hardened and tempered with a lacquered finish. Soft grip handle for user comfort.

### Contents:

- 3 x Edging trowels: 13, 38 and 51mm wide

Stock No.	Part No.
81263	ETK/3SGW



## 3 Soft Grip Corner Trowel Set (2 Piece)

Expert Quality, for accurate neat finishing when plastering internal and external corners. Carbon steel blades with soft grip handle for user comfort.

Stock No.	Part No.	Height	Width
81281	CTS/2PCW	150mm	65mm



## 4 Brick Jointer Trowel

Designed to finish the mortar joints between bricks. Suitable for 13mm and 16mm joints. Manufactured from carbon steel hardened and tempered with a plated finish. Display packed.

Stock No.	Part No.
20853	1121



**1**  
**General Purpose Trowel**

Polished and lacquered carbon steel blade, fusion welded with five rivets to the moulded polypropylene handle. Display packed.

Stock No.	Part No.	Length	Width
67143	T104A	265mm	115mm



**2**  
**Adhesive Spreading Trowel**

Polished and lacquered carbon steel blade, serrated on two edges and fusion welded with five rivets to the moulded polypropylene handle. Display packed.


Stock No.	Part No.	Length	Width
67144	T105A	265mm	115mm



**3**  
**Polyurethane Floats**

Lightweight general purpose float manufactured from rigid polyurethane foam. Sold loose.

Stock No.	Part No.	Length	Width
13411	T106	280mm	140mm
13412	T106	320mm	180mm



**4**  
**Plastering Float**

Manufactured from high impact polystyrene making it suitable for heavy duty work. Will outlast conventional polyurethane models. Sold loose.


Stock No.	Part No.	Length	Width
22333	T107	280mm	110mm



**5**  
**Soft Grip Aluminium Plasterers Hawk**

Expert Quality, manufactured from sheet aluminium with a detachable soft grip handle for user comfort and callous protector.

Stock No.	Part No.	Size	Thickness
81314	PHW	300mm <sup>2</sup>	1.8mm



**6**  
**ABS Plasterers Hawk**

Rigid ABS and handle with callous protector. Display packed.

Stock No.	Part No.	Length	Width
40938	9025	330mm	330mm



**7**  
**1200mm Plasterer's Darby**

For final surface finishing. Extruded Aluminium with two handles. Sold loose.

**Minimum order 2 or multiples thereof**

Stock No.	Part No.	Dimensions
89711	AD	



**8**  
**Polyurethane Plasterer's Darby**

Made from polyurethane with a raised grip perfect for creating a level finish over a bigger area.

Stock No.	Part No.	Size
15070	PD	1.2m



**9**  
**Plasterer's Featheredges**


Tapered edge for smoothing and straightening plasterwork. Flat edge for tamping and smoothing concrete. Lightweight aluminium. Sold loose.

**Minimum order 2 of the same size or multiples thereof**

Stock No.	Part No.	Dimensions
89713	FE1200	1200 x 100mm
89712	FE1800	1800 x 100mm




Spare Roller  
Stock No 02250



## 1 Tyrolean Flicker Machine

Easy to use, hand operated wall coating sprayer for the application of Tyrolean and roughcast wall coating on exterior and interior walls. The heavy-duty, the large capacity plastic body is fitted with an adjustable ratchet pressure bar allowing the mixture to be flicked onto the wall from the sprung tines on the comb rotating on a spindle.

Stock No.	Part No.	Description
02171	PTF	Flicker Machine
02250	PTFR	Spare Roller



## 2 250mm x 140mm Scratch Float

Rigid general purpose scratch float manufactured with mild steel spikes and fitted with soft grip handle. Sold loose.

Stock No.	Part No.	Length	Width
82107	SF250/B	250mm	140mm



## 4 Plastering Scarifier (135mm)

For keying interior and exterior plaster/rendering. Polyurethane handle with steel tines. Display packed.

Stock No.	Part No.
34276	PST



## 3 25L Plasterers Mixing Bucket

Thick rigid plastic construction with metal handle. Easy to clean and robust when knocking out used plaster. Sold loose.


Stock No.	Part No.
12100	PLASTBKT



## 5 M14 to SDS+ Adaptor

Designed to convert M14 paddles for use with SDS+ drills.

Stock No.	Part No.
16404	M14SDS



## 6 Mixer Paddles

Steel mixing paddles suitable for use with electric and cordless drills. 16205 zinc coated, 16203 and 16204 powder coated for corrosion protection.

Stock No.	Part No.	Suitable for	Dimensions	Hexagon Size
16204	PMP1	Paint	80 x 400mm	8mm
16203	PMP2	Paint	100 x 600mm	10mm



## 7 Mixing Paddles

Manufactured from steel with a protective coating and a M14 thread. Suitable for use with most manufacturers powered mixers.

Stock No.	Part No.	Suitable for	Dimensions	Blades
16210	PMP7	Plaster	160 x 600mm	2
16417	PMP8	Plaster	120 x 600mm	2
16209	PMP6	Plaster	135 x 600mm	2
16206	PMP4	Plaster	140 x 600mm	3
16208	PMP5	Plaster	160 x 600mm	3
16205	PMP3	Plaster	120 x 600mm	2



1



2

**1**  
**Pair of Quick Action Telescopic Support Rods**

Expert Quality, ideal when installing plasterboard on ceilings, or sectioning of rooms when building or painting and decorating is taking place. Its two section heavy duty tubular construction incorporates a 'quick action' ratchet mechanism and sliding lock pin. Minimum rod length 1.45M, maximum rod length 2.5M. The large swivel foot (80 x 60mm) gives good stability. Maximum weight capacity at 90° (vertical) - 50kg and at 65° - 20kg.

Stock No.	Part No.	Description
88237	QS/2	Rods (2)

**2**  
**Pair of Telescopic Support Rods**

Ideal when installing plasterboard on ceilings, or sectioning of rooms when building or painting and decorating is taking place. Carbon steel tubes with twist and lock facility. Swivel steel brackets with rubber pads on tube ends for stability whilst working. Minimum rod length 1.66M, maximum rod length 2.8M. The large swivel foot (80 x 60mm) gives good stability. Maximum weight capacity at 90° (vertical) - 50kg and at 45° - 25kg.

Stock No.	Part No.	Min. Length	Max. Length
59473	TR	1660mm	2800mm



**3**  
**Mortar Joint Raker**

For cleaning old or damaged mortar joints prior to repointing. Cast aluminium handle with integral mortar joint blade to assist with cleaning up brick edges. Variable depth 60mm spike. 45mm diameter metal wheels. Display packed.

Stock No.	Part No.
80215	MJR2



**4**  
**Brick and Block Lifting Tong**

For lifting bricks or blocks in one go. The tongs automatically close when handle is lifted. Adjustable length arms from 400mm to 670mm. Steel construction with soft grip handles for user comfort. Sold loose.

Stock No.	Part No.
90002	BLT



**5**  
**No.2 Lead Dressing Tool**

Professional Quality, for use on sheet lead, copper, zinc aluminium etc. Contoured handle gives good knuckle clearance. Working area 175 x 50mm. Made from good quality beechwood. Packed on hanging tag.

Stock No.	Part No.	Length
68675	LDT	315mm



**6**  
**Lead Dressing Tool**

Specially designed lead dressers tool, intended for beating sheet lead, copper, zinc, aluminium etc. onto flat surfaces. Made from PE plastic.

Stock No.	Part No.
15091	LDTP



**1**  
**100g Solid Brass Plumb Bob**

Precision machined solid brass plumb bob with 5M (approx.) of nylon line. Display packed.

Stock No.	Part No.
60698	5188A



**2**  
**Chalk Line (30M)**

ABS body with fold away winding handle, filling hole and self chalking line (average length 30M) with metal end support. Supplied with 113g plastic bottle of blue chalk.

Stock No.	Part No.	Description
75045	CL30A	Chalk Line
13703	SP/CL30	Sachet of Chalk



**3**  
**Twin Suction Cup Lifter**

For the easy lifting of smooth flat surface materials, i.e. glass, marble etc. Manufactured from tough plastic with rubber suction cups. Suction cups 118mm diameter. Maximum lift 40kg; safe working load (S.W.L.) 20kg. Display packed.

Stock No.	Part No.
71172	SCDP2



**4**  
**Triple Suction Lifter**

For the easy lifting of smooth flat surface materials, i.e. glass, marble etc. Manufactured from tough plastic with rubber suction cups. Suction cups 118mm diameter. Maximum lift 75kg; safe working load (S.W.L.) 37.5kg. Display carton.


Stock No.	Part No.
43846	SCDP3



**5**  
**130g Steel Plumb Bob**

Accurately machined steel plumb bob with corrosion resistant plating and brass screw cap. Weight 130g. (approx.). Display packed.

Stock No.	Part No.
52172	5189



**6**  
**Chalk Line**

Diecast metal body with angle markings. Fold away winding handle, filling hole and self chalking line (average length 30M) with metal end support. Supplied with sachet of chalk. Display packed.

Stock No.	Part No.	Description
11528	CL30	Chalk Line
13703	SP/CL30	Sachet of Chalk



**8 NEW**  
**Inflatable Air Wedge, 160 x 160mm, 150kg Max. Load**

This soft air cushion provides a powerful and controlled 150kg lifting pressure. It is ideal to use when levelling windows, installing cabinets, positioning heavy doors and many more jobs. The wedge has a 160 x 160mm contact surface. The 2-50mm expansion range allows it to fit in the smallest of gaps and provide a high level of adjustment. It also has an internal reinforcement bar to ensure its inflation is rigid and does not fold up in tight places. It is fitted with a high-frequency welded and bonded hose to ensure it will not fail under pressure. Plus, it has a pressure relief valve to facilitate controlled decompression and height adjustment.

Stock No.	Part No.	Contact Surface	Weight
08972	IAW1	160 x 160mm	150kg



**7**  
**Bag of 100 Plastic Frame Packers**

Ready to use plastic packers. Accurate and more cost effective than hand-cut material. Colour coded sizes for easy identification. Thickness sizes and approximate quantities shown in brackets: 1.0mm (20), 2.0mm (20), 3.0mm (20), 4.0mm (20), 5.0mm (10) and 6.0mm (10). Display packed.

Stock No.	Part No.
44006	PP/100



**9**  
**Chalk for Chalk Lines**

Plastic bottles of fine chalk for use with Draper and other manufacturers chalk lines. Supplied with funnel for filling. Three colours available. Display packed.

Stock No.	Part No.	Colour	Weight
42967	LCB/H	Blue	115g
42975	LCR/H	Red	115g
42983	LCY/H	Yellow	115g



**10**  
**Pair of Steel Line Pins**

Drop forged 160mm line pins. Chrome plated for protection. Sold as a pair. Display packed.

Stock No.	Part No.
54261	D119/L



**11**  
**250mm Plasterer's Leaf and Square Tool**

Solid forged steel ground and hardened. Display packed.

Stock No.	Part No.
90079	STC



**12**  
**240mm Plasterer's Trowel and Square Tool**

Solid forged steel ground and hardened. Display packed.

Stock No.	Part No.
90083	STE





**1**  
**Chalk Line, 18m**

High breaking strain. Multiples of 12 only, supplied in countertop display.

**Minimum order 12 or multiples thereof**

Stock No.	Part No.	Length
86920	CLN18	18m



**4**  
**100M Yellow Polypropylene Brick Line**

Spool containing polypropylene brick line (approximate length 100m). Display packed.

**Minimum order 12 or multiples thereof**

Stock No.	Part No.
27429	BL100HV



**7**  
**Polyethylene Brick Lines**

Braided polyethylene brick line manufactured from a strong waterproof cord.

**Available in singles-order 12 or multiples thereof to get a free dispenser.**

Stock No.	Part No.	Length
86062	BL18	18m
27430	BL36	36m



**2**  
**18M Cotton Chalk Line**

For use with chalk powder. Multiples of 12 only, Supplied in countertop display.

**Available in singles - order 12 or multiples thereof to get a free dispenser.**

Stock No.	Part No.
86921	CL18



**5**  
**100M Pink Polypropylene Brick Line**

Spool containing polypropylene brick line (approximate length 100m). Display packed.

**Minimum order 12 or multiples thereof**

Stock No.	Part No.
27428	BL100HV



**8**  
**18M Polypropylene Brick Line**

One hank (approximate length 18m) packed on display card.

Stock No.	Part No.
52164	4803



**3**  
**36M Brick Line**

White braided nylon with a high breaking strain. Multiples of 12 only, Supplied in countertop display.

**Available in singles-order 12 or multiples thereof to get a free dispenser.**

Stock No.	Part No.	Length
27433	BCLN36	36m



**6**  
**100M Orange Polypropylene Brick Line**

Spool containing polypropylene brick line (approximate length 100m). Display packed.

**Minimum order 12 or multiples thereof**

Stock No.	Part No.
27425	BL100



**9**  
**6 x 18M Nylon Brick Line**

White braided nylon (approximate length 6 x 18m) with a breaking strain of 22.5kg. Packed six hanks per display card.

Stock No.	Part No.
52130	4807



**1**  
**100M Ranging Line**

Ranging line on a rotating spool. Handle shaped to enable it to be pushed into soft ground for use when laying out. Supplied with 100m of orange polypropylene line. Display packed.

Stock No.	Part No.
28821	RL100



**3**  
**Brick Line and Block Set**

Comprising two impact resistant plastic guide blocks and approximately 18m of polyethylene line. Display packed.

Stock No.	Part No.
54232	BLB



**5**  
**Multi-Purpose Flexible Bucket, 42L Capacity, Black**

This black multi-purpose flexible bucket can hold 42 litres. It is manufactured from polypropylene with a strengthening agent to provide extra durability. It is ideal for use around the home, garden and construction site. Perfect for carrying water, sand and building and garden waste.

Stock No.	Part No.
43475	MPFB/42BK



**2**  
**30M x 2.5mm Polyethylene Ranging Line**

A tough weather resistant cord ideal for use by builders for marking and setting out. This cord also has a multitude of uses in and around the house and garden. Packed one hank per display card.

Stock No.	Part No.
03240	663CR



**4**  
**14.8L Buckets**

Good quality polyethylene with metal carrying handle. Sold loose.

Stock No.	Part No.	Capacity	Colour
10636	BKT/Y	14.8L	Yellow
31687	BKT	14.8L	Black



**6**  
**25L Plasterers Mixing Bucket**

Thick rigid plastic construction with metal handle. Easy to clean and robust when knocking out used plaster. Sold loose.

Stock No.	Part No.
12100	PLASTBKT



**7**  
**Mortar Mixing Board**

Designed for mixing cement and other similar products, this lightweight mixing board restricts spillages on driveways, lawns etc; preventing unsightly stains and keeping the workplace clean. Manufactured from polypropylene with an integral hanging hook and easily portable, sized 950mm x 950mm x 70mm high. Sold loose.

Stock No.	Part No.
31937	MMB



Spare Solid Wheel  
Stock No. 17995



**1 Heavy Duty Plastic Tray Wheelbarrow (85L)**

Heavy duty wheelbarrow ideal for general builders use. The wheelbarrow is manufactured with a rigid tubular frame and has a 0.8mm gauge tray with an impressive 85-litre capacity. Fitted with a pneumatic tyre. Supplied flat packed with easy to read assembly instruction manual.

Stock No.	Part No.	Description	Capacity
17993	PWB FOR 17993	Wheelbarrow 85L	
17995	PWB-F	Spare Wheel	
02104	FOR 82755	Solid Spare Wheel	



Spare Solid Wheel  
Stock No. 15007



**2 Metal Tray Contractors Wheelbarrow (85L)**

Heavy duty wheelbarrow ideal for general builders use. The wheelbarrow is manufactured with a rigid tubular frame and has a 0.8mm gauge tray with an impressive 85-litre capacity. Each wheelbarrow is attached with a steel rimmed wheel fitted with a pneumatic 350mm tyre for a smoother ride. Supplied flat packed with easy to read assembly instruction manual.

Stock No.	Part No.	Description	Capacity
82755	BWB FOR 82755	Wheelbarrow 85L	
15007	BWB-F	Spare Wheel	
02104	FOR 82755	360mm 200mm 16mm	



**3 Brass Hose Connectors**

Connectors made from brass suitable for use with garden hose, sprinklers and taps.

Stock No.	Part No.	Description
36197	GWB1/H	Brass 1/2" BSP Tap Connector
36198	GWB1A/H	Brass 3/4" BSP Tap Connector
36228	GW44/H	Brass 3/4" BSP Double Tap Connector
36199	GWB2/H	Brass 1/2" Garden Hose Connector
36201	GWB2A/H	Brass 3/4" Garden Hose Connector
36202	GWB3/H	Brass 1/2" Hose Connector with Water Stop
36203	GWB4/H	Brass 1/2" Hose Repair Connector
36205	GWB4A/H	Brass 3/4" Hose Repair Connector
36206	GWB5/H	Brass 1/2" Two Way Double Male Connector
36236	GWB6/H	Brass 1/2" BSP Accessory Connector
36218	GWB6A/H	Brass 3/4" BSP Accessory Connector
36238	GWB7/H	Brass 3 Way Connector
36219	GWB8/H	Brass Spray Nozzle



**4 Reinforced Watering Hoses (12mm)**

Manufactured in accordance with BS 3746 Heavy duty PVC hose with polyester yarn reinforcement for kink resistance. 2mm Minimum wall thickness. Outside layer of hose has extra thick sheathing for use in rugged environments. Shrink wrapped with label.

Stock No.	Part No.	Length
56314	GH4	30m
56315	GH5	50m



**5 Brass Take Anywhere Tap**

Simply screw in the desired location for a simple and convenient water supply. Use a standard garden hose to bring water from a fixed source and connect to the tap. Made from non rusting solid brass for longevity.

Stock No.	Part No.
02251	TABT



**6 160L Cement Mixer (Full Assembly Required)**


- 160L drum capacity
- Supplied with a robust 4-leg stand and wheels
- 230V induction motor (650W)
- No volt safety switch
- Mixer can be used on or off the stand
- Some assembly required

Capacity:	160L
Input Voltage:	230V
Motor Wattage:	650W
Drum Rotation Speed:	28RPM
Drum Opening:	400mm
Stand Type:	4 leg stand
Dimensions:	W 790mm x D 1300 x H 1335mm
Weight:	59kg
Stock No.	Part No.
99511	CM1170



## FULLY INSULATED SOLID FORGED CONTRACTORS TOOLS

- Individually tested to 10,000V, guaranteeing safe working on 1,000V and fully complying with BS 8020:2011 standards
- Solid forged blade and socket expertly anchored into a fully insulated fibreglass core with hand slip guard
- Each tool is supplied with a certificate of conformity, which correlates with a unique traceability number embossed on the shaft



**1 Fully Insulated Solid Forged Contractors Fork**

Stock No.	Part No.	Length
75182	INS/CF	1085mm

**2 Fully Insulated Solid Forged Square Mouth Shovel**

Stock No.	Part No.	Length
75168	INS/SMS	1032mm

**3 Fully Insulated Solid Forged Trenching Shovel**

Stock No.	Part No.	Length
75173	INS/TTS	1045mm

**4 Fully Insulated Solid Forged Taper Mouth Shovel**

Stock No.	Part No.	Length
75169	INS/TMS	1045mm

**5 Fully Insulated Digging Spade**

Stock No.	Part No.	Length
17694	INS/DSP	1030mm

**6 Fully Insulated Solid Forged Drainage Shovel**

Stock No.	Part No.	Length
75175	INS/DS	1135mm

**7 Fully Insulated Solid Forged Cable Laying Shovel**

Stock No.	Part No.	Length
82636	INS/CLS	1006mm

**8 Fully Insulated Solid Forged Grafting Shovel**


Stock No.	Part No.	Length
82637	INS/GS	1006mm

**9 Fully Insulated Solid Forged Round Mouth Shovel**

Stock No.	Part No.	Length
82639	INS/RMS	1006mm

**10 Fully Insulated Utility Shovel**

Stock No.	Part No.	Length
17695	INS/UGS	960mm



**1 Fully Insulated Post Hole Digger**  
Manufactured and individually certified to BS8020 standard.

Expert Quality, fully insulated post hole digger designed for working on or near live cable and wires. Individually tested to 10,000 volts, guaranteeing safe working on 1,000V and complying to the BS 8020 standards. Manufactured with an epoxy fibreglass core and attached to a fully enclosed insulated shaft. Each post hole digger/crowbar is supplied with a certificate of conformity, which correlates with a unique traceability number embossed on the shaft. Sold loose.

Stock No.	Part No.	Length
17696	INS/PHD	1730mm

**2 Fully Insulated Chisel End Crowbar**

Stock No.	Part No.	Length
84798	INS/CCB	1829mm

**3 Fully Insulated Point End Crowbar**

Stock No.	Part No.	Length
84799	INS/PCB	1829mm



**4 Solid Forged Contractors Fork**  
Expert Quality, all-steel tubular shaft with solid forged tines and socket. Y-dee shaped handle. Sold loose.

Stock No.	Part No.	Length
64326	ASF	1100mm

**5 Solid Forged Square Mouth Shovel**  
Expert Quality, all-steel tubular shaft with solid forged socket. Y-dee shaped handle. Blade width: 250mm and 300mm long. Sold loose.

Stock No.	Part No.	Length
64327	ASS-SM	1000mm

**6 Solid Forged Taper Mouth Shovel**  
Expert Quality, all-steel tubular shaft with solid forged socket. Y-dee shaped handle. Blade width: 215mm at the base widening to 250mm at the top and 300mm long. Sold loose.

Stock No.	Part No.	Length
64328	ASS-TM	1050mm

**7 Solid Forged Round Mouth Shovel**

Expert Quality, all-steel tubular shaft with solid forged blade and socket. Y-dee shaped handle. Blade width: 250mm and 300mm long. Sold loose.

Stock No.	Part No.	Length
15071	ASS-RM	1000mm

**8 Solid Forged Square Mouth Spade**  
Expert Quality, all-steel tubular shaft with solid forged socket. Y-dee shaped handle. Blade width: 180mm and 290mm long. Sold loose.

Stock No.	Part No.	Length
23326	ASDS	990mm

**9 Solid Forged Cable Laying Shovel**  
Expert Quality, all-steel tubular shaft with solid forged socket. Y-dee shaped handle. Blade width: 114mm at the base widening to 125mm at the top and 280mm long. Sold loose.

Stock No.	Part No.	Length
64330	ASS-CL	1010mm

**10 Solid Forged Drainage Shovel**  
Expert Quality, all-steel tubular shaft with solid forged socket. Y-dee shaped handle. Blade length 405mm. Sold loose.

Stock No.	Part No.	Length
64331	ASNS	1100mm





## 1 Solid Forged Trenching Shovel

Expert Quality, all-steel tubular shaft with solid forged socket. Y-dee shaped handle. Blade width: 180mm and 280mm long. Sold loose.

Stock No.	Part No.	Length
10872	TSASMYD	1010mm

## 2 Solid Forged Grafting Shovel

Expert Quality, all-steel tubular shaft with solid forged socket. Y-dee shaped handle. Blade width 165mm and 320mm long. Sold loose.

Stock No.	Part No.	Length
22418	ASS-GS	1010mm

## 3 Solid Forged Square Mouth Shovel with Ash Shaft

**Timber from a Sustainable Managed Forest**  
Expert Quality, ash shaft with solid forged socket. MYD handle. Blade width: 250mm and 300mm long. Sold loose.

Stock No.	Part No.	Length
52956	SMSSS-WH	940mm

## 4 Solid Forged Taper Mouth Shovel with Ash Shaft

**Timber from a Sustainable Managed Forest**  
Expert Quality, solid forged socket. Y-Dee handle. Blade width: 215mm at the base widening to 250mm at the top and 300mm long. The ash used in this product is from a sustainable managed forest. Sold loose.

Stock No.	Part No.	Length
48426	TMSSS-WH/H	1000mm

## 5 Solid Forged Square Mouth Spade with Ash Shaft

**Timber from a Sustainable Managed Forest**  
Expert Quality, ash shaft with solid forged square mouth spade. Y-dee shaped handle. Blade width: 180mm and 290mm long. Sold loose.

Stock No.	Part No.	Length
07194	SMSWH	990mm

## 6 Steel Square Mouth Spade

Expert Quality, all-steel tubular shaft with socket. Y-dee shaped handle. Blade width: 180mm and 290mm long. Sold loose.

Stock No.	Part No.	Length
88633	ASDS	990mm

## 7 Solid Forged Square Mouth Shovel with Ash Shaft

**Timber from a Sustainable Managed Forest**  
Expert Quality, ash shaft with T grip. Solid forged blade width 250mm and 300mm long. Sold loose.

Stock No.	Part No.	Length
10873	SMSSS-WHT/H	990mm

## 8 Solid Forged Trenching Shovel with Ash Shaft

**Timber from a Sustainable Managed Forest**  
Expert Quality, ash shaft with T grip. Solid forged blade width 180mm and 280mm long. Sold loose.

Stock No.	Part No.	Length
10878	TSWTH/H	980mm

## 9 Square Mouth Shovel with Ash Shaft

**Timber from a Sustainable Managed Forest**  
Expert Quality, ash shaft with T grip. Open socket pressed carbon steel blade 250mm wide and 320mm long. Sold loose.

Stock No.	Part No.	Length
10877	SMSOS-WH/H	1000mm

## 10 Solid Forged Round Mouth Shovel with Ash Shaft

**Timber from a Sustainable Managed Forest**  
Expert Quality, ash shaft with T grip. Solid forged blade with tread. Blade width (top) 210mm and 240mm long. Sold loose.

Stock No.	Part No.	Length
10874	RMS/H	960mm

## 11 Solid Forged Round Mouth Shovel with Ash Shaft

**Timber from a Sustainable Managed Forest**  
Expert Quality, ash handle with T grip. Solid forged blade width (top) 250mm and 310mm long. Sold loose.

Stock No.	Part No.	Length
10875	RMSSSTH/H	980mm





**1**  
**Irish Pattern Long Handled Shovel**  
 Wood shaft with hardened steel socket and V shaped blade. Sold loose.  
**Minimum order 2 or multiples thereof**

Stock No.	Part No.	Length
78430	ILHS	1600mm



**4**  
**Square Mouth Builders Shovel with Hardwood Shaft**  
 Carbon steel blade with lacquered hardwood shaft and Y-dee shaped handle. Blade width: 240mm and 320mm long. Sold loose.

Stock No.	Part No.	Length
10904	BS/PYD	1060mm



**7**  
**Round Point Mini Shovel with Fibreglass Shaft**  
 Pressed mild steel blade with fibreglass shaft and Y-dee shaped handle. Ideal for work in restricted areas. Sold loose.

Stock No.	Part No.	Length
57569	BSRPFPG	760mm



**2**  
**Forged Round Mouth Shovel with Ash Shaft**  
 American pattern with ash shaft. Forged blade width (top) 300mm and 238mm long. Sold loose.

Stock No.	Part No.	Length
10903	RMLHS	980mm



**5**  
**Square Mouth Builders Shovel with Fibreglass Shaft**  
 Pressed steel blade with fibreglass shaft and Y-dee shaped moulded handle. Blade width: 240mm and 320mm long. Sold loose.

Stock No.	Part No.	Length
57567	BSFG	940mm



**8**  
**Round Point Mini Shovel with Wood Shaft**  
 Pressed mild steel blade with wood shaft and plastic Y-dee shaped handle. Ideal for work in restricted areas.

Stock No.	Part No.	Length
15072	MSRP	700mm



**3**  
**Square Mouth Builders Shovel with Hardwood Shaft**  
 Pressed steel blade with varnished hardwood shaft and Y-dee shaped handle. Blade width: 240mm and 310mm long. Sold loose.

Stock No.	Part No.	Length
31391	BS	940mm



**6**  
**Round Point Shovel with Fibreglass Shaft**  
 Pressed mild steel blade for strength and durability, with fibreglass shaft and Y-dee shaped handle. Ideal for work in restricted areas. Sold loose.

Stock No.	Part No.	Length
43216	RPSFG	1020mm



**9**  
**Square Mouth Mini Shovel with Wood Shaft**  
 Pressed mild steel blade with wood shaft and plastic Y-dee shaped handle. Ideal for work in restricted areas.

Stock No.	Part No.	Length
15073	MSSM	700mm



## 1 Folding Steel Shovel

Carbon steel serrated blade with tubular steel handle. Powder coated to prevent corrosion. Handle is tightened by integral collet - so no need for additional tools. Supplied with vinyl pouch for storage. Display packed.

Stock No.	Part No.	Min. Length	Max. Length
51002	SS1000/2	245mm	580mm



## 4 Large Snow Shovel with FSC® Wooden Handle

This snow shovel has a sturdy shaft made from 100% FSC® beechwood. Equipped with a large black plastic blade specially designed to pick-up snow and a comfortable Y-dee shaped moulded handle.

Stock No.	Part No.
94107	PSS/FSC



## 7 Smoothing Lute/Spazzle with Ash Shaft

For spreading and smoothing concrete bases. 610mm wide 96mm deep aluminium head with support brackets. Ash shaft. Sold loose.

Stock No.	Part No.	Length
71260	PSLB	1480mm



## 2 Multi-Purpose Polypropylene Shovel

Heavy duty one piece polypropylene shovel with extra wide blade and forward tilt y-dee shaped handle for user comfort. Ideal for use with wood chips, snow, grain, stable/farm waste and compost. Blade width: 345mm and 380mm long. Sold loose.

Stock No.	Part No.	Length
19174	MPHDPS	1150mm



## 5 Tarmac Rake with Ash Shaft

Expert Quality, 16 round tooth head with steel socket and ash shaft. Sold loose.

**Minimum order 2 or multiples thereof**

Stock No.	Part No.	Length
52957	TR	1675mm



## 6 Landscaping Rake with Ash Shaft

Expert Quality, professional landscaping rake with a 605mm x 115mm head that has 24 tines. Made from extruded aluminium and attached to a solid ash wood handle. Sold loose.

Stock No.	Part No.	Length
73355	PLR/A	1460mm



## 3 Rubble and Debris/Multi-Purpose ABS Shovel with Hardwood Shaft

ABS tough plastic spark-free blade with hardwood shaft and moulded 'Y-dee' handle. Ideal for use with wood chips, snow, grain, stable/farm waste, compost, rubble and debris. Deep ridged blade width 360mm at the base narrowing to 170mm (approx.) at the top and 360mm (approx.) long. Sold loose.

Stock No.	Part No.	Length
19177	RDMPS	1210mm








**1**  
**Petrol Earth Auger Kit**

- Ideal for boring fence and gate post holes, or for deep rooted planting.
- Safety lanyard for quick emergency shut-off
- Supplied with three 800mm auger bits

Engine capacity:	52cc
Max power output:	1450W
Engine rpm:	3000rpm (idle)
Max rpm adjustable:	900rpm (+/-300)
Fuel tank capacity:	1.2L
Drill length:	800mm
Accessory drills:	100mm (1.75kg), 150mm (2.30kg) and 200mm (2.82kg)
Weight:	8.9kg

Stock No.	Part No.
68294	GPAUG52-B



**2**  
**Earth Auger Drill Bits**

Features: Single person operation for digging multiple 'tidy' holes for fence posts, boreholes, planting hedging and saplings, Maximum hole depth 800mm, Three diameter auger bits Supplied (100, 150 and 200mm dia.)

**Contents:**  
3 x Auger bits: 100, 150 and 200mm

Stock No.	Part No.	Description	
84752	AGP-AUG100	Auger Bit	100mm dia.
84754	AGP-AUG150	Auger Bit	150mm dia.
84755	AGP-AUG200	Auger Bit	200mm dia.



**3**  
**Fence Post Augers**

For making fence post holes, particularly in heavy or difficult ground. Manufactured from tubular steel with handle and auger screw. Sold loose.

Stock No.	Part No.	Length	Diameter
82846	FPA4	950mm	100mm
24414	FPA/1	1050mm	150mm



**4**  
**Fence Post Rammer**

For driving wooden fence posts into the ground without splitting. Tubular steel body 680mm long with handles 520mm long. Diameter of rammer 165mm. Sold loose.

**Caution: This product weighs 13kg**

Stock No.	Part No.
26479	FPRA



**5**  
**Fence Wire Tensioning Tool**

Expert Quality, for tensioning wire (including barbed wire) up to 4mm diameter prior to stapling onto wooden fencing posts. Manufactured from carbon steel hardened and tempered with 600mm long handle for excellent leverage and a pivoting 'Durbar' steel locating foot to grip any post type whilst straining wire. Display packed.

Stock No.	Part No.	Length
57547	FWTT	760mm



**6**  
**260mm Cushion Grip Fencing Pliers**

Expert Quality, manufactured from carbon steel with smoothly ground and polished head. Head incorporates a striking face; staple removing hook; pincer and clamp on top jaw; grips on inside of handles for straining and twisting wire and two shear type wire cutters. Cushion grip handles. Display packed.

Stock No.	Part No.
68450	137A2



**7**  
**5.4kg (12lb) Fibreglass Shaft Fencing Hammer**

Cast iron head with polypropylene coated fibreglass shaft. Head width 130mm. Shock-absorbing rubber grip. Sold loose.

**Not to be used to hammer in metal posts**

Stock No.	Part No.
81065	FHFGS/P



**8**  
**Post Level**

Rigid post level made from durable re-inforced ABS plastic. Designed to plumb pipes, posts, level RSJ's and other applications where vertical or horizontal is required. Attached with four powerful magnetic pads for working with steel posts and fitted with a strong elastic band for fixing to non-magnetic surfaces. Two horizontal and one plumb tubular acrylic vials for convenience with an accuracy of 0.1deg (1.75mm/m). Dimensions level 121 x 78mm. Display packed.

Stock No.	Part No.
75042	PLF



**1**  
**Scraper and Root Digger with Wood Shaft**

Expert Quality, for numerous jobs including carpet tile removal, general scraping tasks, chopping and root removal. Hardened sharpened blade size 230 x 180mm that can re-sharpened to maintain cutting edge. Sold loose.

Stock No.	Part No.	Length
05166	HDS/RD	1410mm



**2**  
**Long Handled Solid Forged Fencing Spade**

Expert Quality, all-steel tubular shaft with solid forged socket. Blade length 260mm. Sold loose.

Stock No.	Part No.	Length
21301	LH/FS	1600mm



**3**  
**Chisel Point Fencing Bar**

Expert Quality, perfect for hard to get at roots or other digging activities. Solid forged high carbon steel with taper point and sharpened end. Sold loose.


Stock No.	Part No.	Length
17678	ASDFB	1800mm

**4**  
**4.5kg Tarmac Tamper with Steel Shaft**

Expert Quality, tubular steel handle. Weighs 4.5kg with a square footprint of 135mm. Sold loose.

**Minimum order 2 or multiples thereof**

Stock No.	Part No.	Length
64379	TT	1140mm



**5**  
**Heavy Duty Post Hole Digger with Steel Handles**

Expert Quality, manufactured with solid carbon steel blades and handles. Display carton.

Stock No.	Part No.	Length
82429	PHD/HDMP	1410mm

**6**  
**Heavy Duty Post Hole Digger**

**Timber from a Sustainable Managed Forest**

Expert Quality, heavy duty head, ash handles with rubber grips. Hardened and tempered grab blades. Sold loose.

Stock No.	Part No.	Length
26478	PHDHDA	1480mm

**7**  
**Post Hole Digger with Hardwood Handles**

Hardwood handles with hardened and tempered grab blades. Multiples of two only.

**Minimum order 2 or multiples thereof**

Stock No.	Part No.	Length
34894	PHD1	1480mm





Stock No. 58552



Stock No. 85634

**1 Steel Mesh Gardener's Cart**

Steel fabricated cart with fold down sides, foam handle and heavy-duty pneumatic wheels. The handle on Stock No. 85634 easily converts for towing, making light work of moving heavy material. A heavy duty waterproof liner is available separately.

Stock No.	Part No.	Description	Dimensions	Weight Capacity
58552	GMC	Cart	900 x 500 x 220mm	200kg
85634	GMC/450	Cart	1220 x 610 x 274mm	450kg
20760	GMC/L	Liner for 58552	865 x 465 x 210mm	
20768	GMC/450L	Liner for 85634	1220 x 610 x 274mm	
83966	YGMC-WHEEL	Spare wheel for 58552		
41388	YGMC/450-WHEEL	Spare wheel for 58552		



Stock No. 58553



Stock No. 52628

**2 Tipping Carts**

Reinforced steel frame chassis with toughened plastic tray, perfectly suited for a host of activities. The steel handle has a foam comfort grip and the steel subframe is fitted with heavy-duty pneumatic wheels. The handle on Stock No. 52628 easily converts for towing, making light work of moving heavy material.

Stock No.	Part No.	Description	Dimensions	Weight Capacity	Capacity
58553	GTC	Mobile Tipper Cart	1040 x 510 x 920mm	200kg	75L
52628	GTC/HD	Heavy Duty Tip Cart	1130 x 580 x 1080mm	450kg	120L
83966	YGMC-WHEEL	258mm	124mm	16mm	
41388	YGMC/450-WHEEL	320mm	174mm	16mm	



**5 1 Tonne Bulk Waste Bag, 900 x 900 x 800mm**

**Manufactured to EN ISO 21898**

Nylon bag with reinforced corners and handles. Maximum weight limit of 1000kg and size of 900 x 900 x 800mm. Packed in polythene bag.

Stock No.	Part No.	Dimensions
60064	TWB/Q	900 x 900 x 800mm



**6 Hog Ring Pliers, 180mm**

Steel hog ring pliers with pistol grip primarily used for the installation of hog ring fastenings in vehicle upholstery. The cupped and spring-loaded jaws are designed to securely hold the hog rings in place during closure of the fixing. The pliers are chemically blackened for corrosion resistance and the handles are plastic coated to provide extra grip and added comfort while in use.

Stock No.	Part No.
94973	HRP



**3 Polyethylene Tarpaulins**

Made from durable 80gsm mildew resistant PE material. All edges heat-treated and re-inforced with cord in the hem. Fitted with aluminium eyelets at metre intervals. Display packed.

Stock No.	Part No.	Size
82652	TAR/2A	3m x 5m
82653	TAR/3A	4m x 6m
82654	TAR/4A	5m x 8m



**4 Heavy Duty Polyethylene Tarpaulins**

Expert Quality, heavy-duty tarpaulin made from durable 200gsm mildew resistant PE material. Suitable for applications where a heavier grade tarpaulin and greater protection against the elements is required. All corners reinforced with heavy-duty plastic. Fitted with aluminium eyelets at metre intervals. Display packed.


Stock No.	Part No.	Size
82655	TAR/HD1	3m x 5m
82656	TAR/HD2	4m x 6m
82657	TAR/HD3	5m x 8m



**7 Eyelet/Grommet Kit**

Enables the repair of tarpaulins or tents when eyelets or grommets are required. Each kit is supplied with 3/8" punch, steel mandrel, anvil, wood backer block and 12 brass grommets. Display packed.

Stock No.	Part No.	Description
85665	GK12	Grommet Kit
85666	G3/8	Spare Grommets




**1**  
**Chisel Point Digging Bar**

Perfect for hard to get at roots or other digging activities. Solid forged high carbon steel with taper point and sharpened end. Sold loose.

**Minimum order 2 or multiples thereof**

Stock No.	Part No.	Length
54221	CPDB	1.5m



**4**  
**Wrecking Bars**

For dismantling timber work, case opening, etc. and removing nails. Forged high grain steel with chisel end and swan neck. Sold loose.


Stock No.	Part No.	Length
64846	BD9	450mm
64854	BD9	600mm
75513	BD9	760mm



**7**  
**Pry Bar/Nail Puller, 355mm**

Flat section with nail puller and chisel ends 35mm wide. Forged from good quality carbon steel hardened, tempered and painted black. Sold loose.


Stock No.	Part No.
30975	PB



**2**  
**Chisel Point Crowbar, 1.5m**

32mm wide crow bar, forged from high carbon steel, with hardened chisel and point ends. Ideal for exerting pressure to lift and move heavy items and also demolition work.

Stock No.	Part No.	Length
53074	CP/P	1.5m



**5**  
**Demolition Bar Set (3 Piece)**

Ideal for heavy duty building site work i.e. demolition, dismantling timber work etc. Forged carbon steel chemically blacked with chisel end and swan neck. Display packed.

**Contents:**  
3 x Demolition bars: 350, 600, 900mm long

Stock No.	Part No.
41378	UBSET/3



**8**  
**Pry Bar/Nail Puller, 250mm**

Double - ended nail puller with crowfoot and chisel ends. Forged from good quality carbon steel hardened and tempered. Display packed.

Stock No.	Part No.
36030	NPCB



**3**  
**Demolition Bars**

Ideal for heavy duty building site work i.e. demolition, dismantling timber work etc. Forged carbon steel chemically blacked with chisel end and swan neck. Sold loose.

Stock No.	Part No.	Length
44450	UB14	350mm
44451	UB24	600mm
44452	UB36	900mm



**6**  
**Wrecking Bar Set (5 Piece)**

Set comprising of two pry bars, two wrecking bars and an aligning bar. All bars are manufactured from high grade steel hardened at both ends. Display packed

**Contents:**  
1 x Pry bar 180mm  
1 x Pry bar 350mm  
1 x Aligning bar 450mm  
1 x Wrecking bar 300mm  
1 x Wrecking bar 450mm


Stock No.	Part No.
26123	WB5



**9**  
**Heel Bar, 450 x 15mm**

Used for levering, positioning and aligning jobs. The long pointed taper can be used for lining up drift. Roll head increases leverage. Manufactured from carbon steel hardened and tempered. Sold loose.

Stock No.	Part No.
82805	HB/A



**1**  
**Long Handled Floor Scraper**

For scraping stubborn residues from hard surfaces. Fitted with a 75 x 200mm reversible, sharp edged steel blade. Attached with a steel handle with soft grip for added comfort. Overall length 1300mm. Sold loose.

Stock No.	Part No.	Description
88631	LHFS	Scraper
88635	LHFS/SB	Spare Blade

**2**  
**Long Fibreglass Handled Floor Scrapers**

For scraping stubborn residues from hard surfaces. Fitted with a reversible, sharp edged steel blade. Attached with a fibreglass handle with soft grip for added comfort. Overall length 1600mm. Sold loose.

Stock No.	Part No.	Description
54197	FSFG	12" Scraper
54198	FSFG	16" Scraper
54199	FSFG/SB12	12" Spare Blade
54200	FSFG/SB16	16" Spare Blade



**3**  
**330mm Yard Broom**

Polypropylene/Sherbro mix head Supplied with wood shaft 1370mm long x 28mm dia. Sold loose in twos.

**Minimum order 2 or multiples thereof**

Stock No.	Part No.
88618	CYB/B25/5



**4**  
**Soft Coco Brooms (300mm)**

Soft coco broom supplied with support bracket and wooden handle.

Stock No.	Part No.	Width
01087	BRM/COCOE	300mm



**5**  
**Soft Coco Platform Brooms (600mm)**

Soft coco platform broom supplied with support bracket and wooden handle.

Stock No.	Part No.	Width
01088	PBRM/COCOE	600mm



**6**  
**Stiff Bassine Broom (600mm)**

Heavy duty broom suitable for outdoor use, supplied with support bracket and wooden handle.

Stock No.	Part No.
01089	PBRM/BASSE



**7**  
**Stiff Bassine Broom Heads**

Heavy duty, suitable for outdoor use. Handles supplied separately - 23mm Draper Stock No. 43786 or 28mm Draper Stock No. 43787. Option of extra support through use of broom bracket - Draper Stock No. 43789, clamp - Draper Stock No. 43790 or stay - Draper Stock No. 43791. Sold loose.

Stock No.	Part No.	Width	Diameter
43769	BRM/DS	230mm	23mm
43772	BRM/BASS	300mm	23mm
43773	BRM/BASS	450mm	28mm
43775	PBRM/BASS	600mm	28mm



**8**  
**Soft Coco Broom Heads**

Heavy duty, suitable for both indoor and outdoor use. Handles supplied separately - 23mm Draper Stock No. 43786 or 28mm Draper Stock No. 43787. Option of extra support through use of broom bracket - Draper Stock No. 43789, clamp - Draper Stock No. 43790 or stay - Draper Stock No. 43791. Sold loose.

Stock No.	Part No.	Width	Diameter
43770	BRM/COCO	300mm	23mm
43771	BRM/COCO	450mm	28mm
43774	PBRM/COCO	600mm	28mm



**1 Saddleback Broom Head (330mm)**

Heavy duty, suitable for outdoor use. Handle supplied separately - 28mm Draper Stock No. 43787. Sold loose.

Stock No.	Part No.
43778	BRM/SBK



**5 Rubber Floor Squeegees**

Handle sold separately - 28mm Draper Stock No.43787. Sold loose.

Stock No.	Part No.	Width
43784	FSQ	450mm
43794	FSQ	600mm



**9 Heavy Duty Metal Broom Bracket**

Suitable for large broom heads only, the diameter can be adjusted by means of wing nut and screw to take most popular diameter wood handles. Fixings supplied separately. Sold loose.

Stock No.	Part No.
43789	MBRCK



**2 Wooden Broom Handles**

Handles suitable for small or large broom heads. Sold loose.

Stock No.	Part No.	Length	Diameter
43786	BRM/HAN	1220mm	23mm
43787	BRM/HAN	1525mm	28mm



**6 Floor Squeegee, 600mm**

Moulded plastic frame with single-fold EVA insert provides effective water removal from hard floor surfaces. The all plastic construction is safe to use on delicate tile and marble floors and will not rust. Part of the One-Handle system, for use with handle Stock No. 02086. Display packed.

Stock No.	Part No.	Size
02088	FSQ/A	600mm



**10 Soft Coco Hand Brush, 300mm**

This 300mm (12") hand brush is made from natural coco fibres. Strong wooden head and handle for steady sweeping. Designed for indoor use, such as soft-sweeping on floors.

Stock No.	Part No.
43779	HBRM/COCO



**3 Short Handled Tar Brush**

For applying all viscous materials especially applying liquid tar to flat roofs or to finish off road repair patches. Handle length 185mm. Sold loose.

Stock No.	Part No.
43782	SHTB



**7 23mm Broom Head Plastic Bracket**

For fixing 23mm diameter handles to smaller flat broom heads. Fixings Supplied separately. Sold loose.

Stock No.	Part No.
43788	PBRCK



**11 Stiff Bassine Hand Brush (255mm)**

Traditional banister brush, suitable for outdoor and indoor use. Sold loose.

Stock No.	Part No.
43780	HBRM/BASS



**4 Long Handled Tar Brush**

For applying all viscous materials especially liquid tar to finish off road repair patches. Handle length 1180mm. Sold loose.

Stock No.	Part No.
43783	LHTB



**8 Dust Pan**

Pressed steel, shovel type dustpan attached to an ash wood handle. Display packed.

Stock No.	Part No.
15226	DPAN



**12 Stiff Bassine Scrubbing Brush (200mm)**

Traditional scrubbing brush suitable for various applications. Sold loose.

Stock No.	Part No.
43781	HS/BASS



**1**  
**Box Section Levels with Magnified Vial and Side View Vial**



Expert Quality, Aluminium box section levels with side view feature, comprising three highly visible solid acrylic and UV resistant vials, one magnified horizontal vial and two vertical vials, one with side view vial feature, milled base up to 1200mm. The 1.8m is fitted with one horizontal magnified vial and has an unmilled base. All the levels are electrostatically epoxy powder coated and baked for maximum protection. Fitted with shock absorbing end caps. The base has a finely milled surface (1.8m unground). Accuracy 0.5mm per 1m = 0.029° (1800mm 1mm per 1m = 0.057°) in standard position.

Stock No.	Part No.	Length
75115	DL90	600mm
75123	DL90	900mm
75127	DL90	1200mm
75246	DL90	1800mm
82415	SLB/RD/PROMO	1.8m Storage Bag



**2**  
**I-Beam Levels with Side View Vial**

High quality, hardened aluminium girder section levels with three permanently fixed solid acrylic cylindrical shock resistant UV resistant vials, one horizontal, one vertical with side view feature and one 45° vial. Levels electrostatically, epoxy powder coated and baked for maximum protection. Metric/imperial rule on top edge. Fitted with shock absorbing end caps. V-Groove for levelling pipework. Accuracy 1.75mm per 1m = 0.1° in standard position.

Stock No.	Part No.	Length
41393	DL85	600mm
41394	DL85	900mm
41395	DL85	1200mm



**3**  
**Box Section Levels with Side View Vial**

High quality, Aluminium box section levels with three permanently fixed, shock resistant, acrylic UV resistant vials, one horizontal vial, one vertical and one 45° vials, one with side view vial feature. Precision milled top and bottom. Levels are electrostatically epoxy powder coated and baked for maximum protection. Fitted with shock absorbing end caps. Accuracy of 0.5mm per 1m = 0.029° in standard position.

Stock No.	Part No.	Length
75102	DL80	600mm
75105	DL80	900mm
75106	DL80	1200mm
75107	DL80	1800mm

**4**  
**Box Section Levels**

Box section levels made from high quality Aluminium with three permanently fixed shock resistant acrylic UV resistant vials, 300mm - one horizontal and one vertical vials, 600mm, 900mm and 1200mm - one horizontal and two vertical vials, precision milled bottom. V-Groove for levelling pipework. All the levels are electrostatically epoxy powder coated and baked for maximum protection. Fitted with shock absorbing end caps. Accuracy of 0.5mm per 1m = 0.029° in standard position.

Stock No.	Part No.	Length
75070	DL75	300mm
75071	DL75	600mm
75073	DL75	900mm
75101	DL75	1200mm



## 1 Digital Angle Finder, 250mm

Expert Quality, anodized finish with lockable adjustable blade for angle finding in various applications. LCD display with absolute and relative angle option. LCD readout reads 'right way' when turned through 180°. Accuracy 0.1°. Display packed.

Stock No.	Part No.
74307	DAF



## 4 Torpedo Level with Magnetic Base, 230mm

ABS plastic with a V-groove magnetic strip in the base. Three vials, one horizontal, vertical and 45° vials. Incorporates a V groove in the top, rubber end caps and a hang hole. Vial sensitivity 0.1° with a level accuracy of 1.75mm/m = 0.57° in standard position. Display packed.

Stock No.	Part No.
79579	DL22



## 7 Boat Spirit with Magnetic Base, 230mm

Moulded from polystyrene with a magnetic strip in the base. Unbreakable all-round reading horizontal, vertical and 45° vials. Incorporates a V groove in the top and a hang hole. Accuracy 1.75mm per 1m = 0.1° in standard position. Display packed.

Stock No.	Part No.
69563	DL21



## 2 Side View Boat Spirit Level with Magnetic Base, 250mm

Expert Quality, with side view vial. Cast Aluminium with three solid acrylic vials, one horizontal, one 45° and vertical side view vial. Special milled base with two rare earth magnets. Accuracy: 0.5mm per 1m = 0.029° in standard position. Display packed.

Stock No.	Part No.
69550	DL30



## 5 250mm Cast Boat Levels

Horizontal and vertical vials, with precision milled base. Accuracy 1.0mm per 1m = 0.057° in standard position. Multiples of 12 levels only, Supplied in countertop display.

**Minimum order 12 or multiples thereof**

Stock No.	Part No.
45868	DBTL



## 8 Mini Level, 100mm

ABS plastic level with two vials and 0-90° angle finder in body. Accuracy 1.75mm per 1m = 0.1° in standard position. Display packed.

Stock No.	Part No.
75112	DL23



## 3 Torpedo Level with Magnetic Base and Side View Vial, 250mm

Expert Quality, ABS plastic magnetic 'V' groove level especially useful when levelling pipework. Fitted with three vials: horizontal, 45° and vertical with an accuracy 1.75mm per 1m = 0.1° in standard position. Display packed.

Stock No.	Part No.
69554	DL25



## 6 250mm Cast Boat Level

Horizontal and vertical vials, with precision milled base. Accuracy 1.0mm per 1m = 0.057° in standard position.

Stock No.	Part No.
93993	DBTL/S



## 9 Line Level (78mm)

ABS plastic, incorporating a pocket clip, line suspension hooks and V grooved ends. Can be used to check any surfaces including pipework. Accuracy 1.75mm per 1m = 0.1° in standard position. Display packed.

Stock No.	Part No.
75111	DL24



1

**Post Level**

Rigid post level made from durable re-inforced ABS plastic. Designed to plumb pipes, posts, level RSJ's and other applications where vertical or horizontal is required. Attached with four powerful magnetic pads for working with steel posts and fitted with a strong elastic band for fixing to non-magnetic surfaces. Two horizontal and one plumb tubular acrylic vials for convenience with an accuracy of 0.1deg (1.75mm/M). Dimensions level 121 x 78mm. Display packed.

Stock No.	Part No.
75042	PLF



2

**Distance Measurer, 40m**

Measures distances up to 40M/132ft in metric or imperial. The backlight LED screen displays area, volume and indirect measurements with an accuracy of ±1.5mm. The memory function enables addition, multiplications and subtractions. Uses 2 x AAA batteries (not supplied). Display packed.

Stock No.	Part No.	Description
15102	LDM-40M	Distance Measurer
61833	DLR03/HD	Batteries (4 x AAA)

3

**Rotating Laser Level Kit, 400mm**

Designed for use where a constant level or repeat level measurements are required. Applications include alignment of windows, dado rails, kitchen units, stairs, outdoor levelling etc. One horizontal and vertical vial. Operating distance of 3 - 8M with an accuracy of 0.5mm per 1M = 0.029° in standard position. Supplied with heavy duty adjustable tripod (max. height 1.18M), rotating base marked 360° for mounting level, laser enhancement glasses, two brass 90° line generating glass prisms and two AAA batteries. Supplied with manual. Packed in blow mould carrying case with display sleeve.

Stock No.	Part No.	Description
69580	LLK2	Laser Level Kit
65643	LL/TP	Tripod
65644	LL/G	Glasses
61833	DLR03/HD	Batteries (4 x AAA)

