







Product Code: ANWH20111

Available in Sizes: S - 5XL

Unit of Measure: Each

Available in Colours: White ANWH20111



Protection Against Liquid Chemicals Protective Against Solid Particulates Radioactive Contamination Protection



Product Code: CCHG

Available in Sizes: S - 3XL

Unit of Measure: Each



MICROGARD 2000

- Provides both protection and comfort with exceptional liquid and particle protection 3-piece hood
- Elasticated hood, wrists, waist and ankles
 2-way front zipper with resealable storm flap
- Finger loops
- Conforms to Type 5, 6, EN14126, EN1073-2 and EN1149-5







CHEMTEX COVERALL

Sioen Chemtex is a double sided PVC coated polyester fabric. Zip Closure under double flap with press studs Protects against chemicals,oils and fats and is intended for intensive industrial use.

100% Waterproof

- Windproof
- Exremely strong
- High Frequency welded seams Fixed Hood

Compliant to: EN465:1995

Protection against liquid chemicals. Performance requirements for chemical protective clothing with spray-tight connections between different parts of the clothing (type 4 equipment).

EN 343 Class 3 resistance to water penetration Class 1 breathability









Product Code: CDBS

Available in Sizes: 34" - 56"

Unit of Measure: Each



Garment has a Reinforced Elasticated Waist



CLICK PREMIUM BOILERSUIT

- Unique Stretch-plus design for enhanced comfort
- Elasticated back design allows garment to move with you as you work
 Hardwearing 250gsm 65/35 polycotton fabric
 Internal kneepad pockets

BEESWIFT

- Concealed nylon zipped front
 2 x breast pockets with unique design
 2 x hook and loop hip pockets
- 2 x thigh pockets
- 2 x rear pockets
- 1 x left sleeve pocket
- Under arm ventilation system





CLICK COTTON DRILL BOILERSUIT

- Pre-shrunk 100% cotton (250gsm)
 Concealed stud front
- 1 breast pocket with stud flap
- Reinforced elasticated waist
- 2 swing hip pockets with side access
- 1 rear pocket





Product Code: CPC

Available in Sizes: 36" - 54"

Unit of Measure: Each









Product Code: DESCW

Available in Sizes: S-XXXL

Unit of Measure: Each

Available in Colours: White DESCW



- A certified Type 5, 6 chemical protective coverall from DuPont that is based on a new optimised polyethylene non-woven fabric
 Soft touch fabric for wearer comfort
- · Hooded coverall.
- Elasticated face, wrists, waist and ankles.
- Front zip closure with storm flap
- Cat.III, Type 5, 6
 EN 1073-2, (protection against radioactive contamination) EN 1149-5
 Antistatic treatment (EN 1149-1) on outside









Product Code: PCBS

Available in Sizes: 32" - 58"

Unit of Measure: Each



Garment has a Fully Elasticated Waistband

CLICK BOILERSUIT

- 65% polyester 35% cotton
- Lay down collar
- Yoke back
 Concealed stud front

- 2 breast pockets with stud flap
 2 lower welted pockets
 2" (5cm) waistband with side elastication









Product Code: PCBSHCAR

Available in Sizes: 36" - 54"

Unit of Measure: Each



CAT Garment has a hood

Garment has a Reinforced Elasticated Waist



- 65% polyester, 35% cottonConcealed zip front.
- Hood with drawcord.
- 2 zip breast pockets.
- Reinforced elasticated waist.
- Double pen pocket on sleeve.
- 2 swing hip pockets with side access.
 2 rear pockets, one with hook and loop flap.
- 1 rule pocket.
- 1 hammer pocket.
 Elasticated cuffs and ankles.



BEESWIFT



Product Code: PCBSHW

Available in Sizes: 36" - 54"

Unit of Measure: Each

Available in Colours:



Garment has a Reinforced Elasticated Waist

- SUPER CLICK HEAVY WEIGHT BOILERSUIT
- 65% polyester, 35% cotton
- Concealed two-way zip
- 2 zip breast pockets
 Reinforced elasticated waist

- Double pen pocket on sleeve
 2 swing hip pockets with side access
 2 rear pockets, one with hook and loop fastening
- Knee pad pockets
- 1 rule pocket
- 1 hammer loop







Product Code: QBS

Available in Sizes: 36" - 52"

Unit of Measure: Each

Available in Colours:



Navy Blue QBSN





Product Code: RPCBS

Available in Sizes: 36" - 58"

Unit of Measure: Each

Available in Colours:



CLICK QUILTED BOILERSUIT

- 65% polyester, 35% cotton
 Quilt Lined
- Concealed two way zip front
- 2 breast pockets
- Reinforced elasticated waist
- 2 swing pockets with side access
 2 rear pockets, one with hook and loop flap
- 1 rule pocket



BEESWIFT

CLICK REGULAR BOILERSUIT

- 65% polyester, 35% cotton
- · Concealed stud front
- 2 breast pockets
 Elasticated waist
- 2 swing hip pockets with side access
 1 rear pocket
 1 rule pocket











Product Code: CDBB

Available in Sizes: 32" - 48"

Unit of Measure: Each





BEESWIFT FOCUSED ON SAFETY

Product Code: 4520

Available in Sizes: M - 4XL

Unit of Measure: Each

Available in Colours: White 4520W

COTTON DRILL BIB AND BRACE

- Pre-shrunk cotton drill fabric
 Concealed button fly
- Bib pocket
- 2 swing hip pockets with side access
 1 rear pocket
- 1 rule pocket
- Braces with clips



BEESWIFT

3M 4520 PROTECTIVE COVERALL

The 4520 is made from extremely lightweight and breathable material and is designed to offer protection against hazardous dusts and limited liquid splashes.

- Elasticated hood, ankles and waist.
 2 way zip with sealable tab on storm flap.
 3- panel hood.
- Knitted cuffs.
- Low linting.









Product Code: 4530

Available in Sizes: M - 4XL

Unit of Measure: Each

Available in Colours: Blue/White 4530



The 3M 4530 is designed to be lightweight and breathable whilst offering protection against hazardous dusts and limited liquid splashes. The material complies with ISO 14116:2008 for limited flame spread index 1 (must be worn over an index 2 or 3 garment).

Type 5/6

Elasticated hood, ankles and waist 2 way zip with fully sealable storm flap 3-panel hood Knitted cuffs Low linting





3M



Product Code: ANRD15138

Available in Sizes: S-XXL

Unit of Measure: Each

Available in Colours: Red ANRD15138

ANSELL ALPHA-TEC 1500 COVERALL

•Comfortable protection from hazardous particulates in general industrial environments

Breathable, SMS material, Type 5/6 protection
 Protection - Proven to filter 100% of particles >3 microns(Kaken particle

 Penetration test)
 Comfort - Air and water vapour permeable(breathable) to help reduce the risk of heat stress

Silicone Free - critical in spray painting applications
 Optimised body fit - improves wearer comfort and safety

elasticated hood, wrists, waist and ankles
 2-way front zipper with re-sealable storm flap
 EN ISO 13982-1:2004+A1:2010
 EN 13034:2005+A1:2009

•EN 1073-2:2002









Product Code: ANWH15111

Available in Sizes: S - 5XL

Unit of Measure: Each

Available in Colours: White ANWH15111



Radioactive Contamination Protection



Product Code: COCN4013E

Available in Sizes: S-XXL

Unit of Measure: Each





Limited Chemical Splash Protection Noxious Dust

ClickOnce Retail Bag

MICROGARD 1500 PLUS

- Highly breathable, antistatic suit used stripping, clear up or handling of asbestos, general maintenance, construction and contract cleaning 3-piece hood
- · Elasticated hood, wrists, waist and ankles
- 2-way front zipper with re-sealable storm flap
- Finger loops
- Anti-static treatment
- Conforms to Type 5, 6, EN1073-2 and EN1149-5





MICROGARD

CN4013E DISPOSABLE COVERALL TYPE 5/6

Protects against:

- Chemical & Viral agents (including Coronavirus)
- Bloodborne pathogens
- Sulphuric acid
- Contaminated liquids Radioactive Contamination
- For fine dust particles, reduced spray and limited splash Anti-static
- 2 way zip front with storm flap
- Elasticated cuffs, ankles, waist and hood
 Microporous fabric 54% polypropylene + 46% polyethylene
- Individually packaged

EN 13034: 2005 + A1: 2009 EN13982-1: 2005 + A1: 2010 EN 1149-5: 2018 Anti-Static – Material Performance and EN 1073-2: 2002 Protective Clothing against radioactive EN 14126: 2003 + AC:2004 Protective clothing against Infective agents (Type 5B, 6B)







Product Code: DHBDETN

Unit of Measure: PK 100

Available in Colours: Blue DHBDETN



- Metal Detectable
- 5mm mesh size hairnet, which trap both long and short hair effectively, whilst maintaining airflow
 The lay flat double elastic headband distributes pressure evenly to avoid skin indentation and discomfort
 Manufactured with polypropylene for high moisture transportation and wicking properties
- keeps workers cooler and more comfortable and less prone to touching and adjusting headwear
- New, fully recyclable, cardboard packaging
 Keeps product hygienically enclosed until point of use
 Fits in wall mounted glove dispensers





BEESWIFT



Product Code: DHBN

Unit of Measure: PK 100

Available in Colours: Blue DHBN

DISPOSABLE HAIRNET

- Metal Free
- Interal Free
 Smm mesh size hairnet, which trap both long and short hair effectively, whilst maintaining airflow
 The lay flat double elastic headband distributes pressure evenly to avoid skin indentation and discomfort
 Manufactured with polypropylene for high moisture transportation and wicking properties
 keeps workers cooler and more comfortable and less prone to touching and adjusting headwear
 New, fully recyclable, cardboard packaging
 Keeps product hygienically enclosed until point of use
 Eithe in well meuted aluge dispacements
- Fits in wall mounted glove dispensers










Product Code: DHWN

Unit of Measure: PK 100

Available in Colours: White DHWN



- Metal free
- Metal free
 5mm mesh size hairnet, which trap both long and short hair effectively, whilst maintaining airflow
 The lay flat double elastic headband distributes pressure evenly to avoid skin indentation and discomfort
 Manufactured with polypropylene for high moisture transportation and wicking properties
 Keeps workers cooler and more comfortable and less prone to touching and adjusting headwear
- New, fully recyclable, cardboard packaging
 Keeps product hygienically enclosed until point of use
 Fits in wall mounted glove dispensers





BEESWIFT



Unit of Measure: Bx 2th

ČE

Available in Colours: Blue DO14B2

Cat 1 - Minimal Risk

DISPOSABLE OVERSLEEVE 14"

- · Elasticated cuffs and upper arm
- Offers secure comfortable fitting
- Ideal for use in the food industry
 2000 loose (1000 pairs)
 Non compliant to any EN standard









Product Code: PDVC

Available in Sizes: M - XXL

Unit of Measure: Each

Available in Colours: White PDVC

Cat 1 - Minimal Risk CE



Product Code: PRO60

Available in Sizes: S-3XL

Unit of Measure: Each

Available in Colours: White PRO60W

POLPROP DISPOSABLE VISITORS COAT

- Non woven polypropylene
 Disposable visitors coat with collar
 Hook and loop fastening





BEESWIFT

PROSHIELD® 60

- White, Hooded coverall
- Type 5/6
- Stitched internal seams
- Elasticated wrists, ankles, and face
 Elasticated waist (glued-in)
 Zipper flap

CAT III

EN ISO 13982-1:2004 + A1:2010 EN 13034:2005 + A1:2009 EN 1073-2:2002 EN 1149-5:2018 (on inside)









Product Code: PROFR

Available in Sizes: M - XXXL

Unit of Measure: Each

Available in Colours: White PROFR



- White, hooded coverall 3 piece hood.
 Elasticated face, wrist and ankles.
- Protection against particles and liquid splash.
 Must be worn over the top of a primary FR garment.
- Stitched external orange seams.
- Suitable for petrochemical, railway, welding and many other applications.
- Conforms to: CAT III, Type 5,6. EN 1073-2, EN 1149-5, EN 14116 Index 1









Product Code: TBS500HV

Available in Sizes: S-XXXL

Unit of Measure: Each

Available in Colours: Orange TBS500HV

TYVEK® 500 HIVIS

- Tyvek® 500 HV
- Flourescent Orange, collared coverall
- Robust, yet lightweight
- HV reflective bands
- Elasticated waist, wrists and ankles
 Excellent barrier to fine particles and fibres
 High Visibility that doesn't wash out
- Suitable for working in rail, mining, road, underground, waste, ports, airports and many other applications.
- Conforms to: CAT III, Type 5B, 6B. EN1073-2, EN1149-5 (inside), EN14126, EN ISO 20471 class 3/3 • Pictograms: CAT III, Type 5B, 6B. EN1073-2, EN1149-5 (inside), EN14126, EN ISO 20471 class 3/3

• RIS-3279-TOM Issue 1







Product Code: TBSH

Available in Sizes: S - XXXL

Unit of Measure: Each





- Hooded coverall.
- Robust, yet lightweight. 3 piece hood.
- Elasticated face, wrist and ankles.
- Excellent barrier to fine particles and fibres.

TYVEK® 500 XPERT

- Ultra-low linting.
- Stitched external seams.
 Suitable for pharmaceutical, chemical processing, oil and gas industry, maintenance spray painting and many other applications.
- Conforms to: CAT III, TYPE 5B, 6B. EN 1073-2, EN 1149-5, EN14126









Product Code: TBSH800J

Available in Sizes: S - XXXL

Unit of Measure: Each

Available in Colours: White TBSH800J

TYVEK® 800J HOODED COVERALL

Tyvek ® 800J

- White, hooded coverall
- Robust, yet lightweight
 Adhesive Chin Flap
- Elasticated face, wrist and ankles Thumb Loops
- Self-Adhesive Zipper Flap
- Stitched and over taped seams
- Effective Barrier for low concentrated water based inorganic chemicals and hazardous particulates
- Oil repellancy
- Suitable for industrial cleaning, petrochemical, sewers and maintenance and many other applications. Conforms to: CAT III, Type 3B, 4B, 5B, 6B. EN 1073-2, EN 1149-5, EN14126
- Pictograms: CAT III, Type 3B, 4B, 5B, 6B. EN 1073-2, EN 1149-5, EN14126









Product Code: TBSHCP

Available in Sizes: S - XXXL

Unit of Measure: Each

Available in Colours: White TBSHCP

TYVEK® 600 PLUS

Tyvek ® Classic Plus

- White, hooded coverall
- Robust, yet lightweight Adhesive Chin Flap
- Elasticated face, wrist and ankles
- Thumb Loops
- Excellent barrier to fine particles and fibres
 Stitched and over taped seams
- Ultra-Low Linting
- Suitable for Pharmaceutical manufacturing, nuclear, laboratory, biohazards and many other applications.
- Conforms to: CAT III, Type 4B, 5B, 6B. EN 1073-2, EN 1149-5, EN14126
- Pictograms: CAT III, Type 4B, 5B, 6B. EN 1073-2, EN 1149-5, EN14126
 EN 14605:2005 + A1:2009
 EN ISO 13982-1:2004 +A1:2010

- EN 13034:2005 + A1:2009







FOCUSED ON SAFETY

Product Code: TY4000BS

Available in Sizes: S - 3XL

Unit of Measure: Each

Available in Colours: White TY4000BS

TYCHEM® 4000S CHZ5 HOODED COVERALL

- Hooded coverall
- Lightweight and durable (<700g)
- Adhesive chin flap • Elasticated face, wrist and ankles
- Thumb loops
 Double cuffs, zippers and zip flaps
 Stitched and over seams
- · Good barrier against organic and inorganic chemicals
- · Suitable for oil and gas industry, chemical engineering, response teams and many
- other applications Conforms to: CAT III, Type 3B, 4B, 5B, 6B, EN 1073-2, EN 1149-5, EN14126









Product Code: TYCBS

Available in Sizes: S - 3XL

Unit of Measure: Each

Available in Colours: Yellow TYCBS

TYCHEM® 2000 C

DuPont Tychem® C, model CHA5. Hooded coverall. Available in bright yellow for high visibility.

• Elasticated face, wrists, waist and ankles for an optimal fit, thumb loops prevent sleeves from riding up.

- Self-adhesive chin flap for tight seal of suit to face-masks.
 Made from a lightweight and durable fabric (<450g per garment).

Tychem® C garments utilise the strength of Tyvek® and a polymeric barrier coating to offer good permeation barrier protection against a wide range of inorganic chemicals and biological hazards (even under pressure).

Tychem® C is used for splash or pressurised splash protection in a variety of industrial environments, including pulp and paper manufacturing, food processing, chemical processing and pharmaceutical manufacturing.

Chemical protective clothing, Category III, Type 3-B, 4-B, 5-B and 6-B EN 14126 (barrier to infective agents), EN 1073-2 (protection against radioactive contamination) Antistatic treatment (EN 1149-5) - on inside

Stitched and over-taped seams with barrier tape for protection and strength. Self-adhesive double zipper flap closure system for higher protection.









Product Code **TYFBS**

Available in Sizes: S - 3XL

Unit of Measure: Each

Available in Colours: Grey TYFBS

TYCHEM® 6000 F

- Made from lightweight durable fabric.
- Offers chemical premeation protection to an extensive range of chemicals, highly concentrated inorganic chemicals, paticulates, biohazards and certain chemical warfare agents.
- Stitched and over-taped seams with barrier tape for protection and strength.
 - Self-adhesive double zipper flap closure system for higher protection.

 - Chemical protective clothing, category III, Type 3-B, 4-B, 5 + 6.
 EN 14126 (barrier to infective agents), EN 1073-2 (protection against radioactive contamination)
 Anti-static treatment (EN 1149-5) on inside

EN 1073-2:2002 EN 14605:2005 + A1:2009 EN ISO 13982-1:2004 + A1:2010 (Type 5) EN 13034:2005 + A1:2009 (Type 6) EN 14126:2003 EN 1149-5:2008







Microorganism **Protection Against Liquid Chemicals Protective Against Solid Particulates Radioactive Contamination Protection** Anti Static Anti Static Garment has breathable fabric Cat 1 - Minimal Risk Cat 3 - High Risk Conforms to the correct EN standards **Chemical Hazzards Limited Chemical Splash Protection Noxious Dust ClickOnce Retail Bag** Cat 1 - Minimal Risk Garment has a Reinforced Elasticated Waist Cat 1 - Minimal Risk Garment has a hood Garment has a Reinforced Elasticated Waist Cat 1 - Minimal Risk Garment has a Fully Elasticated Waistband

INDUSTRIAL PRODUCTS & SUPPLIES LTD 41-42 SUTTONS PARK AVENUE SUTTONS BUSINESS PARK READING RG6 1AZ

t: 01189354000 f: 01189354001 e: sales@ips-online.co.uk

끹미

17

