





EAR CABOCORD CC01000


Featuring all the benefits of the Classic Earplugs, with the addition of an easy-to-see blue vinyl cord. This hearing protector is particularly suitbable for use in the food manufacturing and process industries. SNR











Extremely Light.

- Comfortable to wear.

- Soft absorbent foam caps.
 Bag of 10 pairs of spare pods.
 Conforms to EN352-2:2002
 SNR 21dB, H=24, M=16, L=14









Unit of Measure: Each

Available in Colours:



Cat 2 - Intermediate Risk





Red

Cat 3 - High Risk

ECONOMY EAR DEFENDERS

- Economy Ear DefenderLightweight robust designAdjustable headband

- Adjustable fleadband
 Conforms to EN352-1:2002
 SNR 27.6dB, H=29.2, M=25.4, L=17.9









BBFED

Unit of Measure: Each

Available in Colours: Yellow



Cat 3 - High Risk

FOLDING EAR DEFENDER

- Premium quality ear defender
- Adjustable fold away headband

- Self aligned earcups
 Conforms to EN352-1:2002
 SNR 30.4dB, H=33.0, M=27.8, L=21.3









SUPERIOR EAR DEFENDERS

- Superior Ear Defender
- Padded adjustable headband
 Conforms to EN352-1:2002
- SNR 27.6dB, H=30.4, M=24.9, L=17.7









EAR1TPD

Unit of Measure: Each

Available in Colours:



EAR ONE TOUCH PRO DISPENSER

Conveniently provide hearing protection where employees need it. The 3M One Touch Pro Earplug Dispenser dispenses one earplug at a time with a simple twist. No more expense and waste of individually wrapped plugs. Made from ABS plastic with a powder-coated steel-back plate, it's designed for challenging environments indoors and outdoors.

- Accurately dispenses one earplug at a time
- Dispenses earplug directly into hand
 Durable ABS plastic for tough environments
- Free-standing or wall-mounted
- Shields earplugs from wind and rain
 Mounting holes designed to fit a variety of competitive dispensers
 Dispenser only









Product Code: H510A

Unit of Measure: Each

Available in Colours:

BEESWIFT

FOCUSED ON SAFETY

Product Code:

Unit of Measure:

Available in Colours:

RNR* 87-98dB

Yellow H510B

H510B

Each

Y

Yellow H510A

H510

RNR* 87-98dB

PELTOR OPTIME I HEADBAND


- Optime I is very versatile protection, characterised by its lightness. Despite being so lightweight, it is the best imaginable protection.
- We have combined a low profile with generous inside depth. This
 makes it easy to team with other equipment and means that the ear
 rests comfortably.
- Optime I is the natural choice when you need to use all-round protection for both short and long spells.
- The wide, comfortable sealing rings are filled with a unique combination of fluid and foam, which gives optimum sealing and low contact pressure, ensuring the best possible comfort even during long periods of use.
- It is first-rate for use in environments with moderate industrial noise, such as workshops, sheet-metal shops and printing works, but can also be used to good effect outdoors, for instance when mowing the lawn or in connection with hobby and leisure activities.
- SNR 27dB, H=32dB, M=25dB, L=15dB







PELTOR OPTIME I NECKBAND



- We have combined a low profile with generous inside depth. This makes it easy to team with other equipment and means that the ear rests comfortably.
- Optime I is the natural choice when you need to use all-round protection for both short and long spells.
- The wide, comfortable sealing rings are filled with a unique combination of fluid and foam, which gives optimum sealing and low contact pressure, ensuring the best possible comfort even during long periods of use.
- It is first-rate for use in environments with moderate industrial noise, such as workshops, sheet-metal shops and printing works, but can also be used to good effect outdoors, for instance when mowing the lawn or in connection with hobby and leisure activities.
- SNR=26dB, H=30dB, M=24dB, L=15dB









Product Code: H510F-404-GU

Unit of Measure:

Available in Colours:

Yellow H510F-404-GU

PELTOR OPTIME 1 FOLDING HEADBAND

3M Peltor Optime I H510F Ear muffs

The 3M Peltor Optime I offers versatile protection and is very lightweight providing high wearer comfort. It combines a low profile with generous inner depth which makes it easy to combine with other equipment and allows the ear to rest comfortably. The 3M Peltor Optime I Earmuff is your choice for both short and long durations tasks. The wide comfortable sealing rings are filled with a unique combinations of fluid and foam, which gives optimum sealing and low contact pressure at the same time. It is ideal for use in environments with moderate industrial noise, such as workshops, sheet-metal shops and printing works, but also suitable for outdoor tasks such as lawn mowing or in connection with hobby and leisure activities.

SNR=28dB, H=32dB, M=25dB, L=16dB









Product Code: H510P3E-405-GU

Unit of Measure: Each

Available in Colours:



Yellow H510P3E-405-GU

PELTOR OPTIME 1 HELMET ATTACHMENT

- Soft wide cushions helps reduce pressure around the ears and improves comfort and wearability
- Large space inside cup helps reduce moisture and heat build-up
- Easy to replace cushions and inserts helps keep them hygienically clean
 Large space inside cup helps reduce moisture and heat build-up

SNR=26dB, H=32dB, M=23dB, L=15dB









Product Code: H520A

Unit of Measure:

Available in Colours:



Green H520A

RNR* 94-105dB

PELTOR OPTIME II HEADBAND

- Optime II has been developed for demanding noise-hazard environments and muffles even extremely low frequencies to a maximum degree.
- The sealing rings are filled with a unique combination of liquid and foam. The result is an optimum seal with low contact pressure, which provides snug comfort even during long-time
- The sealing rings have ventilation channels and are covered with soft, patterned, hygienic foil.
- Optime II is a suitable choice for environments with substantial industrial noise or construction machinery, airports and agricultural work.
- SNR 31db







a maximum degree.





Product Code: H520B

Unit of Measure: Each



RNR* 94-105dB

Available in Colours:

• Optime II is a suitable choice for environments with substantial industrial noise or construction machinery, airports and agricultural work.

· Optime II has been developed for demanding noise-hazard environments and muffles even extremely low frequencies to

is an optimum seal with low contact

• The sealing rings have ventilation channels and are covered with soft, patterned, hygienic foil.

even during long-time use.

pressure, which provides snug comfort

• The sealing rings are filled with a unique combination of liquid and foam. The result









Product Code: H520F-409-GQ

Unit of Measure: Fach

Available in Colours:



Green H520F-409-GQ

PELTOR OPTIME 2 FOLDING HEADBAND

The 3M Peltor Optime II has been developed for demanding noise-hazard environments. The 3M Peltor Optime II provides sealing rings which are filled with a unique combination of liquid and foam. The result is an optimum seal with low contact pressure, which provides snug comfort even during long term use. The sealing rings have ventilation channels and are covered with a soft, hygienic foam. Optime II is a suitable choice for environments with substantial industrial noise or construction machinery, airports and agricultural work.

SNR=31dB, H=34dB, M=28dB, L=20dB











FOCUSED ON SAFETY
Product Code:
H540A

Unit of Measure: Each

Available in Colours:



RNR* 95-110dB

- Optime III is a super-muff, and has been developed for use in extremely noisy environments.
- The protection is based on a technology with a double casing that minimises resonance in the holder casing. This results in maximum high-frequency muffling, while at the same time its still easy to understand speech and signals.
- An acoustic connection between the inner volume and the volume between the casings in its turn provides maximum low-frequency muffling.
- The sealing rings are broad and filled with soft plastic foam for the best fit and low contact pressure.
- Effective protection and best comfort are the hallmarks of Optime III.
- SNR 35db









Product Code: H540B

Unit of Measure: Each

Available in Colours:

Black H540B

RNR* 95-110dB



- Optime III is a super-muff, and has been developed for use in extremely noisy environments.
- The protection is based on a technology with a double casing that minimises resonance in the holder casing. This results in maximum high-frequency muffling, while at the same time its still easy to understand speech and signals.
- An acoustic connection between the inner volume and the volume between the casings in its turn provides maximum lowfrequency muffling.
- The sealing rings are broad and filled with soft plastic foam for the best fit and low contact pressure.
- Effective protection and best comfort are the hallmarks of Optime III.

SNR = 35dB, H = 40dB, M = 32dB, L = 23dB







PELTOR OPTIME 3 HELMET ATTACH

BEESWIFT
FOCUSED ON SAFETY
Product Code:

Product Code:

Product Code: H540P3E-413-SV

Unit of Measure: Each

Available in Colours:
Black
H540P3E-413-SV

The PELTOR Optime III ear defenders are a high performance hearing protector and have been developed for use in extremely noisy environments. The protection is based on a technology with a double casing minimising resonance in the holder casing, maximising high-frequency attenuation.

SNR = 35dB, H = 40dB, M = 32dB, L = 22dB









Available in Sizes: ONE SIZE

Unit of Measure: PK 50

Available in Colours:

BEESWIFT FOCUSED ON SAFETY

Product Code:

Available in Sizes: ONE SIZE

Unit of Measure: PK 50

Available in Colours: Blue HL1012522

HL1012522

Orange HL1011239

SMARTFIT CORDED FLIP TOP BOX

- Patented Conforming Material Technology uses body heat to adapt to shape of wearer's ear canal.
 Delivers superior comfort and a truly individual fit.
- Detachable cord system and storage case.
- Conforms to EN352-2







SMARTFIT DETECTABLE CORDED

The Howard Leight Smart Fit metal detectable earplug is both reusableable and economical. The Smart Fit Earplug delivers superior comfort and a truly individual fit. This single earplug will fit almost every wearer reducing inventory control. The bright blue color makes them easily detected. The detectable ring on the stem and metalized cord are detectable by automated equipment keeping contamination from occurring. NRR 25 dB.

- SNR 30dB

- Conforming Material Technology
 Reusable and economical
 Bright blue color for extra visibility in food processing environments
- Both cord and plug are metal detectable









Product Code: HL1013047

Unit of Measure:

Available in Colours:

Yellow HL1013047

BEESWIFT

FOCUSED ON SAFETY

Product Code: HL1013048

Unit of Measure:

Available in Colours:

Green HL1013048

PK 200

LASER LITE LS400 REFILL

LASER-LITE (NRR 32) is the multi-color earplug that workers love to use. The non-irritating, non-allergenic self-adjusting foam recovers to fit virtually any ear canal. LASER-LITE is ideal for that portion of the population with smaller ear canals. Attenuation tested in accordance with ANSI S3.19-1974.

- Magenta/Yellow color,
 Packed in poly bags.
 Ratings: NRR 32, SNR 35, SLC80 (corded) 27.5, SLC80 (uncorded) 28.5, CSAA(L)
- Conforms to EN352-2







MAXLITE LS400 REFILL 1013048

Refill pack of 200 pairs.

MAX-LITE (NRR 30) low pressure foam earplugs offer long-term user comfort not found in other pre-shaped foam earplugs. The non-irritating, non-allergenic self-adjusting foam recovers to fit virtually any ear canal. MAX-LITE is also ideal for that portion of the population with smaller ear canals. Attenuation tested in accordance with ANSI S3.19-1974.

- Green color
- Packed in poly or paper bagsRatings: SNR34
- Conforms to EN352-2









HL1028456

Available in Sizes: ONE SIZE

Unit of Measure: PK 50

Available in Colours:

Orange HL1028456

QUIET UNCORDED REUSABLE

- Contoured shape provides a close fit in the ear canal
 No rolling required, no waiting for expansion
 Built-inflexible foam stem

- SNR 28 protection
- Conforms to EN352-2







AIRSOFT CORDED FLIP TOP BOX

AIRSOFT (NRR27) features a shell of soft attenuating material around a pocket of air that is comfortable enough for extended wear. The highest rated reusable earplug available. Washes with soap and water for months of protection. Attenuation tested in accordance with ANSI S3.19-1974. Blue color. Available in clear flip-top boxes or safety impact cases, packed in a dispenser box.

Ratings: NRR 27, SNR 30 , SLC80 (corded) 21.0, SLC80 (uncorded) 21.5, CSA A(L) $\,$





HL1030612

Available in Sizes: ONE SIZE

Unit of Measure: PK 50

Available in Colours:









Product Code: HL3301105

Available in Sizes: ONE SIZE

Unit of Measure: PK 200

Available in Colours:

Yellow HL3301105

LASER LITE UNCORDED

LASER-LITE (NRR 32) is the multi-color earplug that workers love to use. The non-irritating, non-allergenic self-adjusting foam recovers to fit virtually any ear canal. LASER-LITE is ideal for that portion of the population with smaller ear canals.

- Conforms to EN352
- Magenta/Yellow colorPacked in poly bags

Ratings: NRR 32, SNR 35 , SLC80 (corded) 27.5, SLC80 (uncorded) 28.5, ČSA A(Ĺ)







LASER LITE CORDED EAR PLUG

LASER-LITE (NRR 32) is the multi-color earplug that workers love to use. The non-irritating, non-allergenic self-adjusting foam recovers to fit virtually any ear canal. LASER-LITE is ideal for that portion of the population with smaller ear canals. Attenuation tested in accordance with ANSI S3.19-1974. Magenta/Yellow color, packed in poly book. poly bags.

Ratings: NRR 32, SNR 35 , SLC80 (corded) 27.5, SLC80 (uncorded) 28.5, CSA A(L) $\,$





HL3301106

Available in Sizes: ONE SIZE

Unit of Measure: PK 100

Available in Colours:

Yellow HL3301106







HL3301120

Available in Sizes: ONE SIZE

Unit of Measure: PK 200

Available in Colours:

Green HL3301120

MAXLITE EARPLUG

MAX-LITE (NRR 30) low pressure foam earplugs offer long-term user comfort not found in other pre-shaped foam earplugs. The non-irritating, non-allergenic self-adjusting foam recovers to fit virtually any ear canal. MAX-LITE is also ideal for that portion of the population with smaller ear canals. Attenuation tested in accordance with ANSI S3.19-1974. Green color, packed in poly or paper bags.

Ratings: SNR34







MAXLITE EARPLUG CORDED

MAX-LITE (NRR 30) low pressure foam earplugs offer long-term user comfort not found in other pre-shaped foam earplugs. The non-irritating, non-allergenic self-adjusting

foam recovers to fit virtually any ear canal. MAX-LITE is also ideal for that portion of the population with smaller ear canals. Attenuation tested in accordance with ANSI S3.19-1974. Green color, packed in poly or paper bags.

Ratings: NRR 30, SNR 34, SLC80 (corded) 27.5, SLC80 (uncorded) 27.0 CSA A(L)









HL3301121

Available in Sizes: ONE SIZE

Unit of Measure: PK 100

Available in Colours:

Green HL3301121



Product Code: HL3301130

Available in Sizes: ONE SIZE

Unit of Measure: PK 100

Available in Colours:

Orange HL3301130

MAX CORDED EARPLUG

PREMIUM FOAM EARPLUG CORDED 3301130 Howard Leight Max Corded Earplug

MAX (NRR 33) pre-shaped foam earplugs feature a smooth outer skin for maximum user comfort. The NRR 33 rating makes the MAX the highest rated disposable earplug in the U.S. The smooth, soil-resistant skin helps prevent dirt from penetrating the surface prior to insertion. Attenuation tested in accordance with ANSI S3.19-1974. Coral color, packed in poly bags.


Rating: SNR37











- Conforms to EN352-2Coral colorPacked in poly bags

Rating: SNR 37







BEESWIFT

FOCUSED ON SAFETY

Product Code:





HL3301165

Unit of Measure: PK 500

Available in Colours:



MAX-1-D MAX LS500 DISP REFILL

PREMIUM FOAM EARPLUG Howard Lite Max Refill for use with LS-500 dispenser.

- Bell shape gives maximum in-ear comfort, easier to insert and resists tendency to back out of ear canal
- Polyurethane foam enhances comfort for long term wear
 Smooth, soil resistant closed cell-foam skin prevents dirt build up
 Conforms to EN352-2







LASER TRAK DETECTABLE CORDED



Unit of Measure: PK 100

Available in Colours:

Orange HL3301167

All the economy, safety, comfort, attenuation ... and it's detectable, too. All these great features come together in the new LASER-TRAK (NRR 32)! The only earplug that is both disposable and detectable. Comfortable styling that also provides high attenuation in tandem with detectability. Made of bright and intensely visible orange and blue coloring for extra visibility in food processing environments. Nonferrous metal is highly detectable by metal detection devices. Corded for extra safety and convenience.

Rating: NRR 32, SNR 35, SLC80 29.5, CSAA(L)









Product Code: HL3301271

Unit of Measure: PK 500

Available in Colours:

Yellow HL3301271

LASER LITE LS500 DISPENSER REFILL

PREMIUM FOAM EARPLUG Howard Laser Lite Refill for use with LS-500 dispenser.

- Self adjusting polyurethane foam expands to fit virtually every wearer

- Contoured T-shape for easy insertion and wear
 Vibrant colours make protection visible
 Smooth, soil resistant closed cell-foam skin prevents dirt build up
 Conforms to EN352-2







LS500 EARPLUG DISPENSER

- Heavy duty anodized aluminium withstands constant use
- Mount on wall for easy access

Honeywell

Holds 500 pairs of Howard Leight ear plugs (not included)







Available in Colours: Blue HL3301273



Product Code: HL3301280

Unit of Measure:

Available in Colours:






Cat 1 - Minimal Risk



- Hearing Band with reusable podsSuper soft lightweight cushions rest outside the ear canal for unparalleled comfort
- Patented band design prevents pods from touching dirty or contaminated surfaces
- Light and portable, ideal for occasional use
- Replacement pods available QB300 Conforms to EN352-2

The reusable soft foam ear pods are designed for wearer comfort and are washable with soap and water for long term

Ratings: NRR 25, SNR 24









Product Code: HRXS221A

Unit of Measure:



PELTOR WORKTUNES PRO AM/FM RADIO HEADSET

The 3M PELTOR WorkTunes Pro Headset helps protect you from potentially harmful workplace noise while at the same time enjoy listening to the built in AM/FM radio. The built-in antenna, fast digital tuning and ability to store stations makes the hearing protector flexible and easy to work with.

- Protect your hearing and listen to AM/FM radio at the same time with built-in antenna.
- Digital station search and voice guided menu system with announced frequencies
- 3.5 mm listen only stereo input (limited to 82 dB) for connection to external devices (e.g. mobile phone, radio, two-way radio and iPod)
 Auto power off turns headset off after 4 hours of non-use, to save
- energy and a low-battery warning informs you when to change
- To reduce the corrosion caused by sweat the electronics are located
- in the outer part of the cupStore up to 5 stations on the headset
- 40 hours battery life









Product Code: HY51

Unit of Measure:

Available in Colours: Black/Grey HY51

PELTOR OPTIME 1 HYGIENE KIT

Kit contains replacement sealing rings and muffler pads which can be replaced in a few easy steps, for use with the 3M Optime I Ear Muffs.

- Extends the life of earmuffs
- Ensures good function and hygiene
- Avoid wearing uncomfortable earmuffs
- Pack contains 2 x foam inserts and 2 x sealing rings









Product Code: HY52

Unit of Measure: Each

Available in Colours: Black/Grey HY52

PELTOR OPTIME 2 HYGIENE KIT

Kit contains replacement sealing rings and muffler pads which can be replaced in a few easy steps, for use with the 3M Optime II Ear

- · Extends the life of earmuffs
- Ensures good function and hygiene
 Avoid wearing uncomfortable earmuffs
 Pack contains 2 x foam inserts and 2 x
- sealing rings









Product Code: HY54

Unit of Measure: Each

Available in Colours:

Black/Grey
HY54

PELTOR OPTIME 3 HYGIENE KIT

Kit contains replacement sealing rings and muffler pads which can be replaced in a few easy steps, for use with the 3M Optime III Ear Muffs.

- Extends the life of earmuffs
- Ensures good function and hygiene
- Avoid wearing uncomfortable earmuffs
- Pack contains 2 x foam inserts and 2 x sealing rings









Product Code: HYX1

Unit of Measure: Each

Available in Colours:

Black/Grey
HYX1

PELTOR HYGIENE KIT X1

Kit contains replacement sealing rings and muffler pads which can be replaced in a few easy steps, for use with the 3M PELTOR X1 Series Ear Muff.

Extends the life of earmuffs
Ensures good function and hygiene

Ensures good function and hygiene Avoid wearing uncomfortable earmuffs Pack contains 2 x foam inserts and 2 x sealing rings









Product Code: HYX2

Unit of Measure:

Available in Colours: Black/Grey HYX2

PELTOR HYGIENE KIT X2

Kit contains replacement sealing rings and muffler pads which can be replaced in a few easy steps, for use with the 3M PELTOR X2 Series Ear Muff. Extends the life of earmuffs Ensures good function and hygiene

Avoid wearing uncomfortable earmuffs Pack contains 2 x foam inserts and 2 x sealing rings







PELTOR HYGIENE KIT X3

Series Ear Muff. Extends the life of earmuffs

Kit contains replacement sealing rings and muffler pads which can be replaced in a few easy steps, for use with the 3M PELTOR X3 Ensures good function and hygiene Avoid wearing uncomfortable earmuffs Pack contains 2 x foam inserts and 2 x sealing rings









Product Code: HYX3

Unit of Measure: Each

Available in Colours: Black/Grey HYX3



Product Code: HYX4

Unit of Measure:

Available in Colours:

Black/Grey
HYX4

PELTOR HYGIENE KIT X4

Kit contains replacement sealing rings and muffler pads which can be replaced in a few easy steps, for use with the 3M PELTOR X4 Series Ear Muff.

Extends the life of earmuffs
Ensures good function and hygiene
Avoid wearing uncomfortable earmuffs

Extends the life of earmuffs
Ensures good function and hygiene
Avoid wearing uncomfortable earmuffs
Pack contains 2 x foam inserts and 2 x
sealing rings









Product Code: HYX5

Unit of Measure: Each

Available in Colours:

Black
HYX5

PELTOR HYX5 HYGIENE KIT

Kit contains replacement sealing rings and muffler pads which can be replaced in a few easy steps, for use with the 3M PELTOR X5 Series Ear Muff.

Extends the life of earmuffs

Extends the life of earmuits
Extends the life









Product Code: KAWHP00001-202

Unit of Measure:

Available in Colours:

Yellow KAWHP00001-202

SC2 EAR DEFENDER

- Suitable for environments with a medium to high level of noise
 The best choice in high frequency noise situations
 Smooth telescopic size regulation

- Non-conductive
- Conforms to EN352
- Clips straight into the Zenith helmets without an adapter
 Requires KAWAC00003 bayonet adapter for the plasma helmet (sold separately)

SNR rating dependant on helmet

- combination:
 Plasma, HP, Superplasma SNR 29
 Zenith SNR 28





KAJK

SC3 EAR DEFENDER



Product Code KAWHP00001-203

Unit of Measure: Each

Available in Colours: Orange KAWHP00001-203

- Suitable for environments with a medium to high level of noise
- The best choice in high frequency noise situations
- Smooth telescopic size regulation
- Non-conductive
- Conforms to EN352
 Clips straight into the Zenith helmets without an adapter
- Requires KAWAC00003 bayonet adapter for the plasma helmet (sold separately)

SNR rating dependant on helmet combination:

- Plasma, HP, Superplasma SNR 31
 Zenith SNR 29









Product Code: KAWHP00001-205

Unit of Measure:

Available in Colours: Green KAWHP00001-205

SC1 EAR DEFENDER

- Suitable for environments with a medium to high level of noise
 The best choice in high frequency noise situations
 Smooth telescopic size regulation

- Non-conductive
- Conforms to EN352
- Clips straight into the Zenith helmets without an adapter
 Requires KAWAC00003 bayonet adapter for the plasma helmet (sold separately)

SNR raing dependant on helmet

- combination:

 Plasma, HP, Superplasma SNR 25

 Zenith SNR 23





KAJK

MOLDEX M4 EAR MUFF




Product Code: M6110

Available in Sizes: One Size

Unit of Measure:

Available in Colours:





High attenuation at 30 dB [SNR]

- Fign attenuation at 30 dB [SNR]
 Particularly low profile
 Light and flexible, with low contact pressure
 Comfort cushions made from viscoelastic foam
 Ribbed air cushions for cool comfort
 Plain surface for easy cleaning
 We suggest to replace the cushions & foam inserts every 6 months [Part No 6115]

EN 352-1:2002









Available in Sizes: One Size

Unit of Measure: Each

Available in Colours:

Navy Blue M6120

MOLDEX M5 EAR MUFF

- High quality, robust ear muff
 High attenuation at 34 dB [SNR]
 Light and flexible, with low contact pressure
 Comfort cushions made from viscoelastic foam
- Ribbed air cushions for cool comfort
- Plain surface for easy cleaning
 We suggest to replace the cushions & foam inserts every 6 months [Part No 6135]

EN: 352-1:2002





MOLDEX

MOLDEX M6 EAR MUFF



Product Code: M6130

Available in Sizes: One Size

Unit of Measure:

Available in Colours:

Black M6130

- M6 Earmuffs
- High quality, robust Ear Muff.

- Particularly high attenuation at 35 dB [SNR].
 Light and flexible, with low contact pressure.
 Comfort cushions made from viscoelastic foam.
 Ribbed air cushions for cool comfort.

- Plain surface for easy cleaning.
 We suggest to replace the cushions & foam inserts every
- 6 months [Part No 6135]
- Tested and certified to EN 352-1:2002









Unit of Measure:

Available in Colours:



Blue M6700

MOLDEX 6700 EN352-2 JAZZ-BAND

Dual material technology reduces noise transmission.

The neck cord allows the band to sit around the neck when not in use and has a safety release mechanism.

The new design reduces band pressure by 40%. Comes with spare pair of pods, replacement pods available. Code M6825 and M6830

SNR = 23dB

EN352-2:1993.





MOLDEX

MOLDEX 6810 WAVEBAND 1K



Product Code: M6810

Unit of Measure: Each

Available in Colours:



Blue M6810

- The WaveBand puts very little pressure on the ear so these bands can be worn for longer periods of time.
- Comfortably worn under the chin.
- The sleek wave design allows the band to float, keeping it away from the wearer's body and clothing, eliminating the problem of noise transmission completely.
 Made from dual material, with soft grip
- points the WaveBand is extremely lightweight only 12g

 Low band pressure for a high level of
- comfort.
- Replacement pods available. Code M6825 and M6830
- SNR 27









Unit of Measure:

Available in Colours: Black M7060

MOLDEX 7060 WALL MOUNT

Wall Mount for Stations (includes fittings)

7725,7750,7825,7850,7625,7650,7829,7859,7450 & 7453 will fit the Wall





MOLDEX

MOLDEX 7450 CONTOURS DISPENSER



Product Code: M7450

Available in Sizes: S - M

Unit of Measure:

Available in Colours: Clear M7450

- The dispenser puts protection at the centre of the workforce.
- Plugs remain hygienic as the dispenser mechanism is automatically replaced with
- Contains 500 pairs of Moldex Contours (size standard)
- Dispensing station only
 The mounting bracket comes separately and is needed for all Moldex stations
 Product code M7060
- SNR 35 EN352-2:2002









Unit of Measure:

Available in Colours:

BEESWIFT

FOCUSED ON SAFETY

Product Code: M7625

Unit of Measure:

Available in Colours: Clear M7625

Each



MOLDEX 7453 CONTOURS S DISPENSER

- The dispenser puts protection at the centre of the workforce
 Plugs remain hygienic as the dispenser mechanism is automatically replaced with every refill.
- Contains 500 pairs of Moldex Contours (size small)
- Dispensing station only
- The mounting bracket comes separately and is needed for all Moldex stations Product code M7060
- SNR 35 EN352-2:2002





MOLDEX

MOLDEX 7625 MELLOWS EARPLUG DISPENSER

Made from recyclable material and with only 2% wastage the dispenser puts protection at

Plugs remain hygienic as the dispenser mechanism is automatically replaced with every refill.

- · Contains 250 pairs of Moldex MelLows (Small)

- Dispensing station only
 The mounting bracket comes separately and is needed for all Moldex stations Product code M7060
- Conforms to EN352-2:2002.









Unit of Measure: Fach

Available in Colours:

BEESWIFT

FOCUSED ON SAFETY

Product Code: M7725

Unit of Measure:

Available in Colours:
Clear
M7725

Each



MOLDEX 7650 MELLOWS EARPLUG DISPENSER

Made from recyclable material and with only 2% wastage the dispenser puts protection at the centre of the workforce.

Plugs remain hygienic as the dispenser mechanism is automatically replaced with every refill.

- Contains 500 pairs of Moldex MelLows (Large)
- SNR 22
- Dispensing station only
- The mounting bracket comes separately and is needed for all Moldex stations Product code M7060
- Conforms to EN352-2:2002.





MOLDEX

MOLDEX 7725 PURA-FIT DISPENSER

Made from recyclable material and with only 2% wastage the dispenser puts protection at the centre of the workforce.

Plugs remain hygienic as the dispenser mechanism is automatically replaced with every refill.

- Contains 250 pairs of Moldex Pura-Fit (Small)
- SNR 36
- Dispensing station only
- The mounting bracket comes separately and is needed for all Moldex stations Product code M7060
- Conforms to EN352-2:2002.









Unit of Measure:

Available in Colours:

BEESWIFT

FOCUSED ON SAFETY

Product Code: M7825

Unit of Measure:

Available in Colours: Clear M7825

Each



MOLDEX 7750 PURA-FIT DISPENSER

Made from recyclable material and with only 2% wastage the dispenser puts protection at the centre of the workforce.

Plugs remain hygienic as the dispenser mechanism is automatically replaced with every refill.


- Contains 500 pairs of Moldex Pura-Fit (Large)
- SNR 36
- Dispensing station only
- The mounting bracket comes separately and is needed for all Moldex stations Product code
- Conforms to EN352-2:2002.





MOLDEX

MOLDEX 7825 SPARK-PLUG DISPSER



Plugs remain hygienic as the dispenser mechanism is automatically replaced with every refill.

- · Contains 250 pairs of Moldex Spark Plugs (Small)

- Dispensing station only
 The mounting bracket comes separately and is needed for all Moldex stations Product code M7060
- Conforms to EN352-2:2002.









Unit of Measure:

Available in Colours:



Clear M7859

MOLDEX 7859 SPARK DETECTABLE DISPENSER 500

- The dispenser puts protection at the centre of the workforce
- Plugs remain hygienic as the dispenser mechanism is automatically replaced with every refill
- Contains 500 pairs of Moldex Spark Plugs Detect earplugs
- SNR 32)
- Dispensing station only
- The mounting bracket comes separately and is needed for all Moldex stations Product code M7060





MOLDEX

V-GARD HELMET MOUNTED EAR DEFENDER LOW



Product Code MSA10190356

Unit of Measure: Each


Available in Colours:



Green MSA10190356

For industrial workers, the V-Gard® Helmet-Mounted Hearing Protection Line delivers enhanced comfort and top-of-the-line performance with upgrades in fit and styleall without compromising the quality expected from the legendary V-Gard brand.

- · Passive helmet mounted ear defenders
- Low Attenuation, SNR 28 dB
- Green colour coding for easy identification
- Available in 2 other levels of attenuations, MSA10190357 SNR 32 dB and MSA1090358 SNR 36 dB
- Work with MSA V-Gard slotted Industrial helmets and MSA V-Gard visors & frames
- Matte material for cup and ear pads decreases look of wear and tear
- Includes the next generation "V" design from the Iconic V-Gard
- · Foam injected ear pads cushion for soft points of contact
- Custom MSA sealing rings for optimal comfort & SNR performance
- Upgraded fork design for sleek look and modernized feel
- Improved sealing ring and adapters optimize pressure on the ears for all day comfort
- Recessed interior foam doesn't touch user's ear while in use
- Vertical adjustment for custom fit
- Parking position to easily stow the earmuffs when not in use



- Dust: zones 20, 21, 22 (all zones)
 Gas: zones 1 & 2 with gas group IIA (Propane)









Unit of Measure:

Available in Colours:



Yellow MSA10190357

BEESWIFT **FOCUSED ON SAFETY**

Product Code

MSA10190358

Unit of Measure:

Available in Colours:

Red MSA10190358

Each

V-GARD HELMET MOUNTED EAR DEFENDER MEDIUM

For industrial workers, the V-Gard® Helmet-Mounted Hearing Protection Line delivers enhanced comfort and top-of-the-line performance with upgrades in fit and style-all without compromising the quality expected from the legendary V-Gard brand.

- Passive helmet mounted ear defenders
- Medium attenuation, SNR 32 dB
 Yellow colour coding for easy identification
 Available in 2 other levels of attenuations,
- MSA10190356 SNR 28 dB and MSA1090358 SNR 36 dB
- Work with MSA V-Gard slotted Industrial helmets and MSA V-Gard visors & frames
- Matte material for cup and ear pads decreases look of wear and tear
- Includes the next generation "V" design from the Iconic V-Gard
- Foam injected ear pads cushion for soft points of contact
- Custom MSA sealing rings for optimal comfort & SNR performance
- Upgraded fork design for sleek look and modernized feel
- Improved sealing ring and adapters optimize
- pressure on the ears for all day comfort

 Recessed interior foam doesn't touch user's ear while in use
- · Vertical adjustment for custom fit
- Parking position to easily stow the earmuffs when not in use
- Conforms to EN352-3:2002 Hearing protectors.

Safety requirements and testing. Ear-muffs attached to an industrial safety helmet









V-GARD HELMET MOUNTED EAR DEFENDER HIGH

For industrial workers, the V-Gard® Helmet-Mounted Hearing Protection Line delivers enhanced comfort and top-of-the-line performance with upgrades in fit and style —all without compromising the quality expected from the legendary V-Gard brand.

- · Passive helmet mounted ear defenders
- · High attenuation, SNR 36 dB
- Red colour coding for easy identification Available in 2 other levels of attenuations, MSA10190356 SNR 28 dB and MSA1090357 SNR 32 dB
 Work with MSA V-Gard slotted Industrial helmets and MSA V-Gard visors & frames
- Matte material for cup and ear pads decreases look of wear and tear
- Includes the next generation "V" design from the Iconic V-Gard
- Foam injected ear pads cushion for soft points of contact
- Custom MSA sealing rings for optimal comfort & SNR performance
- · Upgraded fork design for sleek look and modernized feel
- Improved sealing ring and adapters optimize pressure on the ears for all day comfort
- Recessed interior foam doesn't touch user's ear while in use
- Vertical adjustment for custom fit
- Parking position to easily stow the earmuffs when not in use
- Conforms to EN352-3:2002 Hearing protectors. Safety requirements and testing. Ear-muffs attached to an industrial safety helmet









FOCUSED ON SAFETY

Product Code: PF3000-04001

Unit of Measure:

Available in Colours:

Black PF3000-04001

PUREFLO HELMET ATTACHMENT EAR DEFENDER


- PureFlo 3000 Ear Defenders
- Clip on Attachment
 Gentex Superior Performance & Durability
 SNR 29 dB











Conforms to EN352-2:2002

Attenuation Data: SNR=30, H=31, M=26, L=24



Product Code: QED001CD

Blue QED001CD









Product Code: QED27

Unit of Measure:

Available in Colours:



QED27 EAR DEFENDER

Premium quality hearing protection with over the head ear defenders. Simple colour coding system quickly indicates the level of attenuation within the range.

- Unique cup design
- Padded headband for user comfort over exteded periods
 Soft foam ear cushions for wearer comfort
 Ease of headband adjustment

- Can be folded for easy storage
 Lightweight materials, only 187g

Suitable for use where the user is exposed to high levels of noise, such as industrial zones, construction sites and other noise hazard settings.

- EN352-1: 2002
- SNR 27
- H(dB) 33 M(dB) 25 L(dB) 16




















Conforms to EN352-2:2002

• SNR 39db, H=38, M=37, L=34



Unit of Measure: Bx 200

Available in Colours:



Blue QED301







FOCUSED ON SAFETY Product Code: QED301BP

Unit of Measure: Bx 500

Available in Colours: Yellow QED301BP

QED301 EAR PLUG BULK PACK 500

- Foam disposable ear plugs500 pairs in a bagConforms to EN352-2:2002
- SNR 39db, H=38, M=37, L=34







QED CORDED EAR PLUG

- Foam disposable ear plugs
- Conforms to EN352-2:2002
 SNR 39db, H=38, M=37, L=34
 Corded



Unit of Measure: Bx 200

Available in Colours:

Blue QED301C







FOCUSED ON SAFETY Product Code: QED301CD Unit of Measure: Bx 200 Available in Colours: Blue QED301CD Cat 3 - High Risk

QED CORDED DETECTABLE EAR PLUG


- Foam disposable ear plugsConforms to EN352-2:2002SNR 39db, H=38, M=37, L=34
- Corded metal detectable











Conforms to EN352-2:2002
SNR 39db, H=38, M=37, L=34

For use with QED301DP







Clear QED301DB



FOCUSED ON SAFETY

Product Code: QED301DP

Unit of Measure:

Available in Colours: Black QED301DP

BEESWIFT

FOCUSED ON SAFETY

Product Code:

Unit of Measure:

Available in Colours: Black/Orange QED31

QED31

Each

QED DISPENSER C/W PLUGS

- Free standing or wall mountedRobust designEasy twist action dispenser


- Bottle rotates and unscrews easily for refilling
 Contains 500 distinctive hi-vis foam disposable ear plugs











- Unique cup design
 Padded headband for user comfort over exteded periods
 Soft foam ear cushions for wearer comfort
- · Ease of headband adjustment
- Can be folded for easy storage
 Lightweight materials, only 218g

Suitable for use where the user is exposed to high levels of noise, such as industrial zones, construction sites and other noise hazard settings.

- EN352-1: 2002
- SNR 31 H(dB) 35 M(dB) 28 L(dB) 20

















Product Code: QED33

Unit of Measure:

Available in Colours:

QED33 EAR DEFENDER

Premium quality hearing protection with over the head ear defenders. Simple colour coding system quickly indicates the level of attenuation within the range.

- Unique cup design
- Padded headband for user comfort over exteded periods
- Soft foam ear cushions for wearer comfort
 Ease of headband adjustment
- Can be folded for easy storage
 Lightweight materials, only 227g

Suitable for use where the user is exposed to high levels of noise, such as industrial zones, construction sites and other noise hazard settings.

- EN352-1: 2002
- SNR 33
- H(dB) 33 M(dB) 30 L(dB) 23



















BEESWIFT FOCUSED ON SAFETY


Product Code: QED504

Unit of Measure: Each

Available in Colours:



EAR DEFENDERS SNR 31



- Padded headband for user comfort over extended periods
- Soft foam ear cushions for wearer comfort
 Ease of headband adjustment
 Can be folded for easy storage

Suitable for use where the user is exposed to high levels of noise, such as industrial zones, construction sites and other noise hazard settings.

- EN352-1: 2002
- SNR 31
- H(dB) 36 M(dB) 28 L(dB) 21











Product Code: QED506

Unit of Measure:

Available in Colours:




Red QED506

BEESWIFT FOCUSED ON SAFETY

Product Code:

QED601

EAR DEFENDERS SNR 33



- Soft foam ear cushions for wearer comfort
- Ease of headband adjustment
- Can be folded for easy storage

Suitable for use where the user is exposed to high levels of noise, such as industrial zones, construction sites and other noise hazard settings.

- EN352-1: 2002
- SNR 33 H(dB) 35 M(dB) 31 L(dB) 24







FOAM EAR PLUGS SNR 36



These foam ear plugs are perfect to protect your ears from excess & loud noise. Use in the work place, home or any loud environment. These ear plugs will protect your ears from sounds of up to 36 decibels.

As they are a disposable plug, simply put in a bin after use.

These ear plugs have been tested and conform to safety standards EN352-2:2002 Available in Boxes of 200.

- Foam disposable ear plugsConforms to EN352-2:2002
- SNR 36db, H=36, M=34, L=32









Product Code: QED601BEP

Unit of Measure: PK 20

Available in Colours: Green/Black QED601BEP

Product Code:

Unit of Measure: Bx 200

Available in Colours:

Green QED601C

QED601C

QED BANDED EAR PLUGS

- Foam disposable ear plugsTwo ways to wear
- Conforms to EN352-2:2002

When worn over the head SNR 32db, H=34, M=28, L=27

When worn under the chin

• SNR 32db, H=33, M=29, L=28











These foam ear plugs are perfect to protect your ears from excess & loud noise.
Use in the work place, home or any loud **BEESWIFT FOCUSED ON SAFETY**

environment.

These ear plugs will protect your ears from sounds of up to 36 decibels.

As they are a disposable plug, simply put in a

bin after use.

These ear plugs have been tested and conform to safety standards EN352-2:2002 Available in Boxes of 200.

- Foam disposable corded ear plugs
- Conforms to EN352-2:2002
- SNR 36db, H=36, M=34, L=32







FOCUSED ON SAFETY Product Code: QED602

Unit of Measure: Bx 200

Available in Colours:

Orange QED602

TRI FLANGE REUSABLE EAR PLUG SNR 34



- Tri Flange Reusable ear plugsConforms to EN352-2:2002
- SNR 34db, H=35, M=31, L=28









- Tri Flange Reusable ear plugs
- Conforms to EN352-2:2002
 SNR 34db, H=35, M=31, L=28







Unit of Measure: Bx 200

Available in Colours:

Orange QED602C





Available in Colours: Black QEDBD

QED DISPENSER BASE







UVEX WHISPER+ DETECT EAR PLUG



Product Code: UV2111239

Unit of Measure: PK 50

Available in Colours:



- SNR: 27dB
- Detectable reusable plastic earplug
- Easy to clean
 Easy to clean
 Bright blue colour makes it visible in production areas
 Readily available hearing protection with cord
 Cord can be removed
 High wearing comfort
 Standard EN 352-2
 Wearing time: maximum 4 weeks









Product Code: UV2112101

Unit of Measure: PK 100

Available in Colours:



Green UV2112101

UVEX HI-COM CORDED DISPOSABLE EARPLUGS

The innovative shape of the Uvex hi-com earplugs reduces the level of sound that normally builds up in the inner ear when wearing hearing protection. Integrated cavities result in a larger surface area in the direction of the eardrum. The earplugs provide softer acoustics and absorb disruptive noises - they also allow excellent speech perception.

General features

- · Earplugs with low sound absorption and excellent speech
- Available colours: lime, fawn
- Version with cord

Protection features

- Meets standard EN 352-2 and the additional requirement "Warning signal hearing, general" (W)
 24 decibels insulation H: 26 dB, M: 20 dB, L: 18 dB





uvex

UVEX XACT-FIT CORDED EAR PLUG



Product Code: UV2124001

Unit of Measure: PK 50

Available in Colours:

Green UV2124001

- Suitable for noise exposure levels up to 97dB(A)
 Easy, accurate fitting every time
 Tapered shape fits the natural shape of the ear canal
 Ergonomic steps c/w left and right fitting ensures consistently accurate insertion and optimum protection
 Adjustable neck cord

SNR: 26dB

 Replacement plugs available 2124-002 (250 pairs per box)









Product Code: X1A

Unit of Measure:

Available in Colours:

BEESWIFT

FOCUSED ON SAFETY

Product Code:

Unit of Measure:

Available in Colours: Greer X1P3

X1P3

Each



PELTOR X1 HEADBAND

The X-Series earmuffs are 3M's latest advancement in hearing conservation. New technologies in comfort, design and protection all come together in this groundbreaking earmuff line. The X1A is a lightweight, low- profile earmuff designed for protection against low-level industrial noise and other loud sounds. It features an electrically insulated wire headband, often referred to as "dielectric"

- The wire headband offers consistent pressure over prolonged wearing periods.

 • Earcup pivot points tilt for optimum comfort and
- efficiency.

 Noise Reduction Rating (NRR)b 22 dB. CSA Class A.

NOTE: The X-Series (over-the-head) headband version is electrically insulated - sometimes referred to as "dielectric". The metal components of the headband have been covered by non-conductive material for use in a low voltage electrical hazard (less than 440 V ac). As there are no applicable standards for testing ear muffs against electrical insulating properties, the product has been evaluated at an external laboratory against a modified test method based on EN397:1995. During assessment, the leakage current did not exceed 1.2mA when the external surface of the product made contact with an electrical source. The user must determine the overall suitability of this product for the intended application taking into account any hazards other than noise for which this product is tested.

The NRR may overestimate the hearing protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided.







PELTOR X1P3 HELMET ATTACHMENT

The 3M Peltor X1 Ear Defenders are designed to offer protection against light industry noise. For example, grounds maintenance or power drilling.

- Slim-line cups for moderate attenuation that meets the needs of most industrial applications.
- Lightweight design.
- Simple colour coding: green, indicating the first level of attenuation within this range.

Attenuation: SNR=26dB, H=30dB, M=23dB, L=15dB









Product Code: X2A

Unit of Measure:

Available in Colours:



Orange X2A

BEESWIFT

FOCUSED ON SAFETY

Product Code:

Unit of Measure:

Available in Colours:
Orange
X2P3

X2P3

Each

PELTOR X2 HEADBAND

The X-Series earmuffs are 3M's latest advancement in hearing conservation. New technologies in comfort, design and protection all come together in this groundbreaking earmuff line. The X2A is a lightweight, lower-profile earmuff designed for protection against low-to-moderate level industrial noise and other loud sounds. It features an electrically insulated wire headband, often referred to as "dielectric".

- The wire headband offers consistent pressure over prolonged wearing periods.
- Earcup pivot points tilt for optimum comfort and efficiency.
- Noise Reduction Rating (NRR)b 24 dB. CSA Class A.

NOTE: The X-Series (over-the-head) headband version is electrically insulated - sometimes referred to as "dielectric". The metal components of the headband have been covered by non-conductive material for use in a low voltage electrical hazard (less than 440 V ac). As there are no applicable standards for testing ear muffs against electrical insulating properties, the product has been evaluated at an external laboratory against a modified test method based on EN397:1995. During assessment, the leakage current did not exceed 1.2mA when the external surface of the product made contact with an electrical source. The user must determine the overall suitability of this product for the intended application taking into account any hazards other than noise for which this product is tested.

The NRR may overestimate the hearing protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided.







PELTOR X2P3 HELMET ATTACHMENT

The 3M Peltor X2 Ear Defenders are designed to offer protection against moderate to high noise levels. For example, roadworks or construction.

- Slim-line cups for moderate to high attenuation that meets the needs of most industrial applications.
- Lightweight design.
- Simple colour coding: yellow, indicating moderate to high attenuation.

Attenuation: Helmet Attachment: SNR=30dB, H=33dB, M=28dB, L=19dB









Product Code: X3A

Unit of Measure:

Available in Colours:



X3A

PELTOR X3 HEADBAND

The X-Series earmuffs are 3M's latest advancement in hearing conservation. New technologies in comfort, design and protection all come together in this groundbreaking earmuff line. The X3A features a newly designed spacer to help improve attenuation without the need for a much larger cup or double cup design. This lightweight earmuff is designed for protection against high-level industrial noise and other loud sounds. It features an electrically insulated wire headband, often referred to as "dielectric"

- The wire headband offers consistent pressure over prolonged wearing periods.
- Earcup pivot points tilt for optimum comfort and efficiency.
- Noise Reduction Rating (NRR)b 28 dB. CSA Class AL.

NOTE: The X-Series (over-the-head) headband version is electrically insulated - sometimes referred to as "dielectric". The metal components of the headband have been covered by non-conductive material for use in a low voltage electrical hazard (less than 440 V ac). As there are no applicable standards for testing ear muffs against electrical insulating properties, the product has been evaluated at an external laboratory against a modified test method based on EN397:1995. During assessment, the leakage current did not exceed 1.2mA when the external surface of the product made contact with an electrical source. The user must determine the overall suitability of this product for the intended application taking into account any hazards other than noise for which this product is tested.



The NRR may overestimate the hearing protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided.







Product Code: X3P3

Unit of Measure: Each

Available in Colours:



PELTOR X3P3 HELMET ATTACHMENT

The 3M Peltor X3 Ear Defenders are designed to offer protection against high noise levels. For example, forestry or heavy engineering.

The 3M Peltor X3 utilises a newly designed spacer to help improve attenuation without the need for a double cup design, thus increasing the space inside the cup for greater comfort and wearability.

- High attenuation from a single cup design
- Light-weight and slim compared with similarly attenuating products.
- Simple colour coding: red indicating high attenuation.

Attenuation: Helmet Attachment: SNR=32dB, H=34dB, M=30dB, L=24dB









Product Code: X4A

Unit of Measure:

Available in Colours:

BEESWIFT

FOCUSED ON SAFETY

Product Code:

Unit of Measure:

Available in Colours:

Greer X4P3

X4P3

Each



Greer X4A

PELTOR X4 HEADBAND

The X-Series earmuffs are 3M's latest advancement in hearing conservation. New technologies in comfort, design and protection all come together in this groundbreaking earmuff line. The X4A utilizes a newly designed spacer, specially formulated foam liners and innovative ear cushions to help improve attenuation. This lightweight, lower-profile earmuff helps with compatibility with other personal protective equipment and is designed for protection against moderate-to-high level industrial noise and other loud sounds. It features an electrically insulated wire headband, often referred to as "dielectric"

- The wire headband offers consistent pressure over prolonged wearing periods.
- · Earcup pivot points tilt for optimum comfort and efficiency
- Noise Reduction Rating (NRR)b 27 dB. CSA Class AL.

NOTE: The X-Series (over-the-head) headband version is electrically insulated - sometimes referred to as "dielectric". The metal components of the headband have been covered by non-conductive material for use in a low voltage electrical hazard (less than 440 V ac). As there are no applicable standards for testing ear muffs against electrical insulating properties, the product has been evaluated at an external laboratory against a modified test method based on EN397:1995. During assessment, the leakage current did not exceed 1.2mA when the external surface of the product made contact with an electrical source. The user must determine the overall suitability of this product for the intended application taking into account any hazards other than noise for which this product is



The NRR may overestimate the hearing protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided.





PELTOR X4 HELMET ATTACHMENT

The 3M Peltor X4 Ear Defenders are designed to offer protection against high noise levels, whilst maintaining a sleek, low profile, aesthetically pleasing design

Historically, higher attenuating ear muffs meant large and bulky cups - but not anymore. The 3M Peltor X4 Ear Defenders can attenuate sound by as much as 32dB whilst maintaining a sleek, low profile, aesthetically pleasing

- Extremely slim and light-weight cups help to improve compatibility when used with other Personal Protective Equipment.
- New specially formulated damping pads and innovative foam contained in the sealing ring provide excellent acoustic protection, particularly against sounds dominated by low frequencies
- Simple colour coding: bright green, indicating high attenuation combined with an extremely slim, lightweight

Attenuation: Helmet Attachment: SNR=32dB, H=36dB, M=30dB, L=21dB









Product Code: X5A

Unit of Measure:

Available in Colours:



Black X5A

PELTOR X5 HEADBAND

The 3M Peltor X5 Ear Defenders are designed to offer protection against extremely high noise levels. For example airports, quarrying or paper mills.

- Unparalleled attenuation (SNR 37dB) as a result of an
- Oriparalieled attenuation (SNR 37dB) as a result of an optimum combination of specially formulated foam technology and a newly designed spacer and cup.
 Despite the larger cups the product remains relatively lightweight with excellent balance and wearer comfort.
 Simple colour coding: black, for extremely high attenuation in demanding environments.

Headband: SNR=37dB, H=37dB, M=35dB, L=27dB









BEESWIFT FOCUSED ON SAFETY Product Code:

X5P3

Unit of Measure: Each

Available in Colours:



The X-Series earmuffs are 3Ms latest advancement in hearing conservation. New technologies in comfort, design and protection all come together in this groundbreaking earmuff line. The X5A earmuffs offer the highest NRR (31 dB) for an earmuff on the market which makes them ideal for very high noise situations. The high attenuation delivered by X5A earmuffs is possible as a result of a combination of advanced technologies including: newly designed spacers, specially formulated earcup liners and innovative foam contained in the cushions. It features an electrically insulated wire headband, often referred to as ? dielectric?.

- Replaceable ear cushions and foam liners (hygiene kit
- Noise Reduction Rating (NRR)b 31 dB. CSA Class AL.

SNR=36dB, H=36dB, M=34,dB, L=26dB







Pictogram Key

Cat 2 - Intermediate Risk

Cat 3 - High Risk







RNR* 87-98dB
RNR* 94-105dB
RNR* 95-110dB



Cat 1 - Minimal Risk

