

# SINDUSTRIAL PRODUCTS & SUPPLIES CATTALLOCATE





Product Code: 1015161

Unit of Measure:

Available in Colours: Black 1015161

**BEESWIFT** 

**FOCUSED ON SAFETY** 

Product Code:

Unit of Measure: Each

Available in Colours: White 3M262000

3M262000

#### **BIONIC HARD HAT ADAPTOR**

Hard hat adaptor for Bionic Honeywell visor system





### **Honeywell**

# **3M DISP LENS CLEAN WIPES (500)**

3M™ Disposable Lens Cleaning Tissue Dispenser, 26-2000-00 is our dispenser for individually wrapped and sealed lens cleaning tissues which have been pre-moistened with a cleaning solution.

- Dispenser for safety eyewear lens cleaning tissues
  Effective cleaning in a range of working environments
  Individually wrapped cleaning tissues
- 500 sealed sachets in each dispenser









Product Code: BBAMG

Unit of Measure: Each

Available in Colours:





#### **ANTI-MIST GOGGLE**

- Polycarbonate lens.Direct vent.
- Soft pvc frame.
- Fits over most prescription glasses.
- Adjustable strap.

- Conform to EN166:
   Optical Class:1
   B T (Medium impact energy at extreme temperatures)
  • 2C-1.2 - UV Filter

- Fields of use:
   4 Large dust particles
   9 Molten metal and hot solids











Product Code: **BBBS** 

Unit of Measure: Each

Available in Colours:



Clear BBBS

Cat 2 - Intermediate Risk

- Wraparound clear visitors spectacle.
- Polycarbonate lens.
- Ventilated side arms.
- Low impactWidth 157mm.
- Conform to EN166:
- Optical Class:1
  F (Low impact energy)
  2-1.2 UV Filter









Product Code: BBCFG

Unit of Measure: Each

Available in Colours:



Clear BBCFG

Cat 2 - Intermediate Risk



- Wide vision goggleBlue tint pvc frameIndirect vent

- Wrap around style provides excellent panoramic
- Foam surround for extra comfort and improved seal
- Adjustable strap

- Conform to EN166:Optical Class:1B T (Medium impact energy at extreme temperatures)
  • 2C-1.2 - UV Filter

#### Fields of use:

- 3 Liquids
- 4 Large dust particles9 Molten metal and hot solids











Product Code: **BBCG** 

Unit of Measure: Each

Available in Colours:



Cat 2 - Intermediate Risk

# **CHEMICAL GOGGLES**

- Polycarbonate lensPVC frame.
- Comfortable.
- Lightweight.
- Indirect vents.
- Conform to EN166:
- Optical Class:1
  B (Medium impact energy)
  2C-1.2 UV Filter

# Fields of use: - 3 Liquids









Available in Colours:



Grey BBCSS2GY



Cat 2 - Intermediate Risk

#### **COLORADO SAFETY SPECTACLES**

- Wrap around single lens.Nylon frame.Polycarbonate lens.

- Adjustable side arms.

- Conform to EN166:
  Optical Class:1
  F (Low impact energy)
  2-1.2 UV Filter











Product Code: BBDS

Unit of Measure: Each

Available in Colours: Clear



Cat 2 - Intermediate Risk

- Ultra lightweight.
- Polycarbonate curved lens and side shield.
- Fully adjustable nylon side arms.
- Low impact5 Position temple ratchet.
- Conform to EN166:
- Optical Class:1
  F (Low impact energy)
  2-1.2 UV Filter









Available in Colours:



Cat 2 - Intermediate Risk

#### **EVERSON SAFETY SPECTACLE**

- Ultra lightweightPolycarbonate wrap around lens
- Conforms to EN166:Optical Class:1
- F (Low impact energy)2C-1.2 UV Filter













Product Code: **BBFFWG** 

Unit of Measure: Each

Available in Colours:



Green BBFFWG



- **FLIP FRONT WELDING GOGGLES**
- Green soft PVC frame.
- Green polycarbonate lens shade 5. 4 indirect vents. Black ABS lens holder.

- EN175:1997
- Conform to EN166:
- Optical Class:1
  F (Low impact energy)
  5 3,1 UV Filter









Available in Colours:





# **STANDARD FACE VISOR 7.5"**

- To be used in conjuction with B-Brand Headgear system
- Transparent Visor 7.5"
- Conform to EN166 (when worn with appropriate headgear):
  Optical Class:1
  F - (Low impact energy)
  2C-1.2 - UV Filter











Product Code: **BBGPG** 

Unit of Measure: Each

Available in Colours:



Clear BBGPG



- Polycarbonate lens with PVC frame.
- Comfortable.
- Light weight.Direct vent.
- Conform to EN166:
- Optical Class:1
  B (Medium impact energy)
  2C-1.2 UV Filter

# Fields of use: - 3 Liquids









Product Code: BBH50

Unit of Measure:

Available in Colours:



Clear BBH50



Yellow BBH50

#### **H50 ANTI-FOG ERGO TEMPLE SPECTACLES**

- Ergonomic temple for comfort fit.Temple tip locking catch.Temple ratchet adjustment.

- Hard coated polycarbonate lens.
  Anti-fog and anti-scratch.
- Soft nose pad.

Ergonomic temple provides comfortable, self-adjusting and a more secure fit to the users head. The swaying ergo temple pieces will spread the pressure evenly across the users temple area.

Temple ratchet adjustment works closely with the ergo temple to help the user wearing the product with different pantoscopic angles, suitable for all head

- Conform to EN166:Optical Class:1F T (Low impact energy at extreme temperatures)
  • 2C-1.2 - UV Filter
  • K - Scratch Resistant

- N Fog Resistant











**Product Code:** BBH60

Unit of Measure: Each

Available in Colours:



Clear BBH60



- Ergonomic temple for comfort fit.
- Temple tip locking catch.
- Temple ratchet adjustment. Hard coated polycarbonate lens.
- Anti-fog and anti-scratch.
- Soft nose pad.
  OTG lenses gives good fit for prescription spectacle wearers

Ergonomic temple provides comfortable, self-adjusting and a more secure fit to the users head. The swaying ergo temple pieces will spread the pressure evenly across the users temple area.

Temple ratchet adjustment works closely with the ergo temple to help the user wearing the product with different pantoscopic angles, suitable for all head shapes.

- Conform to EN166:
- Optical Class:1
- F T (Low impact energy at extreme
- temperatures) -• 2C-1.2 UV Filter
- K Scratch Resistant
- N Fog Resistant









Product Code: **BBHG** 

Unit of Measure:

Available in Colours:

Yellow

Cat 1 - Minimal Risk

#### **HEAD GEAR**

Headgear carriage can be used with B-Brand Face Guards (sold separately).

- Fully adjustable
- Ratchet fastening.Soft nylon padded browguard.
- •Conforms to EN 166 (When worn with appropriate visor)
  - 3 = Liquids

Impact (120 m/s)

• Conforms to EN 1731 (When worn with

appropriate visor)

- F =Low Energy

Impact (45m/s)

Compatable B-Brand Faceguards: BBFV7 - Standard Transparent Face

Visor

BBMV7 - Steel Mesh Visor BBMEFV8 - Metal Edge Face Visor











Product Code: **BBKS** 

Unit of Measure: Each

Available in Colours: Clear



Cat 2 - Intermediate Risk

- · Wrap around spectacle.
- Anti fog polycarbonate lens.Scratch resistantAdjustable side arms

- Low impact and 99.9% UV protected
  Nylon frame.
- Conform to EN166:
- Optical Class:1
  F (Low impact energy)
  2C-1.2 UV Filter









Available in Colours:

Clear BBMEFV8

Cat 2 - Intermediate Risk

#### **METAL EDGE FACE VISOR 8"**

To be used in conjuction with B-Brand Headgear system BBHG.


- Conforms to EN 166 (When worn with appropriate headgear)
  Optical Class:1
  B - (Medium impact energy)











• Conforms to EN 1731 (When worn with appropriate Headgear)

- S = Reinforced Solidity (12m/s)

can also be used with BBFK







Available in Colours:

Cat 2 - Intermediate Risk





#### **NECK CORD**

Neck cord for use with spectacles and safety glasses.











BEESWIFT

Product Code: **BBNFG** 

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:





- Comfortable
- LightweightPolycarbonate lensClear PVC frame
- Conform to EN166:
- Optical Class:1
- B T (Medium impact energy at extreme
- temperatures)
   2C-1.2 UV Filter
- Fields of use: 3 Liquids
- 4 Large dust particles









**Product Code:** BBNVSG604N

Unit of Measure:

Available in Colours:



Green BBNVSG604N

#### **NON VENT SG604N GOGGLE**

- Polycarbonate lensPVC frame.
- Comfortable.
- Lightweight.
- CAT II

- CAT II
  Conform to EN166:
  Optical Class:1
  BT (Medium impact energy at extreme temperatures)
  2C-1.2 UV Filter
  Fields of use: 3 Liquid splash

These goggles are treated with Crystal Coat (TM), C-380M is a polysiloxane based thermal cure hardcoat that combines anti-fog performance with abrasion and chemical











Product Code: **BBPG** 

Unit of Measure: Each

Available in Colours:



Orange BBPGAF



Cat 2 - Intermediate Risk

- · Wide vision lens. Unvented.
- Soft and flexible for extra comfort.
- Adjustable wide headband.Available in 2 frame colours.
- Conform to EN166:
- Optical Class:1
- B (Medium impact energy)
  2-1.2 UV Filter

#### Fields of use:

- 9 Molten metal and hot solids









BBPS

Unit of Measure: Each

Available in Colours:



Cat 2 - Intermediate Risk

# **PORTLAND SAFETY SPECTACLES**

- Wrap around spectacle.Adjustable side arms.Nylon frame.

- Conform to EN166:
- Optical Class:1F (Low impact energy)2C-1.2 UV Filter









- Wide opening PVC pouch with easy access
- Large ABS hook











Product Code: BBSG31

Unit of Measure:

Available in Colours:



Clear BBSG31

Cat 2 - Intermediate Risk

#### **B-BRAND SG31 GOGGLE**

- Polycarbonate Lens
- Ideal for wearing over spectacles
  Complete Contoured Face Seal
- Indirect Four Point Ventilation

- Conform to EN166:
   Optical Class:1
   BT (Medium impact energy at extreme temperatures)

Fields of use:

- 3 Liquids4 Large dust particles9 Molten metal and hot solids











Product Code: BBSG604

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours: Clear BBSG604

- Polycarbonate lensPVC frame.
- Comfortable.
- Lightweight.
- Indirect vents.
- CAT II
- Conform to EN166:
- Optical Class:1
- BT (Medium impact energy at extreme temperatures)
  • 2C-1.2 - UV Filter

These goggles are treated with Crystal Coat (TM), C-380M is a polysiloxane based thermal cure hardcoat that combines antifog performance with abrasion and chemical resistance.









BBSS

Unit of Measure: Each

Available in Colours:





#### **SEATTLE SAFETY SPECTACLES**

- Wraparound clear cover spectacle.Polycarbonate lens.
- Ventilated side arms.
- Width 165mm.

- Conform to EN166:
  Optical Class:1
  F (Low impact energy)
  2-1.2 UV Filter











- 10 Curve single Poly Carbonate lens
  Fully adjustable side arms with temple ratchet.
  Adjustable Neck Cord.
- Conform to EN166:
- Optical Class:1
   F T (Low impact energy at extreme temperatures)
   2C-1.2 UV Filter











Product Code: BBUTS

Unit of Measure:

Available in Colours:



Clear / Blue BBUTSBF



Grey BBUTSS2GY



Cat 2 - Intermediate Risk

# **UTAH SAFETY SPECTACLES**

- 8 Curve optically correct lens.
  Super tough BLUE nylon frame.
  Fully adjustable side arms with temple ratchet.
  Low impact and 99.9% UV protected.
- Complete with unique neck clip and cord.

- Conform to EN166:
  Optical Class:1
  F (Low impact energy)
  2C-1.2 UV Filter











BEESWIFT Product Code: BBV1

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:





- BBHAM Goggle Visor Attachment.For additional lower face protection in assorted environments.
- Conform to EN166 (Must be worn in conjunction with BBHAM):
  B T (Medium impact energy at extreme
- temperatures)









Available in Colours:



Grey BBVSS2GY



Cat 2 - Intermediate Risk

#### **VEGAS SAFETY SPECTACLES**

- Ultra lightweight Polycarbonate wrap around lens
- Low impact
- One piece side arm

- Conform to EN166:
  Optical Class:1
  F (Low impact energy)
  2-1.2 UV Filter







#### **WIDE VISION GOGGLES**



Product Code: **BBWVG** 

Unit of Measure: Each

Available in Colours:



Cat 2 - Intermediate Risk

- 1mm Polycarbonate lens.
- Wide vision lens.Comfortable soft PVC frame.

- All round ventilation.
   Wide contoured face seal.
   Fits over spectacles.
   Comfortable wide head band.

- Conform to EN166:
  Optical Class:1
  F (Low impact energy)
  2C-1.2 UV Filter









Product Code: BBYS

Unit of Measure:

Available in Colours:



Clear BBYS

Grey BBYSS2GY

Yellow BBYSS2Y



Cat 2 - Intermediate Risk



- Ultra lightweight Wrap around design
- Contoured shape
- Polycarbonate lens (PC lens)
- Soft nose bridge Non slip coloured rubber tips
- Conform to EN166:
- Optical Class:1
  F (Low impact energy)
  2C-1.2 UV Filter











Product Code: **BOATOA** 

Unit of Measure: Each

Available in Colours:



 Compact, lightweight and extremely comfortable thanks to its modular

Thermo Plastic Rubber frame.

• Anti-scratch and Anti-fog coating.

• Overflow chute for liquids.

- Ball Pivot.
- Adjustable Strap
  Fits over prescription glasses
  Ventilated
- Lens Marking: 2C-1,2 1 BT KN CEEN166 3 BT CE









**BOATOV** 

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

Blue BOATOV

#### **BOLLE SAFETY ATOM VISOR FOR GOGGLE**

Face visor for the Bolle ATOM goggle. Compact, lightweight and extremely comfortable thanks to its modular TPR frame, ATOM offers enhanced protection.

- Thermo Plastic Rubber (TPR)Overflow chute for liquidsBall-pivot











Product Code: **BOATPSI** 

Unit of Measure: Each

Available in Colours:

Clear

- Sealed Frame
- Can be worn over prescription spectacles

- Wide adjustable strap.
   Compatible with half-mask respirator
   Anti scratch/Anti-fog
  Lens marking 1 9 B CE
  Frame marking EN166 3 4 5 9 B CE









BOAXPSI

Unit of Measure:

Available in Colours:



#### **BOLLE SAFETY AXIS ANTI STATIC SPECTACLE**

- Upper Protection.
  Pivoting Temples.
  Non-slip Tipgrip Temples.
  Adjustable Non-slip Bridge.
- Anti-static.
- Anti-scratch and Anti-fog Coatings.

Lens Marking: 2-1,2 1 FT CE Frame Marking: EN166 FT CE











Product Code: **BOBAN** 

Unit of Measure: Each

Available in Colours:



Smoke BOBANPSF

- Made entirely of highly-resistant polycarbonate, BANDIDO is the perfect value option.
- Wrap-around frame
- Reinforced bridge

Anti-scratch/Anti-fog
Lens Markings: 2C-1,21FT CE
Frame Markings: EN166 FT CE

• Supplied with adjustable cord except for welding versions









Product Code: BOBAXCSP

Unit of Measure:

Available in Colours:



Black BOBAXCSP

#### **BOLLE SAFETY BAXTER PLATINUM COPPER**

- Increased protectionWrap-around frame
- Waterproof foam and removable strap
- Platinum Anti-scratch/Anti-fog lens

- Clear, Smoke, CSP lenses
   Lens Markings: 5-1,4 1 BT KN CE
   Frame Marking: EN 166 FT CE
   Strap version Frame Markings EN 166 3 4 5 BT CE











Product Code: **BOBAXPSF** 

Unit of Measure: Each

Available in Colours:



- Increased protection
- Wrap-around frame

- Wrap-around frame
  Waterproof foam and removable strap
  Platinum Anti-scratch/Anti-fog lens
  Clear, Smoke, CSP lenses
  Frame Marking: EN 166 FT CE
  Lens Markings: 5-3,1 1 BT KN CE
  Strap version Frame Markings EN 166 3 4 5 BT CE









Product Code: BOBAXPSI

Unit of Measure:

Available in Colours:



#### **BOLLE SAFETY BAXTER PLATINUM**

- Increased protectionWrap-around frame
- Waterproof foam and removable strap
- Platinum Anti-scratch/Anti-fog lens


- Clear, Smoke, CSP lenses
  Frame Marking: EN 166 FT CE
  Lens Markings: 2C-1,2 1 BT KN CE
  Strap version Frame Markings EN 166 3 4 5 BT CE











- Extremely LightweightWrap-around fitMaximum field of vision
- Sporty designAnti-scratch lens
- Supplied with adjustable sports cord
   Conforms to EN166 1 FT CE







Product Code: BOBL10CF

Unit of Measure:

Each

**BEESWIFT FOCUSED ON SAFETY** 





Product Code: BOBLAPSI

Unit of Measure:

Available in Colours:



#### **BOLLE BLAST GOGGLE**

- An exceptionally wide field of vision
   Fits over prescription spectacles
   Anti-scratch/Anti-fog
   Fits with respiratory half mask
   Ventilated

- Ventilated
- 113g
   Can be fitted with BOBLV Visor Accessory Lens Markings: 2-1,21 BT 9 CE Frame Markings: EN166 3 9 BT











Product Code: **BOBLV** 

Unit of Measure: Each

Available in Colours:



 Impact and Liquid splash protection When combined with Blast goggle gives similar level of protection to a face shield Frame markings: EN166 3 BT

• Visor for BOBLAPSI Blast Goggle









**Product Code:** BOCOBFSPSI

Unit of Measure:

Available in Colours:



Clear BOCOBFSPSI

#### **BOLLE SAFETY COBRA STRAP**

- PC Clear, anti-scratch, anti-fog lens
  Conforms to EN 166 1.B 3 T and EN 170
- Ultra low profile goggle with soft foam seal
  Wide adjustable strap
- Non slip nose bridge
- 180° panoramic field of view.

This version of the Cobra combines the comfort of an eyeshield with the fit and seal of a goggle. Supplied with a micro fibre pouch.











Product Code: **BOCOBPSI** 

Unit of Measure: Each

Available in Colours:



- · Wrap-around fit without any visual interference, offers 180° vision and perfect optical quality.
- Upper Protection.
- Non-Slip Bridge
  Comfortable, Non-Slip Straight Temples.
  Pivoting Temples.
  Anti-scratch/Anti-fog Coatings.

Lens Markings: 2C-1.2 1 BT KN CE Frame Marking: EN166 FT CE









Product Code: BOCONT

Unit of Measure: Each

Available in Colours:



Clear BOCONTPSI



ESP BOCONTESP Smoke BOCONTPSF



- Ultra-lightweightNon-slip bridgeThin TIPGRIP temples for better support
- Clear lens
- Anti-scratch/Anti-fog
   Lens marking 2C-1,21 FT KN CE
   Frame marking EN166 FT
- Supplied with microfibre pouch











Product Code: BOCORDC

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours: Black BOCORDC

- · Conventional adjustable spectacle cord
- TPE tips100% polyester









Product Code: BOCOVARSI

Unit of Measure:

Available in Colours:

Clear BOCOVARSI

#### **BOLLE CHEMICAL GOGGLE**



Versatile PVC goggles that fit over prescription glasses, available in ventilated or sealed versions.

- Available in 2 versions: vented and sealedEconomical and effective
- · Comfortable, flexible frame
- PLATINUM® coating
  Lens marking 2C-1,21 BT CE
  Frame marking EN166 3 4 BT CE









Black polyester spectacle case with belt clip and belt loop. Ideal for storing your safety spectacles when not in use.







Product Code: **BOETUIB** 

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours: Black BOETUIB





Black BOETUIFS

#### **BOLLE SAFETY SPECTACLE MICROFIBRE BAG**

Black microfibre bag for storing all types of spectacles.









#### **BOLLE SAFETY FUSION + WELDING HELMET**

FUSION+ offers unbeatable advantages, four independent sensors, super fast reaction time, reinforced permanent protection and extreme comfort.

- Blocking of the cell to clear state for grinding
  • Fine adjustment and progressive sensitivity
- Auto recovery delay adjustment
- Solar power
- Variable tint «5-8» / «9-13»
   Low battery signal and changeable battery
   2 year warranty







Available in Colours:

**BEESWIFT** 

**FOCUSED ON SAFETY** 

Product Code: BOFUSV

Available in Sizes: ONE SIZE

Unit of Measure:





Product Code: BOILUPS

Unit of Measure:

Available in Colours:



#### **BOLLE SAFETY ILUKA AS AF**

- Lightweight and ultra-enveloping
  Co-injected bi-material PC/TPR temples
- Thin, ergonomic and comfortable temples adaptable with other PPE
- Suitable for narrow faces Anti-scratch and Anti-fog coatings

Lens marking 2C-1,2 1 FT Frame marking EN166 FT









The first universal safety spectacles that fits perfectly to every/each face: a "memory form" bridge, fully adjustable in height, depth and width, an ultra-enveloping frame with pivoting ergonomic temples, embraces precisely all face shapes.

- Pivoting, non slip & ergonomic temples
- Platinum coating"Memory form" bridgeAnti-scratch
- Anti-fog

Lens marking: 2C-1,2 1FT KN CE Frame Marking: EN166 FT CE











**Product Code: BOIRIDPSI1-5** 

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:



#### **BOLLE SAFETY IRI-S READING AREA +1.5**

Because every face is unique, Bollé Safety has developed IRI-s, a model of universal safety spectacle that are ultra-modular and infinitely adaptable to every individual thanks to the B-Flex shape memory bridge. IRI-s is also available with dioptric corrective lenses.

- 1 model 1 size
- Pivoting, non slip & ergonomic temples
   Clear version with reading area
   PLATINUM coating


- B-Flex nose
- Reading area power +1.5











- 1 model 1 sizePivoting, non slip & ergonomic templesClear version with reading area
- PLATINUM coating
- B-Flex nose
- Reading area power +2







Available in Colours:

**BEESWIFT** 

**FOCUSED ON SAFETY** 

Product Code:

Available in Sizes: ONE SIZE

Unit of Measure:

**BOIRIDPSI2** 





**Product Code: BOIRIDPSI2-5** 

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:



#### **BOLLE SAFETY IRI-S READING AREA +2.5**

Because every face is unique, Bollé Safety has developed IRI-s, a model of universal safety spectacle that are ultra-modular and infinitely adaptable to every individual thanks to the B-Flex shape memory bridge. IRI-s is also available with dioptric corrective lenses.

- 1 model 1 size
- Pivoting, non slip & ergonomic temples
   Clear version with reading area
   PLATINUM coating


- B-Flex nose
- Reading area power +2.5











- 1 model 1 size
- Pivoting, non slip & ergonomic temples
  Clear version with reading area
- PLATINUM coating
- B-Flex nose
- Reading area power +3







**BEESWIFT** 

**FOCUSED ON SAFETY** 

Product Code:

**BOIRIDPSI3** 





Product Code:

Unit of Measure:

Available in Colours:

Clear BOOVLITLPSI

#### **BOLLE SAFETY OVERLIGHT**

- New generation of OTG (Over The Glasses)Compact and wrap-around
- Ideal for all wearers
- Anti-scratch/Anti-fog clear lens
  Lens Markings: 2C-1,2 1 FT CE
  Frame Markings: EN 166 FT CE







# **BOLLE SAFETY B600 CLEANING STATION**

B600 is a plastic dispenser delivered with 2 boxes of tissues and a cleaning spray. It can either be free standing or wall mounted.

- Anti-bacteria anti-static anti reflectiveAqua formula
- Alcohol & silicone free
- · For all types of lenses
- Certified by Colts laboratory
- Tissues (ref BOB401) and spray (REF BOB402) available separately







Unit of Measure: Each

Available in Colours: Black BOPACD500





**Product Code:** BOPILOPSI

Unit of Measure:

Available in Colours:



#### **BOLLE SAFETY PILOT GOGGLE**

- Ultra-flexible TPV housing and wide fully adjustable neoprene strap guarantees the wearer optimum levels of fit and comfort.
  The "toric" optical class 1 polycarbonate anti scratch and anti fog lens provides an excellent field of view.
- Can be worn over prescription spectacles.
- Adjustable strap
- Ventilated

Anti-scratch/Anti-fog Lens marking 2C-1,21BT 9 KN CE Frame marking EN166 3 4 9 BT CE









THIS PRODUCT DOES NOT CONFORM TO EN166 AND ARE THERE FOR NOT CLASSIFIED AS SAFETY GLASSES!

- Hybrid metal and acetate frameShiny black and goldPolycarbonate lens for resistance and optical clarity
- Embedded ProBlu 420 technology & Anti-reflective coating
- Slightly curved frame
- This elegant and sophisticated frame comes with PrB lenses absorbing 100% of harmful blue light at 420nm and 82% of harmful blue light at 445nm
- Protects your sight from blue light
   Supplied with hard case, microfibre cloth, user instruction







Each

**BEESWIFT** 

**FOCUSED ON SAFETY** 

**Product Code** 

**BOPRBARC108** 

Unit of Measure:

Available in Colours: Black BOPRBARC108



**Product Code:** BOPRBCHIC204

Unit of Measure:

Available in Colours: Black BOPRBCHIC204

**BEESWIFT** 

**FOCUSED ON SAFETY** 

Product Code

**BOPRBTOKY108** 

Unit of Measure:

Available in Colours: Black BOPRBTOKY108

Each

#### **BOLLE SAFETY CHICAGO MENS PROBLU GLASSES**

THIS PRODUCT DOES NOT CONFORM TO EN166 AND ARE THERE FOR NOT CLASSIFIED AS SAFETY **GLASSES!** 

- Gradient black and crystal with gunmetal
- Hybrid metal and acetate frame/ square stye
- Polycarbonate lens for resistance and optical clarity
   Embedded ProBlu 420 technology & Anti-reflective
- coating
  Slightly curved frame
- This sophisticated and stylish crystal frame comes with PrB lenses absorbing 100% of harmful blue light at 420nm and 82% of harmful blue light at 445nm
  • Protects your sight from blue light
- Supplied with hard case, microfibre cloth, user instruction









THIS PRODUCT DOES NOT CONFORM TO EN166 AND ARE THERE FOR NOT CLASSIFIED AS SAFETY GLASSES!

- Black and gunmetalLightweight full squared FramePolycarbonate lens for resistance and optical clarity
- Embedded ProBlu 420 technology & Anti-reflective
- Metal slightly curved frame
- This bold frame comes with PrB lenses absorbing 100% of harmful blue light at 420nm and 82% of harmful blue light at 445nm
- Protects your sight from blue light
  Supplied with hard case, microfibre cloth, user instruction









**Product Code:** BOPRBTORO204

Unit of Measure:

Available in Colours:



**BEESWIFT** 

**FOCUSED ON SAFETY** 

Product Code

**BOPRBWELL108** 

Unit of Measure:

Available in Colours: Black BOPRBWELL108

Each

#### **BOLLE SAFETY TORONTO MENS PROBLU GLASSES**

THIS PRODUCT DOES NOT CONFORM TO EN166 AND ARE THERE FOR NOT CLASSIFIED AS SAFETY **GLASSES!** 

- · Premium acetate frame/square style
- Translucent grey
- Polycarbonate lens for resistance and optical clarity
  Embedded ProBlu 420 technology & Anti-reflective
- coating
   Slightly curved frame
- This elegant and classy crystal frame comes with PrB lenses absorbing 100% of harmful blue light at 420nm and 82% of harmful blue light at 445nm
- Protects your sight from blue light
- Supplied with hard case, microfibre cloth, user instruction









THIS PRODUCT DOES NOT CONFORM TO EN166 AND ARE THERE FOR NOT CLASSIFIED AS SAFETY

- Premium acetate frame/square style
- Shiny black
- Polycarbonate lens for resistance and optical clarity
- Embedded ProBlu 420 technology & Anti-reflective coating
- Slightly curved frame
- This elegant and classy crystal frame comes with PrB lenses absorbing 100% of harmful blue light at 420nm and 82% of harmful blue light at 445nm
- Protects your sight from blue light
   Supplied with hard case, microfibre cloth, user instruction









**Product Code:** BOPSSBL30

Unit of Measure:

Available in Colours:



Clear BOPSSBL30053 Smoke BOPSSBL30439

#### **BOLLE SAFETY B-LINE BL30 ANTI-SCRATCH ANTI-FOG**


- Upper protection
  Anti-Fog & Anti-Scratch coating on both sides of the lenses
  Lightweight
- Stop-in system (on the hinge of the temples)
- Ultra-wrap-around fit
- Universal Fit
- Fit without any screwsSupplied with a sports cord

Lens marking 2C-1.2 1 FT Frame marking EN166 FT











Product Code BOPSSRUSP073

Unit of Measure: PK 20

Available in Colours:



- Upper protection
- Platinum scratch and fog resistant coating
- Co-injected, ultra-flex temples
- Sustainable packaging
- Lens marking 2C-1.2 1 FT KNFrame marking EN166 FT

Eco packaging - guaranteed plastic free. The product is wrapped in tissue paper and stored in recycled and recyclable cardboard boxes

The user instructions are printed with vegetable ink directly onto the packaging to reduce waste









Product Code: BOPSSRUSP450

Unit of Measure: PK 20

Available in Colours: Smoke BOPSSRUSP450

#### **BOLLE SAFETY RUSH+ GO GREEN PLATINUM**

- Upper protectionPlatinum scratch and fog resistant coatingCo-injected, ultra-flex temples
- Sustainable packaging
- Lens marking 5-3,1 1 FT KNFrame marking EN166 FT

Eco packaging - guaranteed plastic free. The product is wrapped in tissue paper and stored in recycled and recyclable cardboard

The user instructions are printed with vegetable ink directly onto the packaging to reduce waste











Product Code **BOPSSRUSPC16** 

Unit of Measure: PK 20

Available in Colours:



- Upper protection
- Platinum scratch and fog resistant coating
- Co-injected, ultra-flex temples
- Sustainable packaging
- Lens marking 5-1.4 1 FT KNFrame marking EN166 FT

Eco packaging - guaranteed plastic free.

The product is wrapped in tissue paper and stored in recycled and recyclable cardboard boxes The user instructions are printed with vegetable ink directly onto the packaging to reduce waste









Product Code: BOPXFHARP208

Unit of Measure:

Available in Colours:



# **BOLLE SAFETY HARPER PROBLU SAFETY GLASSES**

- TR90 lightweight full rectangle FrameGrey/blue
- Polycarbonate lens for resistance and optical clarity
- Embedded ProBlu 420 technology
- Technology in the core of the lens
- Technology in the core of the lens
  Nylon/PC curved frame
  This unisex and bold frame comes with PrB lenses absorbing 80% of harmful bluelight at 445nm
  Supplied with hard case, microfibre cloth, user instruction
  Lens marking 2C-1.2 1 F
  Frame marking EN166 F











Product Code: **BORUSH** 

Unit of Measure: Each

Available in Colours:



Smoke BORUSHPSF



Twilight BORUSHTWI

- · Panoramic field of view
- Upper Protection

- Adjustable non-slip bridge
   Non-slip Temples
   Anti-scratch/Anti-fog
   Supplied with adjustable cord Lens marking 2C-1,21 FT CE Frame marking EN166 FT CE
- ·Supplied with an adjustable cord









Product Code: BORUSHPPLUS

Unit of Measure:

Available in Colours:



Clear BORUSHPPSIPLUS

Smoke BORUSHPPSFPLUS



The RUSH + adopts an ultra-sporty design with its co-injected and ultra-flexible temples.

- Upper protectionPlatinum coating
- Non-slip bridge
- Bi-colour temples
   Anti-scratch/Anti-fog
  Lens marking: 2C-1,2 1 FT KN CE
  Frame Marking: EN166 FT CE











**Product Code BORUSHPTWIPLUS** 

Unit of Measure: Each



- Ultra flex bi-colour sports temple
- Uninterrupted panoramic field of view
- Maximum comfort

- Non-slip adjustable nose bridge
  Platinum Anti-scratch/Anti-fog lens
  Clear, Smoke and Twilight lenses
  Lens marking 5-21 FT KN CE
  Frame marking EN166 FT CE









Product Code: BOSILEXPS

Unit of Measure: Each

Available in Colours:



Clear BOSILEXPSI Smoke BOSILEXPSF



- Ultra-wraparound frame
   PC/TPR co-injected temples for greater comfort
- Panoramic field of vision
- Flex 160° Temples
- Anti-scratch/Anti-fog
- Lens marking 2C-1,2 1 FTFrame marking EN166 FT















**BEESWIFT** FOCUSED ON SAFETY

Product Code: **BOSILEXPSJ** 

Unit of Measure: Each



- Ultra-wraparound frame
- PC/TPR co-injected temples for greater comfort
- Panoramic field of vision
  Flex 160° Temples
  Anti-scratch/Anti-fog

- Lens marking 2C-1,2 1 FTFrame marking EN166 FT









**Product Code:** BOSILPCSPPLUS

Unit of Measure:

Available in Colours:



**BEESWIFT** 

**FOCUSED ON SAFETY** 

**Product Code** 

BOSILPPLUS

Each

Unit of Measure:

Available in Colours: Clear BOSILPPSIPLUS

Smoke BOSILPPSFPLUS

# **BOLLE SILIUM+ PLATINUM COPPER**

Silium + is a comfortable and ultra lightweight polycarbonate model. Silium + is an excellent choice, combining style, ergonomics and performances for extended use.

- Ultra lightweight frame
- Platinum coating
- Non-slip bridge

Non-slip bridge
Straight, highly flexible ergonomic temples
All-round vision
Anti-scratch/Anti-fog
Lens marking: 5-1.4 1 FT KN CE
Frame Marking: EN166 FT CE


· Supplied with a microfibre pouch











- Ultra lightweight framePlatinum coating

- Non-slip bridge
   Straight, highly flexible ergonomic temples
   All-round vision

• Anti-scratch/Anti-fog Lens marking: 2C-1,2 1 FT KN CE Frame Marking: EN166 FT CE

· Supplied with a microfibre pouch









Product Code: BOSILPS

Unit of Measure:

Available in Colours:



Clear BOSILPSI

Grey BOSILPSF

# **BOLLE SAFETY SILIUM SPECTACLES**

The pure curves of the metal frame offers a design that is sleek and attractive and the technical characteristics of the material used offer some of the same advantages as plastic frames

- Integrated side protections
  Flex temples with TipGrip system
- Panoramic vision.
- Adjustable non-slip bridge
   Anti-scratch/Anti-fog
   Lens marking 2-1,21 FT CE
  Frame marking EN166 FT CE











Product Code: **BOSLAPS** 

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:



- · Wrap-around Fit.
- All-round Vision.
- Comfortable Straight Temples.
  Anti-scratch and Anti-fog Coatings.

Lens Markings: 2C-1,2 1 FT CE Frame Markings: EN166 FT CE

• Supplied with an adjustable cord









BOSUPBLV

Unit of Measure:

Available in Colours:

BEESWIFT

**FOCUSED ON SAFETY** 

Product Code:

Unit of Measure:

Available in Colours: Clear BOTRACPSI

Smoke BOTRACPSF

Yellow BOTRACPSJ

BOTRACPS

Each



# **BOLLE SAFETY SUPERBLAST VISOR FOR GOGGLE**

- Visor for BOSUPBLAPSI Blast Goggle
- VISOT TOT BUSINESS OF BLACK CORGS.
   Impact and Liquid splash protection
   When combined with Blast goggle gives similar level of protection to a face shield Frame markings: EN166 3 BT









# **BOLLE SAFETY TRACKER**

Bolle Tracker safety glasses provides protection from all mechanical risks and also chemical risks, making it unique in the safety glasses range.

This platinum permanent coating applied on both surfaces of the lens makes them highly scratch-resistant (1.4 cd/m²), gives them a high resistance to the most aggressive chemicals and slows the appearance of fogging.

- Interchangeable foam reinforcement with indirect ventilation
- Upper protection
- Lower protection
- Removable adjustable strap
- Straight templesAnti-scratch/Anti-fog

FREE MICROFIBRE STORAGE BAG

Temple Version

Lens Markings: 2C-1, 2 1 BT KN CE Frame Markings: EN166 FT CE

Strap Version

Frame Markings: EN166 3 4 BT CE

Standard - EN166 - EN170









Product Code: BOVIPC

Unit of Measure: Each

Available in Colours:



# **BOLLE VIPER SPECTACLES**

- Upper protectionPanoramic vision
- Adjustable temples Fits all face shapes
- Supplied with an adjustable cord

Anti-scratch
Lens marking 2C-1,2 F CE
Frame marking EN166 FT CE

• Supplied with an adjustable cord







# **BOLLE SAFETY VIPER PC ANTI SCRATCH**

Highly light, Sport design, Adjustable temples, Blue nylon frame, Panoramic vision.







**BOVIPPS** 

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

Yellow BOVIPPSJ





Product Code: BOVOLTV

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

Black BOVOLTV

# **BOLLE SAFETY VOLT WELDING HELMET**

Suitable for welding MIG / MAG, TIG and Grinding, VOLT is the ideal compromise between safety, protection and comfort. Available with avariable autodarkening shade filter and a comfortable 5 position headband, VOLT meets all the requirements of a powerful & multipurpose welding protection.

- VARIABLE SHADES 4/9-13
- GRINDING FUNCTION
   DELAY AND SENSITIVITY
- ADJUSTMENT
- REACTION TIME: 0.10 MS
   2 SENSORS
   2 YEAR WARRANTY







# **VISOR FRAME INC 10 VISORS**

This full face visor is made with an ergonomic design which is fully adjustable with a single hand. The frame is able to be disinfected by using alcohol, boiled water or can even be used in an autoclave. Each frame unit comes with 10 anti-fog shield visors.







Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:



Pink BSVFK1001P



Unit of Measure: Bx 24

Available in Colours:



# MCKINNON ECONOMY FACE SHIELD

- Weighs only 18gSize 33.5 cms x 19 cms
- Individually wrapped
- Fog freeSoft foam head band
- Latex free







# PROTECTIVE FACE SHIELD



- Soft foam inner padding ensures high wearing comfort even when worn for longer periods
- Minimal Risk
- Not suitable for protection against mechanical hazards, such as flying particles with higher energy
- Tested in conjunction with EN166:
- Optical Class:1
- Protection against droplets and splashes of liquids (3)
- Resistance to fogging (N)
- •Self assembly required to add foam headband to visor







Clear CMRXFS01

**BEESWIFT** 

**FOCUSED ON SAFETY** 

Product Code:



Product Code: CNS54

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

Black CNS54

# **VISOR CARRIER**

- Helmet Mounted Face Protection Face Screen Carrier
   For All Centurion Helmets with Connect and Combi accessory slots
- Supplied with connect and Euro clips
- Euro clips (\$565) fit all helmets except Vulcan and Reduced Peak 1125
   Connect clips (\$570) fit all helmets except Nexus and Vision Plus











Product Code: CNS590

Available in Sizes: ONE SIZE

Unit of Measure:



- Face Screen Only for S54 Carrier
- 225mm Polycarbonate Clear
- Impact protection B Medium Energy
  EN166
  Optical Class 1
  Liquid Droplets 3
  Molten Metal Splash 9









Product Code: CTAS

Unit of Measure:

Available in Colours:



Clear CTAS

Grey CTASS2GY



Cat 2 - Intermediate Risk

# **ANCONA SPECTACLE**

- Ultra lightweight Polycarbonate wrap around lens
- Low impact
- One piece side arm

- Conform to EN166:
  Optical Class:1
  F T (Low impact energy at extreme temperatures)
  2C-1.2 UV Filter







# TRADERS MILANO SPEC



Product Code: **CTMS** 

Unit of Measure: Each

Available in Colours:



Cat 2 - Intermediate Risk



Garment comes in a Euroslot retail bag

- Wrap around protective eyewear
- Stylish design

- Metal frame and spring hinges
   Soft, comfortable nose bridge
   Low impact and 99.9% UV protected
   Individually packaged with Euro slot
- Conform to EN166:
- Optical Class:1
  F T (Low impact energy at extreme) temperatures)
  • 2C-1.2 - UV Filter









Product Code: CTRS

Unit of Measure:

Available in Colours:



Clear CTRS

Grey CTRSS3GY

Cat 2 - Intermediate Risk

**BEESWIFT FOCUSED ON SAFETY** 

Product Code:

Unit of Measure: Each

Available in Colours:

Н8

Garment comes in a Euroslot retail bag

# TRADERS ROMA SPEC

- Wrap around protective eyewearBlack frame
- Rubber nose bridge and temple tips for added comfort
- Orange ratchet inclination system (Allows lens angle modification)

  • Low impact and 99.9% UV protected

  • Individually packaged with Euro slot


- Conform to EN166:
- Optical Class:1
- F T (Low impact energy at extreme temperatures)
  • 2C-1.2 - UV Filter











Please note that this product does not come complete with the visor. The visor code is  $\ensuremath{\mathsf{WP96}}$ 







# FOCUSED ON SAFETY Product Code:

HW1002346

Unit of Measure:

Available in Colours:



Grey HW1002346



- Browguard with elasticated headband, which forms part of the Clearways face shield
  Clearways combination offers strength and durability.
  Lightweight, it is comfortable to wear all day
  Visors are available to purchase as a

- separate item







# **Honeywell**

# **CLEARWAYS POLYCARBONATE CLEAR VISOR**



Product Code: HW1002353

Unit of Measure: Each



- 200mm clear polycarbonate visor, which forms part of the Clearways face

- Clearways combination offers strength and durability.
  Lightweight, it is comfortable to wear all day
  The browguard is available to purchase as a separate item







# FOCUSED ON SAFETY Product Code: HW1002369

Unit of Measure:

Available in Colours: Green HW1002369

# **CLEARWAYS ACETATE GREEN SHD 3 VISOR**

- 200mm green acetate shade 3 visor, which forms part of the Clearways face shield
- Clearways combination offers strength and durability.
- · Lightweight, it is comfortable to wear all day
- The browguard is available to purchase as a separate item





# **Honeywell**

# **BIONIC CLEAR POLYCARB VISOR**

**BEESWIFT FOCUSED ON SAFETY** Product Code:

HW1011625

Unit of Measure: Each

Available in Colours:

Clear HW1011625

Pulsafe / Honeywell Bionic Shell Replacement Face Protection Visor Clear Polycarbonate (Visor Only) to suit Honeywell Bionic shell / harness - The harness is available to purchase as a separate item.

For use with heavy mechanical tasks.

Complies to EN 166: 2001







**Product Code:** HW1015113

Unit of Measure:

Available in Colours: Black HW1015113

# **BIONIC FRAME & HEADGEAR**

This Bionic frame and headband (without visor) has an incredible ergonomic design with over 2700 possible wearer positions. With fully adjustable ratchet headgear and fully adjustable headband, this head piece has extra soft cushioning on all parts of the shield in contract with the head. contact with the head.

Additionally there is a breathable extra soft sweatband which is both replaceable and washable. Code 1011934





#### Honeywell

# **MILLENNIA 2G SAFETY SPEC**

The next generation of Millennia, the Millennia 2G safety spectacles offer a greater coverage, better peripheral vision and more comfort features in a classic design with a sporty touch

- Soft, flexible frame material provides better comfort against the head and ears
- Greater lens coverage to protect the eyes, brow area and under the cheeks
  Improved peripheral vision and less frame interference enhances overall field of vision
  Metal free/Dielectric
- Each Millennia 2G spectacle is supplied with a Flexicord retainer
- Conforms to EN 166:
- 2C-1.2 1 FT K









Product Code: HW1032175

Unit of Measure: Each





**Product Code:** HW1032176

Unit of Measure:

Available in Colours:



Grey HW1032176

# **MILLENNIA 2G SAFETY SPEC**

The next generation of Millennia, the Millennia 2G safety spectacles offer a greater coverage , better peripheral vision and more comfort features in a classic design with a sporty touch

- Soft, flexible frame material provides better comfort against the head and ears

  Greater lens coverage to protect the eyes, brow area and
- under the cheeks
- Improved peripheral vision and less frame interference enhances overall field of vision
- Metal free/Dielectric
- Each Millennia 2G spectacle is supplied with a Flexicord retainer
- 2C-1.2 1 FT K





#### Honeywell

# **MILLENNIA 2G SAFETY SPEC**



Product Code: HW1032177

Unit of Measure: Each

Available in Colours:



The next generation of Millennia, the Millennia 2G safety spectacles offer a greater coverage, better peripheral vision and more comfort features in a classic design with a sporty touch

- · Soft, flexible frame material provides better comfort against the head and ears
- Greater lens coverage to protect the eyes, brow area and under the cheeks
- Improved peripheral vision and less frame interference enhances overall field of vision
- Metal free/Dielectric
- Each Millennia 2G spectacle is supplied with a Flexicord retainer
- 2C-1.2 1 FT K







Product Code: KAWVI00007-009

Unit of Measure:

Available in Colours: Smoke KAWVI00007-009

# ZENITH POLYCARBONATE VISOR SMOKE

- Anti-fog and scratch resistant treatment
   Panoramic lens compatible for overlapping corrective glasses
- Cut proof edge
- Drip proof upper contour made of rubber
  Conforms to EN166

- Compatible with Zenith helmets only
   Requires the KAWAC00009 adapter (sold separately)







# V-GARD GENERAL PURPOSE PC SHEET VISOR



**Product Code** MSA10115836

Unit of Measure: Each

Available in Colours:

Clear MSA10115836

- V-Gard PC sheet visors reliably protect against impact, splashes and UV radiation.
- The visor sides are contoured towards face for a closer fit and improved resistance to impact and splash hazards.
- They are the perfect solution for general and basic applications
  All V-Gard visors easily fit to V-Gard Browguard, MSA10127061 and on V-Gard frames for all V-Gard helmets.
- They can also be worn in combination with helmet mounted ear muffs.
  The dimensions of the visor are 203 X 432mm
  The Visor conforms to the following:
- EN166:2001 Personal Eye Protection (2C-1,2 1B)
- 2C UV filter with enhanced colour recognition 1,2 Clear or amber ocular
- 1 Optical class 1 for permanent usage
- B Medium energy impact protection (120M/S)









Unit of Measure:

Available in Colours:

Clear MSA10115837

# V-GARD GENERAL PURPOSE PC SHEET VISOR CHINGUARD **COMPAT**

- V-Gard PC sheet visors reliably protect against impact, splashes and UV radiation.
  The visor sides are contoured towards face for a closer fit and improved resistance to impact and splash hazards.
- They are the perfect solution for general and basic applications
- All V-Gard visors easily fit to V-Gard Browguard, MSA10127061 and on V-Gard frames for all V-Gard helmets.
- They can also be worn in combination with helmet mounted ear muffs.
  For the Non-Chinguard compatible visor options, please see MSA10115836
  The dimensions of the visor are 203 x 432mm.

- The Visor conforms to the following:
  EN166:2001 Personal Eye Protection (2C-1,2 1B)
- 2C UV filter with enhanced colour recognition
- 1,2 Clear or amber ocular
- 1 Optical class 1 for permanent usage
- B Medium energy impact protection (120M/









**Product Code** MSA1011584

Unit of Measure: Each

Available in Colours:



Clear MSA10115844 Green MSA10115845

# V-GARD PC MOULDED VISOR

- V-Gard Polycarbonate(PC) moulded visors are developed for heavy duty use
- They offer superior optical quality together with a premium antifog & anti-scratch coating which helps ensure a very good view is maintained and reduced eye fatigue
- The V-Gard PC moulded visors provide outstanding protection from flying debris, splash, UV radiation, molten metal splashes and electric arc.
- The PC clear moulded visor dimensions are 240 x430mm with a
- thickness of 2.5mm.

  In addition, V-Gard PC moulded visors can be used in combination with MSA helmet mounted ear muffs and easily fit to the V-Gard Browguard, MSA10127061.

  The visor conforms to the following:
- EN166:2001 Personal Eye Protection (2C-1,2 1BT 389 KN)
- 2C UV filter with Enhanced colour recognition
- 1,2 Clear or Amber Ocular
- 1 Optical class 1 for permanent usage BT Medium energy impact at extreme of temperatures 3 Protection against droplets and splashes of liquids
- 8 Resistance to short circuit electric arc
- 9 Non adherence of molten metals and resistance to penetration of hot solids
- KN Resistance to Scratches (K) and to Fogging of oculars (N)
- GS-ET 29 Electric Arc, class 1, 4KA









Unit of Measure:

Available in Colours:



Clear MSA10115840



- V-Gard PC sheet visors reliably protect against impact, splashes and UV radiation.
  The visor sides are contoured towards face for a closer fit and improved resistance to impact and splash hazards.
- They are the perfect solution for general and basic applications
- All V-Gard visors easily fit to V-Gard Browguard, MSA10127061 and on V-Gard frames for all V-Gard helmets.
- They can also be worn in combination with helmet mounted ear muffs.
- The dimensions of the visor are 203 x 432mm with a thickness of 1.5mm The Visor conforms to the following:

  EN166:2001 Personal Eye Protection (2C-1,2 1B)

  2C UV filter with enhanced colour recognition

- 1,2 Clear or amber ocular
- 1 Optical class 1 for permanent usage
- B Medium energy impact protection (120M/S) 3 Protection against droplets and splashes
- of liquids
- 9 Non adherence of molten metals and resistance to penetration of hot solids









**Product Code** MSA10115851

Unit of Measure: Each

Available in Colours:



# V-GARD PROPIONATE MOULDED VISOR LARGE

- V-Gard propionate visors provide impact protection, and are good for those applications where chemical splash hazards also exist
- They offer increased impact protection and superior optical quality over acetate visors
- Being moulded makes them optically correct, and helps ensure they maintain good visibility and reduced eye fatigue.
   Their chemical and heat resistance is better as they are thicker
- and not as stressed as flat visors.
- MSA10115851 cannot be worn in combination with helmet mounted ear defenders or MSA chingards. It can fit to the V-Gard Browguard, MSA10127061
- The visor dimensions are 203 x 457 with a thickness of 2.5mm.
  The visor conforms to the following:
- EN166:2001 Personal Eye Protection (1B 3)
- B Medium energy impact protection (B = 120 m/s)
- 3 Protection against droplets and splashes of liquids









Unit of Measure:

Available in Colours:

Clear MSA10115853



- V-Gard Polycarbonate(PC) moulded visors are developed for heavy duty use
- They offer superior optical quality together with a premium antifog & anti-scratch coating which helps ensure a very good view is maintained and reduced eye fatigue
- The V-Gard PC moulded visors provide outstanding protection from flying debris, splash, UV radiation, molten metal splashes and electric arc.
- The PC large moulded visor dimensions are 270 x430mm with a thickness of 2.5mm.
  In addition, V-Gard PC moulded visors can be used in
- combination with MSA helmet mounted ear muffs and easily fit to the V-Gard Browguard, MSA10127061.

- The visor conforms to the following:
  EN166:2001 Personal Eye Protection (2C-1,2 1BT 389 KN)
  2C UV filter with Enhanced colour recognition

1,2 Clear or Amber Ocular

1 Optical class 1 for permanent usage

- BT Medium energy impact at extreme of temperatures
- 3 Protection against droplets and splashes of liquids
- 8 Resistance to short circuit electric arc
  9 Non adherence of molten metals and resistance to penetration of hot solids
- KN Resistance to Scratches (K) and to Fogging of oculars (N) GS-ET 29 Electric Arc, class 1, 4KA







# V-GARD PROPIONATE MOULDED VISOR



**Product Code** MSA10115855

Unit of Measure: Each

Available in Colours:

Clear MSA10115855

- V-Gard propionate visors provide impact protection, and are good for those applications where chemical splash hazards also exist
- They offer increased impact protection and superior optical quality over acetate visors.
- Being moulded makes them optically correct, and helps ensure they maintain good visibility and reduced eye fatigue.
  Their chemical and heat resistance is better as they are thicker
- and not as stressed

as flat visors

- MSA10115855 can be worn in combination with helmet mounted ear defenders and easily fit to the V-Gard Browguard, MSA10127061, but is not compatible with MSA chingards.

  • The visor dimensions are 203 x 432 with a thickness of 2.5mm

The visor conforms to the following:

EN166:2001 Personal Eye Protection (1B 3)

1 Optical class 1 for permanent usage

- B Medium energy impact protection (B = 120 m/s)
- 3 Protection against droplets and splashes of liquids









Unit of Measure:

Available in Colours:

BEESWIFT

**FOCUSED ON SAFETY** 

**Product Code** 

MSA10115863

Unit of Measure:

Available in Colours: Clear MSA10115863

Each



# V-GARD PROPIONATE MOULDED VISOR CHINGUARD **VERSION**

- V-Gard Propionate Visors provide impact protection, and are good for those applications where chemical splash hazards also exist
- They offer increased impact protection and superior optical quality over ácetate visors
- Being moulded makes them optically correct, and helps ensure they maintain good visibility and reduced eye fatigue.

  Their chemical and heat resistance is better as they are thicker and
- not as stressed as flat visors. MSA10115856 is compatible with MSA helmet mounted ear defenders, V-Gard browguard, MSA10127061 and chingards including the MSA10115827
- The visor dimensions are 203 x 432 with a thickness of 2.5mm
  The visor conforms to the following:
  EN166:2001 Personal Eye Protection (1B 3)


- Optical class 1 for permanent usage
   Medium energy impact protection (B = 120 m/s)
   Protection against droplets and splashes of liquids







# V-GARD GENERAL PURPOSE PC SHEET VISOR LARGE



• The visor sides are contoured towards face for a closer fit and improved resistance to impact and splash hazards.

They are the perfect solution for general and basic applications
All V-Gard visors easily fit to V-Gard Browguard, MSA10127061 and on V-Gard frames for all V-Gard helmets.

They can also be worn in combination with helmet mounted ear muffs.
The dimensions of the visor are 241 x 432mm.

 The Visor conforms to the following: EN166:2001 Personal Eye Protection

(2C-1,2 1B) 2C - UV filter with enhanced colour

recognition
1,2 Clear or amber ocular

1 Optical class 1 for permanent usage

B Medium energy impact protection (120M/









Unit of Measure:

Available in Colours:



#### V-GARD PC SHEET VISOR

V-Gard coated sheet visors reliably protect against impact, chemical splash and UV radiation
The visor sides are contoured towards face for a closer fit and Improved resistance to impact and splash hazards

Made of 1.5mm polycarbonate they also offer protection against molten metal splash and electric arc.

They feature a premium Anti-fog and Anti-scratch coating offering higher comfort, improved safety and increased lifetime.
 All V-Gard visors easily fit to V-Gard Browguard, MSA10127061 and on V-Gard frames for all V-Gard helmets

They can also be worn in combination with helmet mounted ear muffs For the Chinguard compatible visor options, please see MSA 10154950.
The dimensions of the visor are 203 x 432mm.
The Visor conforms to the following:
EN166:2001 Personal Eye Protection (2C-1,2 1B 389 KN)

2C - UV filter with enhanced colour recognition

1,2 Clear or amber ocular

1 Optical class 1 for permanent usage

BT Medium energy impact at extreme of temperatures

3 Protection against droplets and splashes of liquids

8 Resistance to short circuit electric arc 9 Non adherence of molten metals and resistance to penetration of hot solids KN Resistance to Scratches (K) and to Fogging of oculars (N)









Product Code: MSA10154

Unit of Measure: Each

Available in Colours:



# V-GARD PC SHEET VISOR CHINGUARD COMPATIBLE

- V-Gard coated sheet visors reliably protect against impact, chemical splash and UV radiation.
- The visor sides are contoured towards face for a closer fit and improved resistance to impact and splash hazards
- Made of 1.5mm polycarbonate they also offer protection against molten metal splash and electric arc.
  They feature a premium Anti-fog and Anti-scratch coating offering higher comfort, improved safety and increased lifetime.
  All V-Gard visors easily fit to V-Gard Browguard, MSA10127061 and on V-Gard frames for allV-Gard helmets
  They can also be worn in combination with helmet mounted ear muffs.
  The chinguard, MSA10115827 is compatible with the visor

- The dimensions of the visor are 203 x 432mm.
- The Visor conforms to the following:
- EN166:2001 Personal Eye Protection (2C-1,2 1B 389 KN)
- 2C UV filter with enhanced colour recognition 1,2 Clear or amber ocular

- Optical class 1 for permanent usage
   BT Medium energy impact at extreme of
- temperatures
- 3 Protection against droplets and splashes of liquids
- 8 Resistance to short circuit electric arc 9 Non adherence of molten metals and
- resistance to penetration of hot solids
- KN Resistance to Scratches (K) and to Fogging of oculars (N)











# PF3000 VISOR (FACE SHIELD)

• Replacement visor (Face shield) for PF3000.









• Replacment ADF internal spatter lens for use with PF3000 Welding PAPR











Product Code: SF201AF

Unit of Measure: Each

Available in Colours:



Clear SF201AF

BEESWIFT

**FOCUSED ON SAFETY** 

Product Code:

Unit of Measure:

Available in Colours:
Clear
UV9143295

UV9143295

Bx 10

# **3M SECUREFIT SAFETY SPEC**

Precision engineered safety eyewear featuring innovative 3M Pressure Diffusion Temple Technology. The spectacle temples self-adjust to fit a wide array of head shapes and sizes. 3M SecureFit SF200Series Spectacles provides noticeably higher levels of personal comfort and security of fit while reducing the need to stock multiple frame sizes. The stylish design weighs just 18g for lightweight comfort. Anti-scratch and anti-fog lens coatings. Ideal for use in a wide range of industries.

3M Pressure Diffusion Temple Technology

3M SecureFit Protective Eyewear features 3M Pressure Diffusion Temple Technology. The flexible temple area of the spectacle diffuses pressure to enhance comfort while not compromising the security of fit across different facial profiles.

How does the technology work?
• The temple area of the frame incorporates flexible ribs that are slightly offset from each other. When the frame bends, the ribs flex in different directions to diffuse the pressure throughout the temple area.

Product Code with Lens Marking: SF201AF-EU - PC Clear - UV - 2C-1.2 3M 1 FT







#### **UVEX I-LITE PLANET**

The uvex i-lite planet with clear lens is part of the uvex planet series which features sustainable manufactured models made from recycled, biobased material. 39% of the side arm is made from the castor oil plant which is a biobased renewable raw material. The couplings and hooks are made of 22% recycled PET bottles and the soft face seal of the guard version is made up of more than 35% recycled granulate, which comes from production waste.

- Member of the uvex i-range planet; a versatile 3-in-1 safety eyewear range that allows eyewear to be adapted according to workplace hazards
   Large, flat lens delivers unrestricted field of vision
- X-tended sideshield offers additional protection from hazards
- Side arms with multi-incline points allow for a high level of individualisation to ensure a good fit for all facial change and head widths.
- for all facial shapes and head widths

   Ergonomically shaped side arms provide a secure fit without pressure
- Robust polycarbonate lens with uvex's proven supravision coating technology - permanent antifog and scratch-resistant lens
- fog and scratch-resistant lens
   UV400 100 % protection against dangerous
  UVA and UVB radiation up to 400 nm
- Metal-free

EN166 1FT KN CE









Product Code: UV9143296

Unit of Measure:

Available in Colours:



Clear UV9143296

#### **UVEX I-GUARD PLANET**

The uvex i-guard planet with clear lens is part of the uvex planet series which features sustainable manufactured models made from recycled, biobased material. 39% of the side arm is made from the castor oil plant which is a biobased renewable raw material. The couplings and hooks are made of 22% recycled PET bottles and the soft face seal of the guard version is made up of more than 35% recycled granulate, which comes from production waste. The highly flexible frame adapts to a wide variety of different facial shapes, offering the best protection while the ergonomic shape reliably protects against liquids and particles in accordance with markings 3 and 4 of EN 166.

 Member of the uvex i-range planet; a versatile 3-in-1 safety eyewear range that allows eyewear to be adapted according to workplace hazards

 Large, flat lens delivers unrestricted field of vision X-tended sideshield offers additional protection from hazards

Soft, flexible face seal adapts to the wearer providing both protection and comfort. It also protects against droplets or splashes of liquids and large dust particles (markings 3 and 4)

Side arms with multi-incline points allow for a

high level of individualisation to ensure a good fit for all facial shapes and head widths
• Ergonomically shaped side arms provide a

secure fit without pressure

Robust polycarbonate lens with uvex's proven

supravision coating technology - permanent antifog and scratch-resistant lens

UV400 – 100 % protection against dangerous
UVA and UVB radiation up to 400 nm

Metal-free

EN166 1FT KN CE





# uvex

#### **UVEX I-GUARD+ PLANET**



Product Code: UV9143297

Unit of Measure: Bx 8

Available in Colours:



The uvex i-guard+ planet with clear lens is part of the uvex planet series which features sustainable manufactured models made from recycled, biobased material. 39% of the side arm is made from the castor oil plant which is a biobased renewable raw material. The couplings and hooks are made of 22% recycled PET bottles and the soft face seal of the guard version is made up of more than 35% recycled granulate, which comes from production waste.

Member of the uvex i-range planet; a versatile 3-in-1 safety eyewear range that allows eyewear to be adapted according to workplace hazards
 Large, flat lens delivers unrestricted field of vision

X-tended sideshield offers additional protection from hazards

 Soft, flexible face seal adapts to the wearer providing both protection and comfort. It also protects against droplets or splashes of liquids and

large dust particles (markings 3 and 4)

• Increased impact protection – marking B

 Individually adjustable headband for a perfect fit and secure hold

 Robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens

UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm

Metal-free

EN166 1B 34 KN CE









Product Code: UV9145265

Unit of Measure:

Available in Colours:



Clear UV9145265

# **UVEX PURE FIT RECYCLABLE SPEC**

The uvex pure-fit is a ultra-light for high levels of wearer comfort, and feature flexible side arms that adjust to fit all head shapes for a secure, pressure free fit. With uvex supravision excellence lens coating ensures long-lasting fog-free vision internally while the durable, scratch-resistant coating on the exterior helps prolong the products life.

- Designed to be 100% recyclable including the packaging
- Reduced to the max pure, ultralight safety spectacle (weighing just 19 grams)
- Innovative, flexible side arm concept delivers the ideal secure, pressure-free fit Frameless lens design for an extensive field of
- vision X-tended sideshield offers additional protection
- from hazards
- Nose bridge designed for all-day comfort
- Robust polycarbonate lens with uvex's proven supravision coating technology - permanent anti-fog and scratch-
- resistant lens UV400 - 100 % protection against dangerous UVA and UVB radiation
- up to 400 nm Metal-free"
   EN166 1FT KN CE





# uvex

# **UVEX PHEOS SAFETY SPEC**



**Product Code** UV9192225N

Unit of Measure: PK 10

Available in Colours:

Clear UV9192225N

- · Permanent uvex anti-fog coating on inside of lens
- Scratch resistant coating on outside
- Excellent field of vision
- Integral brow guard provides additional coverage
- Low profile side arms aid compatibility with other items of
- Soft temple ends non-slip fit
- Enhanced ventilation for improved eye climate
- Conforms to EN166 1F KN CE









UV9192285N

Unit of Measure: PK 10

Available in Colours:



Grey UV9192285N



- Permenant uvex anti-fog coating on inside of lens
   Scratch resistant coating on outside
- Excellent field of vision
- Integral brow guard provides additional coverage
   Low profile side arms aid compatibility with other items of
- Soft temple ends non-slip fit
  Enhanced ventilation for improved eye climate
  Conforms to EN166 1F KN CE





# uvex

# **UVEX PHEOS SAFETY SPEC**



Product Code: UV9192385

Unit of Measure: PK 5



- · Permenant uvex anti-fog coating on inside of lens
- Scratch resistant coating on outside
- Excellent field of vision
- Integral brow guard provides additional coverage
   Low profile side arms aid compatibility with other items of
- Soft temple ends non-slip fit
- Enhanced ventilation for improved eye climate
  Conforms to EN166 1F KN CE









UV9192881N

Unit of Measure: PK 10

Available in Colours:



# **UVEX PHEOS SAFETY SPEC**

- Permenant uvex anti-fog coating on inside of lens
   Scratch resistant coating on outside
- Excellent field of vision
- Integral brow guard provides additional coverage
   Low profile side arms aid compatibility with other items of
- Soft temple ends non-slip fit
  Enhanced ventilation for improved eye climate
  Conforms to EN166 1F KN CE





# uvex

# **UVEX SPORTSTYLE SPEC**



**Product Code** UV9193265N

Unit of Measure: PK 10



- Style without compromise!

- Close fitting athletic design
   Low weight 23g incredible comfort
   Permenant anti-fog coating on inside of lens
   Scratch resistant coating on outside
   Contoured lens fits all facial shapes including narrow faces
- Soft grip side arms, nose bridge and brow non slip comfort
- Adjustable nose bridgeConforms to EN166 1F KN CE









UV9193280N

Unit of Measure: PK 10

Available in Colours:



Grey UV9193280N

# **UVEX SPORTSTYLE SPEC**

- Style without compromise!
  Close fitting athletic design
  Low weight 23g incredible comfort
  Permenant anti-fog coating on inside of lens
  Scratch resistant coall go no outside
- Contoured lens fits all facial shapes including narrow
- faces
   Soft grip side arms, nose bridge and brow non slip
- Adjustable nose bridgeConforms to EN166 1F KN CE





# uvex

# **UVEX SPORTSTYLE SPEC BLUE FRAME**



**Product Code** UV9193376N

Unit of Measure: PK 10

Available in Colours:

Clear UV9193376N

- Style without compromise!
- Close fitting athletic design

- Low weight 23g incredible comfort
   Permanent anti-fog coating on inside of lens
   Scratch resistant coating on outside
   Contoured lens fits all facial shapes including narrow faces
- Soft grip side arms, nose bridge and brow non slip comfort
- Adjustable nose bridge
  Conforms to EN166 1F KN CE









**Product Code:** UV9194171N

Unit of Measure: PK 10

Available in Colours:



Clear UV9194171N

# I-WORKS ANTHRACITE/BLUE

- Sporty design look good, be safe
  Panoramic lens for great lateral vision
  Soft grip side arms ultra comfortable, non-slip fit Low profile side arms with practical hang cord attachment
- Uvex permanent lens coating technology: anti-fog coating on the inside and scratch-resistant outside
  Silver mirror version has anti-fog coating only
  100% UV protection up to 400nm
  Conforms to EN166 1FT KN CE





# uvex

# **UVEX ULTRAVISION GOGGLE**



Product Code: UV9301105

Unit of Measure: Each



- Full vision goggle.
- Permanent anti-fog coating on inside of lens.
   Scratch-resistant coating on the outside for increased Wide fully adjustable head strap.
   Can be worn over most prescription spectacles.
   Conforms to EN166 1B 349 KN









**Product Code:** UV9302245

Unit of Measure: PK 4

Available in Colours:



# **UVEX ULTRASONIC GOGGLE**

- Lightweight sporty ski goggle design.
  Permanent anti-fog coating on the inside of the lens.
  Scratch-resistant coating on the outside for increased
- Soft seal adapts to wearer's face.
  Soft material aids compatibility with respirators and other items of PPE.

- Wide fully adjustable head strap.
   Can be worn over most prescription spectacles.
   Replacement Lens for Ultrasonic Goggle 9302.255
- Conforms to EN166 1B 349 KN





# uvex

# **UVEX PHEOS CX2 SONIC GOGGLES LENS**



Product Code: UV9309275N

Unit of Measure: Bx 10



- Ultra-light, compact functional goggle with wide clear field of vision. Close fitting and less obtrusive
- Anti-fog coating on the inside, scratch-resistant on the outside

- Suitable for environments with high humidity
   100% UV protection up to 400nm
   Offers high levels of protection against 3 (liquids),
   4 (coarse dust) and T (extreme temperatures)
   Very soft, light textile headband for secure and
- comfortable fit
- Clear lens suitable for virtually all light conditions
   EN 166 1B 349 KN







# FOCUSED ON SAFETY

**Product Code:** UV9309286N

Unit of Measure: Bx 10

Available in Colours:



Grey UV9309286N



- Ultra-light, compact functional goggle with wide clear field of vision. Close fitting and less obtrusive
   Anti-fog coating on the inside, scratch-resistant on the
- Suitable for environments with high humidity
- 100% UV protection up to 400nm
   Offers high levels of protection against 3 (liquids), 4 (coarse dust) and T (extreme temperatures)
   Very soft, light textile headband for secure and comfortable fit
- Clear lens suitable for virtually all light conditions
- EN 166 1B 349 KN





# uvex

# 9" CLEAR POLYCARBONATE VISOR



Product Code: WP96

Unit of Measure: Each

Available in Colours:

**FOCUSED ON SAFETY** 



• Clear Polycarbonate visor

Meets the requirement for protection against high-speed particles for medium energy impacts, marked B (120m/s)
WP Series Visors can be used with the H8 Headgear

easy visor replacement system.

• Faceshield mounts quickly to any 3M™ Headgear without tools, snaps, or cams.









Unit of Measure:

Available in Colours:



Clear ZZ0010

Grey ZZ0010

Yellow ZZ0010

# **SAFETY SPECTACLE**

- LightweightAdjustable armsPolycarbonate lens (PC lens)Soft nose bridge

- Conform to EN166:
   Optical Class:1
   F T (Low impact energy at extreme temperatures)

  2C-1.2 - UV Filter

  Complete with spec cord







 Lightweight Adjustable arms





Product Code: ZZ0020

Unit of Measure: Each

Available in Colours:



Grey ZZ0020



- Conform to EN166:
  Optical Class:1
  F T (Low impact energy at extreme temperatures)
  2C-1.2 UV Filter
  K Scratch Resistant
  N Fog Resistant
  Complete with spec cord

• Conform to EN166:

Polycarbonate lens (PC lens)Soft nose bridge









Grey ZZ0040 Yellow ZZ0040

# SPORTS STYLE SAFETY SPECTACLE

- LightweightPolycarbonate lens (PC lens)Soft nose bridge
- Conform to EN166:
- Optical Class:1F T (Low impact energy at extreme temperatures)
  • 2C-1.2 - UV Filter
- Complete with spec cord









# BEESWIFT

Product Code: ZZ0050

Unit of Measure: Each

Available in Colours:



Grey ZZ0050



# HIGH PERFORMANCE SPORTSTYLE SPECTACLE

- Lightweight
- Polycarbonate lens (PC lens)Soft nose bridge

- Conform to EN166:
   Optical Class:1
   F T (Low impact energy at extreme F I - (Low impact energy temperatures)
  2C-1.2 - UV Filter
  K - Scratch Resistant
  N - Fog Resistant
  Complete with spec cord









Product Code: ZZ0060

Unit of Measure:

Available in Colours:



Clear ZZ0060

Grey ZZ0060

Yellow ZZ0060

# **SAFETY SPECTACLE**

- LightweightAdjustable/Flexable armsPolycarbonate lens (PC lens) with intergrated nose bridge
- Conform to EN166:
- Optical Class:1
  F T (Low impact energy at extreme temperatures)
  2C-1.2 UV Filter
- Complete with spec cord











Product Code: ZZ0070

Unit of Measure: Each

Available in Colours:



Grey ZZ0070



Yellow ZZ0070

- LightweightAdjustable/Flexable armsPolycarbonate lens (PC lens) with intergrated nose bridge

- Conform to EN166:Optical Class:1F T (Low impact energy at extreme F I - (Low Impact energy temperatures)
  2C-1.2 - UV Filter
  K - Scratch Resistant
  N - Fog Resistant
  Complete with spec cord









# WRAP AROUND SPECTACLE

- LightweightPolycarbonate lens (PC lens) with intergrated nose bridge
- Conform to EN166:Optical Class:1
- F T (Low impact energy at extreme temperatures)
   C-1.2 UV Filter
   Complete with spec cord







Lightweight





Product Code: ZZ0090


Unit of Measure: Each

Available in Colours:



Grey ZZ0090





Polycarbonate lens (PC lens) with intergrated nose bridge







# Pictogram Key



Cat 1 - Minimal Risk



Cat 2 - Intermediate Risk



Cat 2 - Intermediate Risk



Garment comes in a Euroslot retail bag

