

# SINDUSTRIAL PRODUCTS & SUPPLIES CATALOGIES





**Product Code:** A442631.TW

Available in Sizes: 06-13

Unit of Measure: Pair

Available in Colours: Green A442631.TW



Antistatic



Energy absorbing



Oil resistant outsole Protective toecap + midsole



Slip resistant outsole SRA





#### **ACIFORT THIGH WADER F/S**

Practical, durable green wading pants. Features a steel tipped toe and steel midsole for impact and penetration protection.

The Acifort compound is constructed from three different components:

- Antistatic components
   Nitrile Rubber is adding comfort to standard PVC
   Polymers guarantee the maximum lifetime for PVC boots
- Steel toe cap
- Steel midsole
- Oil resistant sole
- Energy absorbingStandard: EN ISO20345:2011 S5 SRA







#### **CLICK 4 D-RING BOOT**



**BEESWIFT** ONLINE

Product Code: **CDDCBL** 

Available in Sizes: 4 - 12

Unit of Measure:

Available in Colours:



Anti Slip Sole

Leather Upper



Cat 2 - Intermediate Risk



Fuel Oil Resistant Sole



200 Joule Steel Toecap





Conforms to EN ISO 20345 S1 SRC



- Dual density PU
- 200 Joule steel toe cap
- Shock absorber heel
- Anti-staticOil resistant sole Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1 SRC









Available in Sizes: 4 - 12

Unit of Measure: Each

Available in Colours:

Black CDDCMSBL

Anti Slip Sole Anti Static Sole

Cat 2 - Intermediate Risk

Leather Upper

Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345 S1P SRC

#### **CLICK 4 D-RING MIDSOLE BOOT**

- 4 D-ring bootDual density PU200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC









#### **BEESWIFT** ONLINE

Product Code: **CDDSCCMS** 

Available in Sizes: 4 - 13

Unit of Measure:

Available in Colours: Black CDDSCCMSBL



Anti Static Sole

Leather Upper



Cat 2 - Intermediate Risk



Fuel Oil Resistant Sole



Shock Absorber Heel



200 Joule Steel Toecap



Conforms to EN ISO 20345 S1P SRC



#### **CLICK 4 D-RING BOOT WITH SCUFF CAP**

- 4 'D' Ring Boot with Scuff Cap
- Dual density PU200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole Slip resistant
- Leather upper
- Scuff cap • Conforms to EN ISO 20345:2011 S1P SRC









Product Code: CDDTBBL

Available in Sizes: 6 -12

Unit of Measure: Each

Available in Colours:















Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345 S1P SRC



#### **CLICK TRAINER BOOT**

- Dual density PU200 Joule steel toe cap
- Steel midsole protection Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC











Product Code: CF11BL

Available in Sizes: 03 - 13

Unit of Measure:

Available in Colours: Black CF11BL




















#### **CLICK DUAL DENSITY SITE BOOT S3**

- 4 'D' Ring Boot with scuff cap

- Dual density PU
  200 Joule steel toe cap
  Steel midsole protection
- Shock absorber heelWater resistant upper
- Anti-static
- Oil resistant sole
- Slip resistant
- Conforms to EN ISO 20345:2011 S3 SRC









Product Code: CF14

Available in Sizes: 35/02 - 41/07

Unit of Measure: Each

Available in Colours:



Anti Slip Sole



Cat 2 - Intermediate Risk



Leather Upper



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap

#### LADIES CHUKKA BOOT

- Dual density PU200 Joule steel toe cap
- Steel midsole protection Shock absorber heel
- Anti-static
- Slip resistant
- Leather upper
   Conforms to EN ISO 20345:2011 S1P







#### **CLICK D/D DEALER BOOT**



Product Code: CF16BL

Available in Sizes: 03 - 13

Unit of Measure:

Available in Colours:





Leather Upper



Cat 2 - Intermediate Risk



Fuel Oil Resistant Sole



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345 S1P SRC



- 200 Joule steel toe capShock absorber heelSteel Midsole protection
- Anti-static
- Oil restistant sole Slip resistant

- Smooth leather upper
   Conforms to EN ISO 20345:2011 S1P SRC









Product Code: CF2

Available in Sizes: 6 - 13

Unit of Measure: Each

Available in Colours:



Anti Slip Sole



Cat 2 - Intermediate Risk



Fuel Oil Resistant Sole



Shock Absorber Heel



200 Joule Steel Toecap

Steel Midsole





Conforms to EN ISO 20345 S1P SRC

BEESWIFT

Product Code:

Available in Sizes: 03-13

Unit of Measure:

Available in Colours:

CF35

#### **CLICK SMOOTH LEATHER 6 INCH BOOT**


- Smooth leather 6 inch bootDual Density PU200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant soleSlip resistant
- Leather upper
- TPU heel support
  Conforms to EN ISO 20345:2011 S1P SRC







#### **HIKER S3 COMPOSITE**



- Comfortable, shock absorbing insole
  Composite Toe
- Composite midsole
- Water resistant
- Very lightweight
  Conforms to EN ISO 20345:2011
- S3 SRC











CF4

Available in Sizes: 6 - 13

Unit of Measure: Each

Available in Colours:



Anti Slip Sole



Cat 2 - Intermediate Risk



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345 S1P SRC

#### **CLICK LEATHER MID CUT MIDSOLE BOOT**

- · Black smooth leather mid cut boot
- Dual Density PU
- 200 Joule steel toe cap Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant soleSlip resistant

- Leather upper
  Conforms To EN ISO 20345:2011 S1P







#### **BEESWIFT** ONLINE

Product Code: CF50BL

Available in Sizes: 03 - 13

Unit of Measure:

Available in Colours:




Anti Slip Sole



Cat 2 - Intermediate Risk



Composite Midsole



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



Water Resistant



#### NON METALLIC CHUKKA BOOT

- Dual density PU
- 200 Joule composite toe cap
- Composite midsole protectionShock absorber heel

- Anti-staticOil resistant
- Slip resistant
- Water resistant leather upper
   Conforms to ENISO 20345:2011 S3 SRC











Product Code: CF55BL

Available in Sizes: 04-12

Unit of Measure: Each

Available in Colours:

Black CF55BL

Anti Slip Sole

Anti Static Sole

Cat 2 - Intermediate Risk

Leather Upper

Fuel Oil Resistant Sole



Shock Absorber Heel



200 Joule Steel Toecap



Conforms to EN ISO 20345 S3 SRC

#### D/D CHUKKA S3

4 D-ring boot Dual Density PU 200 Joule steel toe cap Steel midsole protection Shock absorber heel Anti-static Oil resistant sole
Water resistant leather upper with grey stitching
Contrast grey mesh lining
Conforms to EN ISO 20345:2011 S3 SRC







## **CLICK METATARSAL BOOT S3**



Product Code: CF5BL

Available in Sizes: 6 - 13

Unit of Measure:

Available in Colours:

Black CF5Bl




Cat 2 - Intermediate Risk

Heat Resistant Sole 300c

Leather Upper

Metatarsal Impact Protection



Fuel Oil Resistant Sole



200 Joule Steel Toecap



- 200 Joule steel toe cap
- Metatarsal impact protection
   Steel midsole protection
   Shock absorber heel

- Anti-static
- Oil resistant sole
- Heat resistant to 300°C
- Slip resistant
- Water resistant leather upper
   Conforms to EN ISO 20345:2011 S3 M









Product Code: CF60

Available in Sizes: 04 - 13

Unit of Measure: Each

Available in Colours:



Anti Slip Sole



Cat 2 - Intermediate Risk



Heat Resistant Sole 300c



Fuel Oil Resistant Sole

Leather Upper



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Water Resistant



Conforms to EN ISO 20345 S3 SRC HRO

#### **6 EYELET PUR BOOT S3**

- PU/Rubber
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant to 300°C
  Slip resistant

- Water resistant leather upper
   Honeycomb gel heel insole for excellent
- Conforms to EN ISO 20345:2011 S3 SRC HRO











#### **PU RUBBER S3 BOOT**



NLINE Product Code:

Available in Sizes: 04 - 13

Unit of Measure:

Available in Colours:



CF62



Anti Static Sole













Heat Resistant Sole 300c Leather Upper Fuel Oil Resistant Sole Shock Absorber Heel Steel Midsole 200 Joule Steel Toecap Water Resistant



- PU/RUBBER
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant to 300°C
- Slip resistant
- Full grain water resistant leather upper
- Honeycomb gel heel insole for excellent comfort
- Breathable water resistant membane lining
  Conforms to EN ISO 20345:2011 S3 WR SRC









Product Code: CF65BL

Available in Sizes: 3 - 13

Unit of Measure: Each

Available in Colours:



Anti Slip Sole



Cat 2 - Intermediate Risk



200 Joule Composite Toe Cap



Heat Resistant Sole 300c



Leather Upper Fuel Oil Resistant Sole



Shock Absorber Heel



Water Resistant



Conforms to EN ISO 20345



- PU/RUBBER
- 200 Joule composite toe cap
- Composite midsole protection Shock absorber heel
- Anti-static Oil resistant sole
- Heat resistant to 300°C
  Slip resistant

- Water resistant leather upper
   Honeycomb gel heel insole for excellent comfort
   Conforms to EN ISO 20345:2011 S3 SRC HRO









#### NLINE **Product Code:**

CF66

Available in Sizes: 03 - 13

Unit of Measure:

Available in Colours:

Black CF66Bl



Cat 2 - Intermediate Risk



Composite Midsole 200 Joule Composite Toe



Heat Resistant Sole



Leather Upper



Metatarsal Impact Protection



Shock Absorber Heel

#### **CLICK TRADERS TRENCHER BOOT**

Internal metatarsal boot made with Poron XRD technology.

Designed for comfort and to carry out the same tasks as a normal, less flexible external metatarsal boot.

Extreme impact protection

- PU/RUBBER
- Non metallic
- 200 Joule composite toe cap
- Composite Reinforced midsole protection
  Metatarsal impact protection
  Shock absorber heel

- Anti-static
- Heat resistant sole unit to 300°C Slip resistant
- Water resistant leather upper

- Waterproof membrane lining
  Breathable Thinsulate membrane lining
  Full length foam fabric footbed for excellent comfort
  Conforms to EN ISO 20345:2011 S3 WR M SRC















Product Code: CF67BL

Available in Sizes:

Unit of Measure: Pair

Available in Colours:



Anti Slip Sole



Cat 2 - Intermediate Risk



200 Joule Composite Toe Cap



Heat Resistant Sole 300c



Leather Upper



Metatarsal Impact Fuel Oil Resistant Sole



Shock Absorber Heel

**BEESWIFT** 

**Product Code:** 

Available in Sizes: 06-12

Unit of Measure:

Available in Colours:

Anti Slip Sole Anti Static Sole

Cat 2 - Intermediate Risk Composite Midsole 200 Joule Composite Toe Heat Resistant Sole

Nubuck CF68NB

CF68

NLINE



Water Resistant



Internal metatarsal boot made with poron XRD technology. Designed for comfort and to carry out the same tasks as a normal, less flexible external metatarsal boot. Extreme impact protection.

- Black full grain water resistant leather upper
- YKK H/Duty side zip for easy on/off action
   Padded collar

- Waterproof membrane lining
   Breathable thinsulate insulated mesh lining Full length foam fabric foot bed for excellent comfort
- Poron XRD internal M-Guard metatarsal impact protection
- Heel support
- Ankle protectionTPU protective scuff cap
- Polyurethane/rubber injected sole
- Heat resistant outsole to 300 degrees Celsius HRO
- Anti-static
- FSD
- Non Metallic
- 200 Joule composite toe cap
- Reinforced midsole
- Shock absorber heel
- SRC slip resistance
- Winter grip compound within the outsole for enhanced slip resistance
- Conforms to EN 20345:2011 S3 M HRO WR SRC







#### **CLICK WATERPROOF SIDE ZIP BOOT**

Lightweight S3 composite side zip boot with Poron XRD extreme impact metatarsal protection Poron XRD technology is designed for comfort and to carry out the same tasks as a normal less flexible external metatarsal boot

- Nubuck top grain leather upper
- YKK heavy duty side zip for easy on/off action
   Breathable thinsulate Cl cold insulating mesh lining
- Waterproof membrane lining
- Quality comfortable PU insole
   Poron XRD internal M-Guard
- EVA/Rubber cemented HRO heat resistant outsole
- Anti-static
- 200 joule composite toe cap
- Kevlar midsole
- Shock absorber heel
- TPU protective scuff cap
  SRC rated slip resistance
- Conforms to EN 20345:2011 S3 WR M CI HRO SRC



















Product Code: CF70

Available in Sizes:

Unit of Measure: Pair

Available in Colours:

Black CF70BL

Anti Slip Sole Anti Static Sole

Cat 2 - Intermediate Risk

Composite Midsole

200 Joule Composite Toe Cap

Heat Resistant Sole

Heat Resistant Sole 300c



Leather Upper



Shock Absorber Heel



**BEESWIFT** 

**Product Code:** 

Available in Sizes: 03-13

Unit of Measure:

Available in Colours: Black CF71Bl

Anti Slip Sole

Anti Static Sole

Cat 2 - Intermediate Risk

200 Joule Composite Toe

Composite Midsole

**CF71** 

NLINE





Internal metatarsal boot made with Poron XRD technology. Designed for comfort and to carry out the same tasks as a normal, less flexible external metatarsal boot. Extreme impact protection

- Rotary Dial lacing system
- One hand adjustment operation
   PU/RUBBER
- 200 Joule composite toe cap
- Composite Reinforced midsole protection
- Metatarsal impact protection Shock absorber heel
- Anti-static
- Heat resistant to 300°C
- Slip resistant
- Water resistant leather upper
- Waterproof membrane lining
- Breathable Thinsulate membrane lining
- Full length foam fabric footbed for excellent comfort
- Conforms to EN ISO 20345:2011 S3 WR M SRC HRO







#### TRENCHER PLUS QUICK RELEASE BOOT

Internal metatarsal boot made with poron XRD technology.

Designed for comfort and to carry out the same tasks as a normal, less flexible external metatarsal

Extreme impact protection.

- Black full grain water resistant leather upperRotational Dial lacing system
- One hand fastening/adjustment operation
- Padded collar
- Waterproof membrane lining
   Breathable thinsulate insulated mesh lining
- Full length foam fabric foot bed for excellent
- Poron XRD internal M-Guard metatarsal impact protection
- Heel supportAnkle protection
- TPU protective scuff cap
- Polyurethane/rubber injected sole
- Heat resistant outsole to 300 degrees Celsius HRO
- Anti-static
- ESD
- Non Metallic
- 200 Joule composite toe cap
- Reinforced midsole
- Shock absorber heel
- SRC slip resistance
- Winter grip compound within the outsole for
- enhanced slip resistance Conforms to EN 20345:2011 S3 M HRO WR SRC













Product Code: CF85

Available in Sizes: 03 - 12

Unit of Measure: Each

Available in Colours:




Anti Slip Sole



Cat 2 - Intermediate Risk



Machine Washable 40°c



Shock Absorber Heel



200 Joule Steel Toecap





Water Resistant



Conforms to EN ISO 20345 S2 SRC

#### **MICRO-FIBRE BOOT S2**

- 200 Joule steel toe cap
- Shock absorber heel
- Anti-Static
- Slip Resistant
- Washable to 40°C
- EN ISO 20345 S2 SRC









Product Code: CF9M

Available in Sizes: 04 - 13

Unit of Measure:

Available in Colours:



Anti Slip Sole



Cat 2 - Intermediate Risk



Composite Midsole Leather Upper



Metatarsal Impact Protection



Fuel Oil Resistant Sole Shock Absorber Heel



200 Joule Steel Toecap



Water Resistant

#### **INTERNAL METATARSAL BOOT**

Internal metatarsal boot made with Poron XRD technology.

Designed for comfort and to carry out the same tasks as a normal, less flexible external metatarsal boot.

- Dual Density PU
- 200 Joule steel toe cap
- Composite midsole protection
- Metatarsal impact protection
- Shock absorber heelAnti-static
- Slip resistant
- Water resistant leather upper
   Conforms to EN ISO 20345:2011 S3 M SRC













#### **CLICK TRADERS S3 6 INCH BOOT**

- Dual Density PU200 Joule steel toe cap
- Steel midsole protection Shock absorber heel
- Anti-static Oil resistant sole
- Slip resistant
- Water resistant leather upper
- Conforms to EN ISO 20345:2011 S3 SRC









Water Resistant

Conforms to EN ISO 20345 S3 SRC Cat 2 - Intermediate Risk

Available in Sizes: 6 - 13

Unit of Measure:

Available in Colours:


Black CTF24BL













Fuel Oil Resistant Sole



Shock Absorber Heel



200 Joule Steel Toecap

- Dual Density PU TPU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock Absorber heel
- Anti-staticOil resistant sole
- Slip resistant
- Nubuck leather upper
- Water penetration resistant
- Breathable water resistant membrane lining
  Conforms to EN ISO 20345:2011 S3 WR SRC

**CLICK TRADERS S3 THINSULATE BOOT** 









Product Code: CTF25

Available in Sizes: 06 - 13

Unit of Measure: Each

Available in Colours: Nubuck CTF25NB



3M Thinsulate Lined



Cat 2 - Intermediate Risk



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



200 Joule Steel Toecap



Water Resistant

Steel Midsole



Conforms to EN ISO 20345

**BEESWIFT** 

ONLINE

Product Code:

Available in Sizes: 6 - 12

CTF30

#### **CLICK TRADERS S3 THINSULATE BOOT**

- Dual Density PU TPU200 Joule steel toe cap
- Steel midsole protection Shock Absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Nubuck leather upper
- Water penetration resistant
   Conforms to EN ISO 20345:2011 S3 WR SRC







#### **CLICK S3 HIKER BOOT**



- 200 Joule steel toe cap
- Steel midsole protectionShock absorber heel
- Anti-staticOil resistant sole
- Slip resistant
- Water penetration resistant
- Breathable water resistant membrane lining
  Conforms to EN ISO 20345:2011 S3 WR SRC











Available in Colours: Black CTF32BL Nubuck CTF33NB

Anti Slip Sole

Leather Upper Steel Midsole

Cat 2 - Intermediate Risk

200 Joule Steel Toecap Conforms to EN ISO 20345 SBP GRA

#### **CLICK SBP CHUKKA BOOT**

- Dual density Eva/Rubber200 Joule steel toe cap
- Steel midsole protection
- Slip resistant
- Conforms to EN ISO 20345:20011 SBP SRA









Available in Sizes: 5 - 13

Unit of Measure:

Available in Colours:

Brown CTF42BR

Anti Slip Sole Anti Static Sole

Heat Resistant Sole 300c

Leather Upper

Fuel Oil Resistant Sole

Shock Absorber Heel Steel Midsole

200 Joule Steel Toecap

Water Resistant

Conforms to EN ISO 20345 S3 SRC

#### **CLICK S3 PUR DEALER BOOT**

- Brown dealer boot.
- PU/Rubber
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant to 300°C
- Slip resistant
- Water resistant leather upper
  Conforms to EN ISO 20345:2011 S3 SRC













Product Code: **GWB** 

Available in Sizes: 6 - 12

Unit of Measure: Each

Available in Colours:



Nubuck GWBNB



Cat 2 - Intermediate Risk



Heat Resistant Sole 300c



Leather Upper



Fuel Oil Resistant Sole



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345 SBP SRC

#### **CLICK GOODYEAR WELTED 6 INCH BOOT**

**CLICK GOODYEAR WELTED 6 INCH BOOT** 

- Goodyear Welted200 Joule steel toe cap
- Steel midsole protection
- Oil resistant sole Heat resistant sole to 300°C
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 SBP

HRO SRC









Product Code: **GWBMSBL** 

Available in Sizes: 6 - 12

Unit of Measure:

Available in Colours:




Anti Slip Sole



Cat 2 - Intermediate Risk Heat Resistant Sole 300c



Leather Upper



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345 SBP SRC

- Goodyear Welted
- 200 Joule steel toe cap
- Steel midsole protection
- Oil resistant sole
- Heat resistant sole to 300°C
  Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 SBP HRO SRC









GWBMSSC

Available in Sizes: 6 - 12

Unit of Measure: Each

Available in Colours:



Anti Slip Sole



Cat 2 - Intermediate Risk Heat Resistant Sole 300c



Leather Upper



Fuel Oil Resistant Sole



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345 SBP SRC

#### **GOODYEAR WELT BOOT WITH SCUFF CAP**

- 200 Joule steel toe cap
  Steel midsole protection
  Robust TPU scuff cap and heel kick off
  Heat resistant to 300°C
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 SBP HRO SRC









Product Code: LAV1004

Available in Sizes: 02 - 13

Unit of Measure:





100% Non Metallic




Anti Slip Sole















Shock Absorber

#### KENOBI METAL FREE ESD BOOT BLACK

- Protective Kevlar Midsole (resistant at perforation 1100N
- Composite Toe Cap (resistant to impact 200J and compression 15Kn)
   PU rubber outsole: anti vibration, antistatic, resistance to fuel oil
- Energy absorption on seat region
   WR full grain black leather
   100% Metal Free









Product Code: LAV1011

Available in Sizes: 06-13

Unit of Measure: Each


Available in Colours:

























**BEESWIFT** 

**FOCUSED ON SAFETY** 

Product Code: LAV1016

Available in Sizes: 03-08

Unit of Measure:

Available in Colours: Black LAV1016

> Anti Slip Sole Antistatic

Electro Static Dissipative Exclusive PU Outsole Keylar Midsole Oil Resistant Sole Steel Toe Cap

#### **EXPLORATION LOW H/D BOOT**


- Protective Steel Midsole (resistant at perforation
- Steel Toe Cap (resistant to impact 200J and compression 15Kn)
- PU outsole: anti vibration, antistatic, resistance to fuel
- Energy absorption on seat regionWR full grain black leather











 Protective Steel Toe Cap (resistant to impact 200J and compression 15Kn)

• PU outsole: anti vibration, antistatic, resistance to fuel oil

Energy absorption on seat region
Water penetration and water absorption resistant leather
Electric Static Discharge











Product Code: LAV1053

Available in Sizes: 06-12

Unit of Measure: Each

Available in Colours:



Anti Slip Sole



Chainsaw Protection



Oil Resistant Sole



Sole Resistant to 300°



Steel Midsole



Sympatex







- Protective Steel Midsole (resistant at perforation 1100N)
  Steel Toe Cap (resistant to impact 200J and compression 15Kn)
  PU rubber outsole: anti vibration, antistatic, resistance to fuel oil
- Energy absorption on seat region
  WR full grain black leather
- Sympatex waterproof lining

EN ISO 20345:2011 EN ISO 17249:2013 S3 SRC HRO CLASS 3







#### **EXPLORATION HIGH H/D BOOT**

- Protective Steel Midsole (resistant at perforation 1100N)
   Steel Toe Cap (resistant to impact 200J and compression
- 15Kn)

   PU outsole: anti vibration, antistatic, resistance to fuel oil
- Energy absorption on seat regionWR full grain black leather







LAV1611


Available in Sizes: 06-13

Unit of Measure:

Available in Colours: Black LAV1611






















LAV1671

Available in Sizes: 06-13

Unit of Measure: Each

Available in Colours:



Anti Slip Sole



Chainsaw Protection



Oil Resistant Sole





Sole Resistant to 300°





Steel Toe Cap

#### **ELITE FORESTRY CHAINSAW BOOT**

- Protective Steel Midsole (resistant at perforation 1100N)
   Steel Toe Cap (resistant to impact 200J and compression 15Kn)
- PU rubber outsole: anti vibration, antistatic, resistance to fuel oil
- Energy absorption on seat region
  WR full grain black leather

Sympatex waterproof membrane lining

EN ISO 20345:2011 EN ISO 17249:2013 S3 SRC HRO CI HI WR CLASS 2







#### SHERPA DUAL DENSITY 6 INCH BOOT



NLINE Product Code: SB

Available in Sizes: 6 - 12

Unit of Measure:

Available in Colours:





Anti Slip Sole



Heat Resistant Sole 300c



Fuel Oil Resistant Sole



Shock Absorber Heel



200 Joule Steel Toecap



Water Resistant

- Sherpa PU Rubber 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant sole to 300°C
- Slip resistant
- Water resistant leather upper
   Conforms to EN ISO 20345:2012 S3 SRC HRO









SCB

Available in Sizes: 6 - 12

Unit of Measure: Each

Available in Colours:

Black SCBBL

Anti Slip Sole

Anti Static Sole Heat Resistant Sole 300c

Leather Upper

Fuel Oil Resistant Sole

Steel Midsole

Shock Absorber Heel



200 Joule Steel Toecap



Water Resistant



Conforms to EN ISO 20345 S3 SRC HRO

#### SHERPA DUAL DENSITY PU/RUBBER MID CUT BOOT

- Sherpa PU Rubber200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static Oil resistant sole
- Heat resistant sole to 300°C
  Slip resistant

- Water resistant leather upper
   Conforms to ENISO 20345:2012 S3 SRC











Product Code: SDB

Available in Sizes: 06 - 12

Unit of Measure:

Available in Colours:



Anti Slip Sole



Heat Resistant Sole 300c



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole 200 Joule Steel Toecap



Water Resistant





Conforms to EN ISO 20345 S3 SRC HRO

- Sherpa PU Rubber 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant sole to 300°C
- Slip resistant
- Water resistant leather upper
   Conforms to ENISO 20345:2012 S3 SRC HRO









Product Code: ΤB

Available in Sizes: 6 - 12

Unit of Measure: Each

Available in Colours:



Brown TBBR



Anti Static Sole



Breathable Upper Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole 200 Joule Steel Toecap



Water Resistant



Conforms to EN ISO 20345

**BEESWIFT FOCUSED ON SAFETY** 

Product Code: UPGO10054

Unit of Measure:

Available in Colours: Black UPGO10054

Pair



Traxion Xtra Grip Boot has been designed to ensure maximum safety and protection: this shoe is aggressive and sturdy on the ground, but lightweight and comfortable on the foot.

- Dual Density PU TPU
  200 Joule steel toe cap
  Steel midsole protection
  Shock Absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant

- Water penetration resistant
   Breathable water resistant membrane lining
   Conforms to EN ISO 20345:2011 S3 SRC







#### **Drop Safety Boot**

Ankle boots safety shoes, totally "no metal", comfortable u power Gore-Tex, with soft water repellent leather upper, waterproof and breathable, composite toecap, anti-puncture, anti-slip and PU/Nitrile sole,

Complies with EN ISO 20345 - S3 WR HRO HI CI SRC









Product Code: UPGO10084

Unit of Measure: Pair

Available in Colours:

Brown
UPGO10084

#### **Smash Safety Boot**

Ankle boots safety shoes, comfortable u power Gore-Tex, with soft pull-up upper with textile inserts, waterproof and breathable, composite toecap, anti-puncture, anti-slip and PU/PU sole,

Complies with EN ISO 20345 - S3 WR CI SRC









Product Code: UPRI10026

Unit of Measure: Pair

Available in Colours:



### **Alicante Safety Boot**

Safety shoes high, light and comfortable U-Power of the Red Industry range, with Soft, breathable suede leather with mesh inserts upper, composite toecap, anti-puncture, PU compact Antislip, antistatic and oil resistant. Antifatigue WOW2 footbed.

Complies with EN ISO 20345 - S1P SRC ESD









Product Code: UPRI10164

Unit of Measure:

Available in Colours:
Black
UPRI10164

#### **Scuro Safety Boot**

Light and comfortable safety shoes U-Power of the Red Industry range, with Soft, water resistant, grain leather, composite toecap, anti-puncture, PU compact Antislip, antistatic and oil resistant. Antifatigue WOW2 footbed.

Complie with EN ISO 20345 - S3 CI SRC ESD









Product Code: UPRI10324

Unit of Measure: Pair

Available in Colours:
Black
UPRI10324

### **Niagara Safety Boot**

Low environmental impact winter safety shoes made with recycled materials and materials obtained from renewable sources that uphold the criteria of eco-sustainability and respect for the environment, completely Carbon Neutral (zero CO2 emissions).

Neutral (zero CO2 emissions).

This high, comfortable and light safety footwear from the Red Industry Green range has a soft, micro-fibre upper containing a high percentage of recycled material.

Complies with EN ISO 20345 - S3 SRC CI ESD









Product Code: UPRI10384

Unit of Measure:

Available in Colours:

Black UPRI10384

#### **Land Safety Boot**

Carbon Neutral safety shoes which meet the eco-sustainable requirements and respect for the environment, guaranteeing zero CO2 emissions.

Land is a high-top safety shoe made from renewable sources and with recycled materials to achieve zero CO2

emissions while maintaining comfort, safety and all the quality of the U-Power brand.

Eco-friendly safety shoes which have an ultra-lightweight AirToe Composite toe cap

to protect the toes and a Save&Flex Plus Green anti-puncture system that is totally "Metal Free", made from 59% recycled materials.

Land is a safety shoe in protection class S3 CI SRC ESD with an upper in Putek® Spider Repet made from a high percentage of recycled material and

excellent scuff resistance. WingTex® Green lining with breathable air tunnel made from 66% recycled materials. Anatomic, antibacterial, anti-static and selfmodelling WOW2 Green footbed in PU by BASF which ensures longlasting well-being

and comfort.

Scuff resistant, oil resistant, anti-slip and anti-static PU sole by BASF, obtained from 100% renewable sources.

Eco-sustainable safety shoes ideal for: logistics, industry, automotive and assembly lines

Complies with EN ISO 20345 - S3 CI SRC







#### **Lift Safety Boot Esd**

Safety shoes high, light and comfortable u power of the Red Lion range, with upper in natural nubuck leather, aluminum toecap, ultra-breathable, water-repellent, anti-puncture, anti-slip and PU / PU infinergy,

Complies with EN ISO 20345 - S3 SRC CI



UPRL10013

Unit of Measure:

Available in Colours:

Black UPRL10013









Product Code: UPRL10376

Unit of Measure:

Available in Colours:

Black UPRL10376

BEESWIFT

**FOCUSED ON SAFETY** 

Product Code: UPRL10524

Unit of Measure:

Available in Colours:

Black UPRL10524

Pair

#### **Stego Safety Boot**

RedLion Safety Shoes, with aluminium AirToe® and Save&Flex PLUS anti-perforation system, designed to guarantee a high comfort of the fit. High, light, with water-repellent upper in Putek PLUS® highly resistant to abrasion, closure with laces and bellows in

padded nylon to ensure a prolonged well-being of the foot. These work shoes are able to guarantee comfort and lightness thanks to the sole with the innovative Infinergy® system and to the expanded PU midsole. The multi-functional heel and the compact PU tread provide grip, security and stability of posture. This shoe complies with S3 SRC CI ESD safety standards and in suitable foruses in business and security and stability of posture. is suitable for use in humid environments, transport and logistics, the tertiary sector and services.


Complies with EN ISO 20345 - S3 SRC CI







#### **Cosmo Safety Boot**



Safety footwear in protection class S3 HRO HI CI SRC with special insulation against heat and cold.

The sole in PU/Vibram is particularly suited for use on treacherous surfaces and uneven ground, improving stability and grip.

Aluminium AirToe toe cap to protect the tip of the foot and Save & Flex® PLUS, allfabric, anti-puncture system stitched directly onto the upper for total coverage of the surface of the foot.

Comfort is guaranteed by the WOW insole, an anatomic insole in soft, breathable, antibacterial polyurethane whilst the Infinergy® system ensures over 55% of energy is returned with each step. The WingTex air tunnel inner lining ensures breathability and dispersion of moisture.

Ideal work shoes for wet and cold environments, for building sites, gardens and agriculture, installations, port areas, road works and maintenance and in every situation in which outdoor footwear is required that has a particular need for the sole of the shoe to be insulated against

heat and cold and the sole to have greater resistance to heat. Anti-slip, oil resistant and abrasion resistant sole.

Complies to EN ISO 20345 - S3 HRO HI CI SRC









Product Code: UPRL10554

Unit of Measure:

Available in Colours:
Black
UPRL10554

#### **Grampian Safety Boot**

Grampian is a model of work footwear in S3 SRC CI ESD standard protection with soft full-grain leather upper resistant to water and protective, ideal for use outdoors and in a humid environment.

Mid-cut work shoes with Infinergy® insert secure an energy return of over 55% more with each step, improving performance and general well-being during the working day.

The PU / PU sole is anti-slip, anti-oil, anti-abrasion and anti-static and provides a special protection from the cold (A temp. ≤ 10 ° C).

The lightweight aluminium Airtoe® toecap ensures foot protection, while the presence of the Save & Flex Plus anti-perforation system totally "Metal-Free" provides 100% protection of the foot surface.

These comfortable and water-resistant safety shoes with WingTex air tunnel lining ensure high breathability and antibacterial, anatomic and shockproof given by the WOW Gel insole. The polyurethane and soft gel insole lifts the heel and protects the foot from minor bumps and pressures, adapting perfectly to the shoe.

The Grampians are Men's water-resistant boots for work ideal for carpenters, bricklayers, gardeners and farmers, gas station attendants, mechanics, tire specialists, electricians, welders, and warehouse workers, trucking and logistics, craftsmen, and house painters.

Complies to EN ISO 20345 - S3 SRC CI ESD







#### **Cambrian Safety Boot**

Cambrian is a comfortable and breathable model of safety shoes with an upper in soft water-resistant Pull-up leather and WingTex air tunnel lining for air circulation and prolonged comfort.

Highly breathable work shoes with Infinergy® system ensuring energy return: over 55% more energy with every step!

These water-resistant safety shoes have an AirToe® composite toecap to protect the tip of the foot and the Save & Flex Plus antiperforation system. It is textile and sewn directly on the upper to guarantee maximum safety and protect against perforation due to sharp objects such as nails or splinters.

Cambrian are oil and water-resistant work shoes that are very comfortable thanks to the soft and enveloping WOW Gel insole that covers the foot from minor bumps and pressures, adapting perfectly to the shoe.

S3 SRC CI ESD standard protection work footwears, with special protection of the sole from the cold and anti-slip, anti-oil, anti-abrasion and antistatic properties.

Water-resistant work boots appropriate for outdoor use in a humid environment and, particularly for trucking and logistics, craftsman, house painter, carpenter, bricklayer, gardener and farmer, the gas station attendant, mechanic, tire dealer, worker, electrician, welder, warehouse worker.

Complies to EN ISO 20345 - S3 SRC CI ESD



Brown UPRL10564









Product Code: UPRL1E134

Unit of Measure:

Available in Colours:

Black
UPRL1E134

#### **Legend Safety Boot**

 $High \ and \ comfortable \ safety \ shoe, \ U-Power \ of \ the \ Red \ Over \ range, \ with \ upper \ in \ soft \ grain \ leather, \ water-repellent, \ alluiminium-toe, \ Gore-Tex \ lining \ and \ sole \ with \ + \ 300\ ^{\circ} \ contact \ resistance \ (1min), \ anti-slip \ and \ antistatic.$ 

Complies to EN ISO 20345 - S3 WR HRO HI SRC CI







### **Domination Safety Boot**

High and comfortable safety shoe, of the Red Over range by U-Power, highly abrasion-resistant PUTEK® PLUS upper and drummed natural nubuck, water-repellent, Gore-Tex lining, composite toe cap and soft PU foam and Infinergy® sole.

Complies to EN ISO 203454 - S3 WR SRC CI









Product Code UPRL1E144

Unit of Measure: Pair

Available in Colours:

Black UPRL1E144



Product Code: UPRS10134

Unit of Measure:

Available in Colours:

Black
UPRS10134

BEESWIFT FOCUSED ON SAFETY

Product Code UPRS10164

Unit of Measure: Pair

Available in Colours:
Black
UPRS10164

#### **Jacob Safety Boot**

Safety shoes high, light and comfortable U-Power of the Red 360. High abrasion resistant PUTEK® star upper, water resistant, breathable, heel shock shield, aluminum toecap, anti-puncture, anti-slip and PU / PU infinergy, All products in this collection are protected by EU-registered designs.

Complies to EN ISO 20345 - S3 SRC CI ESD







### **Arden Safety Boot**

Safety shoes high, light and comfortable U-Power of the Red 360. Soft nubuck water resistant leather upper and heel shock shield, aluminum toecap, anti-puncture, anti-slip and PU / PU infinergy, All products in this collection are protected by EU-registered designs.

Complies to EN ISO 20345 - S3 SRC CI ESD









Product Code: UPRV10024

Available in Sizes: 02-13

Unit of Measure: Each

Available in Colours:

Black UPRV10024

Airtoe Aluminium

Electrostatic Discharge Protection uPower-NaturalComfort

uPower-Original

uPower-SaveFlexair



uPower-Wingtex

BEESWIFT

**FOCUSED ON SAFETY** 

Product Code: UV84012

Available in Sizes: 05-15

Unit of Measure:

Available in Colours:

Black UV84012

#### PARKER LIGHT SAFETY BOOT ESD

Ultra-light anti-static safety shoes with soft nubuck-effect microfibre, water repellent and S3 SRC CI ESD protection class upper.

Ankle-high safety shoes with light aluminium Airtoe® toecap and new generation abrasion-resistant, oil-resistant, no-slip and antistatic PU compound sole.

Lighter safety shoes made with innovative materials for the construction of the sole and of the perforation-resistant system, consisting of ultralight puncture-resistant textile insole. The result is a safety shoe

whose weight has been significantly reduced, without compromising safety, to the benefit of workers' wellness

Highly breathable safety shoes for men/ women with WingTex air tunnel lining and anatomical, antibacterial and sweat-proof U-Power Original insole.

The particular protection of the sole from the cold ( $\leq 10^{\circ}$ C) make these safety shoes particularly suitable for: electricians, carpenters, craftsmen, warehouse workers, and the logistics and transport sectors.


Conforms to EN ISO 20345:2011







#### **UVEX QUATRO BOOT**



Water-resistant leather upper

Soft padded collar

Padded dust tongue

Breathable textile lining
 Smooth-running, dirt-resistant lacing system
 Ultra comfortable removable insole, antistatic, with a

moisture control system creating a superior foot climate and improved comfort

uvex 3D hydroflex® foam insole for exceptional shock absorption in the heel and under the front of the foot
Dual-density PUR outdoor sole with integrated heel

support and protection

Especially chunky, self-cleaning 4.5 mm tread with excellent grip and support in the arch area when climbing

Foamed scuffcap to protect the leather upper

Steel midsole

• BS EN ISO 20345:2011 S3 SRC







## BEESWIFT **FOCUSED ON SAFETY**

Product Code: UV85172

Available in Sizes: 03-13

Unit of Measure: Each

Available in Colours: Black / Red UV85172

#### **UVEX 1 X-TENDED SUPPORT S3 SRC LACE-UP BOOT**

Uvex 1 safety shoes in protection classes S1 P and S3 provide optimal protection and support for the individual movements of the human body. This safety shoe has been designed based on the latest physiological research and innovative technologies, to reduce work-related stresses on the musculoskeletal system and optimise the wearer's wellbeing. The ergonomic construction of the uvex 1 safety shoes offers the perfect balance between protection and comfort.

- Protection class S3 in accordance with EN ISO 20345:2011 with additional marking for excellent slip resistance (SRC)
- Meets the ESD specification with bleeder resistor under 35 megaohms
- 100 % metal-free uvex xenova® toe cap compact, anatomically formed, not thermally conductive and with good side stability
- Ergonomically designed outsole made from dual density polyurethane with excellent slip resistance
- Medial and lateral heel support for the foot with specially designed side frame provides additional protection from ankle twisting, stabilises and guides the foot while providing impact protection





#### uvex

#### **UVEX 1 SAFETY BOOT**



Product Code: UV85458

Unit of Measure: Each

Available in Colours: Black UV85458

- Extremely lightweight and flexible
- 100% metal-free
- uvex xenova® metal-free toe cap
- uvex climazone technology helps regulate internal temperature
- Breathable, water and abrasion-resistant upper mesh
   Virtually seamless design to eliminate pressure points
- Removable comfort insole, antistatic, c/w moisture
- uvex 3D hydroflex® foam insole shock absorbing
- PU sole with best shock absorbing properties
  EN ISO 20345:2011 S2 SRC. ESD rated







## Product Code: DOSB16 Unit of Measure: Bx 2th Available in Colours: Blue DOSB Cat 1 - Minimal Risk

#### **DISPOSABLE OVERSHOE**

- High quality overshoes
  Elasticated for extra grip around shoes
  Anti-slip textured surface at the bottom
- Tear resistant
- Waterproof
- Ideal for decorating to protect carpets and flooring












Product Code: **DOSECB** 

Unit of Measure: Bx 2th

Available in Colours:





- Disposable blue overshoes

- Elasticated for extra grip around shoes
  Anti-slip textured surface at the bottom
  Ideal for decorating to protect carpets and flooring









#### PUROFORT RIGAIR UNLINED FULL SAFETY RIGGER BOOT

An ideal waterproof Purofort alternative to the standard leather rigger boot.
The Rig-Air is lightweight, 100% waterproof and

insulated for temperatures down to -20°C. This durable, flexible and easy-to-clean boot is the perfect work boot for drilling platforms and construction sites. Features handy tabs so they are easy to put on.

- Steel toe capMidsole protection
- Anti-static
- Oil resistant sole
- Comfortable fit
- Fur Lining for additional warmth
   Cold insulating to -20°c

- LightweightColour: Brown
- · Resistance: minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents, various chemicals
  • Standard: EN ISO 20345:2011 S5 CI SRC.









Product Code: C462743.FL

Available in Sizes: 06 - 13

Unit of Measure:

Available in Colours:

Tan C462743.Fl




Chemical resistant













#### PUROFORT RIGAIR FULL SAFETY RIGGER BOOT

An ideal waterproof Purofort alternative to the standard

An Ideal waterproof Purofort alternative to the standard leather rigger boot.

The Rig-Air Fur Lining has a fur lining for additional warmth and a comfortable fit. The Rig-Air is lightweight, 100% waterproof and insulated for temperatures down to -20°C. This durable, flexible and easy-to-clean boot is the perfect work boot for drilling platforms and construction sites. Features handy tabs so they are easy to put on.

- Steel toe cap
- Midsole protection
- Anti-static
- Oil resistant sole
- Comfortable fit
- · Fur Lining for additional warmth
- Cold insulating to -20°c
- LightweightColour: Brown
- Resistance: minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents, various chemicals
- Standard: ÉN ISO 20345.S5.CI









Available in Sizes: 06 -13

Unit of Measure: Each

Available in Colours:



Anti Slip Sole



Cat 2 - Intermediate Risk



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345 S1P SRC

#### PREMIUM RIGGER BOOT

- Dual density PU200 Joule steel toe cap
- Steel midsole protection Shock absorber heel
- Anti-static
- Oil resistant sole

- Slip resistantApollo leather upperTPU structured heel support
- Fur lining
- Padded ankle
- Conforms to EN ISO 20345: 2011 S1P SRC







#### **S3 THINSULATE RIGGER BOOT**



**BEESWIFT** ONLINE

Product Code: CTF28

Available in Sizes: 4 - 13

Unit of Measure:

Available in Colours:





















Water Resistant



- Dual density PU 200 joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-staticOil resistant sole
- Slip resistant
- Water resistant leather upper
- 3M Thinsulate lining
   Conforms to EN ISO 20345: 2011 S3 SRC











Product Code: CTF48

Available in Sizes: 5 - 12

Unit of Measure: Each

Available in Colours:



Anti Slip Sole



Heat Resistant Sole 300c



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole 200 Joule Steel Toecap



Water Resistant



Conforms to EN ISO 20345 S3 SRC

Cat 2 - Intermediate Risk

#### **CLICK S3 PUR RIGGER BOOT**

- PU/Rubber
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant sole to 300°C
  Slip resistant
- Water resistant leather upper
- Fur lined
- Conforms to EN ISO 20345:2011 S3 SRC













# **BEESWIFT**

**FOCUSED ON SAFETY** Product Code: LJ2HR42

Available in Sizes: 06-13

Unit of Measure:

Available in Colours:



Antistatic



Superior comfort Energy absorbing



Oil resistant outsole



Protective toecap + midsole Slip resistant outsole SRC



Waterproof





S5

#### PUROFORT RIGPRO FULL SAFETY UNLINED

An ideal waterproof Purofort alternative to the standard leather rigger boot. The RigPro is lightweight, 100% waterproof and insulated for temperatures down to -20°C. This durable, flexible and easy-to-clean boot is the perfect work boot for drilling platforms and construction sites. Features handy tabs so they are easy to put on, making it the trusted choice for industry and construction professionals

- Trainer like fit
- Fit perfected with Dunlop's innovative Snug-fit construction to eliminate heel slippage
- Steel toe cap
- Steel midsole protection
- Cut and abrasion resistant
- SRC rated outsole designed for excellent grip Tread wear indicator to monitor outsole
- performance Anti-static
- Oil resistant sole Comfortable fit
- Cold insulating to -20°c
- Lightweight
- Standard: EN ISO 20345:2011 S5 CI CR SRC

Replaces C462743 Purofort Rig-Air Full Safety













#### PUROFORT RIGPRO FULL SAFETY FUR LINED

An ideal waterproof Purofort alternative to the standard leather rigger boot. The RigPro is lightweight, 100% waterproof and insulated for temperatures down to -20°C. This durable, flexible and easy-to-clean boot is the perfect work boot for drilling platforms and construction sites. Features handy tabs so they are easy to put on, making it the trusted choice for industry and construction professionals.

Trainer like fit

 Fit perfected with Dunlop's innovative Snugfit construction to eliminate heel slippage

Steel toe cap

Steel midsole protection

Fur-lined

Cut and abrasion resistant

- SRC rated outsole designed for excellent
- Tread wear indicator to monitor outsole performance
- Anti-static
- Oil resistant sole
- Comfortable fit
- Cold insulating to -20°c
- Lightweight
  Standard: EN ISO 20345:2011 S5 CI CR SRC

Replaces C462743.FL Purofort Rig-Air Full Safety Fur-Lined













Slip resistant outsole SRC

Waterproof

**Product Code: RBLS** 

Available in Sizes: 4 - 13

Unit of Measure:

Available in Colours:

Tan

Anti Slip Sole



Cat 2 - Intermediate Risk



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole 200 Joule Steel Toecap





Conforms to EN ISO 20345 S1P SRC

#### RIGGER BOOT LINED

- Dual Density PU
- 200 Joule steel toe cap Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Acrylic fur lined.
- Apollo leather upper
  Conforms to EN ISO 20345: 2011 S1P SRC









Product Code: RBLSSC

Available in Sizes: 6 - 12

Unit of Measure: Each

Available in Colours: Tan

Anti Slip Sole

Anti Static Sole

Cat 2 - Intermediate Risk



Fuel Oil Resistant Sole



Shock Absorber Heel



200 Joule Steel Toecap



Conforms to EN ISO 20345 S1P SRC



#### **CLICK SCUFF CAP LINED RIGGER BOOT**


- Dual Density PU200 Joule steel toe cap
- Steel midsole protection Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistantApollo leather upper
- Scuff cap
  Conforms to EN ISO 20345: 2011 S1P SRC







#### **RIGGER BOOT UNLINED**



- Steel midsole protection
- Shock absorber heel
- Anti-staticOil resistant sole
- Slip resistant
- Apollo leather upper
  Conforms to EN ISO 20345: 2011 S1P SRC











SRB

Available in Sizes: 6 - 12

Unit of Measure: Each

Available in Colours: Brown

Anti Slip Sole

Anti Static Sole

Heat Resistant Sole 300c

Leather Upper

Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Water Resistant



Conforms to EN ISO 20345 S3 SRC

#### SHERPA DUAL DENSITY POLYURETHANE RUBBER RIGGER

- Sherpa PU RubberFur lining200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant soleHeat resistant to 300°C
- Slip resistant
- Water resistant leather upper
   Conforms to EN ISO 20345:2011 S3 SRC







#### D/D ECONOMY SHOE S1



**BEESWIFT** 

ONLINE Product Code: **CDDS** 

Available in Sizes: 4 - 13

Unit of Measure:

Available in Colours:

















200 Joule Steel Toecap



Conforms to EN ISO 20345 S1 SRC



**BEESWIFT** 

- Dual Density PU
- 200 Joule steel toe cap
- Shock absorber heel
- Anti-static
- Oil resistant soleSlip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1 SRC







Product Code: CDDSMS

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours:



Anti Slip Sole



Cat 2 - Intermediate Risk



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345 S1P SRC

#### **ECONOMY SHOE S1P**

- Dual Density PU200 Joule steel toe cap
- Steel midsole protection Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistantLeather upper
- Conforms to EN ISO 20345:2011 S1P











Product Code: **CDDSTS** 

Available in Sizes: 6 - 12

Unit of Measure:

Available in Colours:



Anti Slip Sole

Leather Upper



Cat 2 - Intermediate Risk



Fuel Oil Resistant Sole



200 Joule Steel Toecap





Conforms to EN ISO 20345 S1 SRC

#### **CLICK SMOOTH LEATHER TIE SHOE**

- Dual Density PU
- 200 Joule steel toe cap
- Shock absorber heel Anti-static
- Oil resistant soleSlip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC









Product Code: CDDTB

Available in Sizes: 3 - 13

Unit of Measure: Each

Available in Colours:











Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345 S1P SRC

#### TRAINER SHOE

- Dual Density PU200 Joule steel toe cap
- Steel midsole protection Shock absorber heel
- Anti-static
- Oil resistant sole

- Slip resistant
   Leather upper
   Conforms to EN ISO 20345:2011 S1P









#### **LADIES SLIP ON SHOE**



Product Code: CF12

Available in Sizes: (35)02 - (41)07

Unit of Measure:

Available in Colours:





Anti Slip Sole



Leather Upper



Shock Absorber Heel Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345 S1P SRC



Cat 2 - Intermediate Risk

- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P









Available in Sizes: 35/02 - 41/07

Unit of Measure: Each

Available in Colours:











Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345 S1P SRC

#### **LADIES TIE SHOE**

- Dual density PU200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Slip resistant
- Leather upperConforms to EN ISO 20345:2011 S1P









#### Product Code: CF17

Available in Sizes: 03 - 13

Unit of Measure:

Available in Colours:



Anti Slip Sole



Anti Static Sole

Leather Upper



Cat 2 - Intermediate Risk



Fuel Oil Resistant Sole



Shock Absorber Heel Steel Midsole



200 Joule Steel Toecap





Conforms to EN ISO 20345 S1P SRC

#### **MESH ACTIVE TRAINER SHOE**

- Dual Density PU scuff cap trainer
- Blue sandwich mesh lining
- Blue contrast trim
- 2 eyelets, 3 woven loop lace fixings
   200 Joule steel toe cap
   Steel midsole protection
   Shock absorber heel

- Anti-static
- Oil resistant sole
- Slip resistant
- Mesh, suede and leather upper
  Conforms to EN ISO 20345:2011 S1P SRC









Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours:



Anti Slip Sole



Cat 2 - Intermediate Risk



Composite Midsole Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



200 Joule Steel Toecap



Conforms to EN ISO 20345 S1P SRC

#### **SNEAKER TRAINER**

- Nubuck leather sneaker trainerDual Density PU Sole
- Orange sandwich mesh lining
- Orange contrast eyelet
- 200 Joule steel toe cap
- Composite midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P











Product Code: CF19

Available in Sizes: 03-12

Unit of Measure:

Available in Colours:



Anti Slip Sole



Cat 2 - Intermediate Risk



200 Joule Composite Toe Cap Fuel Oil Resistant Sole



Shock Absorber Heel



Conforms to EN ISO 20345 S1P SRC

- Black Action Nubuck/ Mesh upper
- Black sandwich mesh lining with orange mesh heel
- Black/orange EVA/rubber sole
- 4 x black plastic eyelets
- 200 joule composite toe capComposite MidsoleShock absorber heel
- Oil resistant sole
- Conforms to EN ISO 20345:2011 S1P SRC
   Sizes EU 36(3) 47(12)









Available in Sizes: 03-12

Unit of Measure: Each

Available in Colours:



Anti Slip Sole

Anti Static Sole

Cat 2 - Intermediate Risk



200 Joule Composite Toe Cap



Fuel Oil Resistant Sole



Shock Absorber Heel



Water Resistant



Conforms to EN ISO 20345 S3 SRC

#### TRAINER S3 NON METALLIC


- Black Action Mesh Upper with grey/silver stripesGrey EVA/Black rubber sole
- 3 woven black/grey lace loop fixings and 1 plastic grey eyelet
- Comfort insole
- Click brandingMetal free
- Composite toe cap
- Reinforced midsole
- Water resistant
- Conforms to EN ISO 20345:2011 S3 SRC







#### TRAINER S3 NON METALLIC



Black PU/Grey PU sole

- Grey contrast stitching
  3 woven black/orange lace loop fixings and 1 plastic orange eyelet
- Comfort insoleClick brandingMetal free

- Composite toe
- Reinforced Midsole
- Water resistant
- Conforms to EN ISO 20345:2011 S3 SRC











Available in Sizes: 04-13

Unit of Measure: Each

Available in Colours:

Anti Slip Sole

Anti Static Sole

Cat 2 - Intermediate Risk Composite Midsole

200 Joule Composite Toe Cap

Fuel Oil Resistant Sole

Shock Absorber Heel

Conforms to EN ISO 20345 S3 SRC

#### **TRAINER S3 COMPOSITE**

- Nubuck leather, PU and black action mesh upper with printed decoration
   EVA/TPU/Rubber outsole

- Breathable orange mesh lining
   Comfortable, shock absorbing insole
- Composite Toe
- Composite midsole


- Water resistant
   Very lightweight
   Conforms to EN ISO 20345:2011
- S3 SRC











- EVA/TPU/Rubber outsole
- Breathable orange mesh lining
   Comfortable, shock absorbing insole
   Composite Toe
- Composite midsole Water resistant

- Very lightweightConforms to EN ISO 20345:2011
- S3 SRC











Product Code: CF52BL

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours: Black

Anti Static Sole

Anti Slip Sole

Cat 2 - Intermediate Risk



200 Joule Composite Toe Cap



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel





Conforms to EN ISO 20345 S1P SRC

#### **COMPOSITE SHOE S1P**

- Dual Density PU200 Joule composite toe capComposite midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole

- Slip resistantLeather upperConforms to EN ISO 20345:2011 S1P









## BEESWIFT

Product Code: CF53BL

Available in Sizes: 04-12

Unit of Measure:

Available in Colours:



Black CF53BL



Anti Static Sole

Leather Upper



Cat 2 - Intermediate Risk



Fuel Oil Resistant Sole



Steel Midsole



200 Joule Steel Toecap



Water Resistant



Conforms to EN ISO 20345 S3 SRC

#### D/D SHOE S3

- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection Shock absorber heel
- Anti-staticOil resistant sole
- Water resistant leather upper with grey
- Contrast grey mesh lining
  Conforms to EN ISO 20345: S3 SRC









Available in Sizes: 3 - 12

Unit of Measure: Each

Available in Colours:



Anti Slip Sole

Leather Upper



Cat 2 - Intermediate Risk



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345 S1P SRA

#### **CLICK DOUBLE DENSITY TRAINER SHOE SBP**

- EVA/Rubber
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P









Product Code: CF82

Available in Sizes: 03 - 13

Unit of Measure:

Available in Colours:





Anti Slip Sole



Cat 2 - Intermediate Risk



Machine Washable 40°c



Shock Absorber Heel



200 Joule Steel Toecap



Water Resistant



Conforms to EN ISO 20345 S2 SRC

#### **MICRO-FIBRE TIE SHOE S2**

- 200 Joule steel toe cap
- Shock absorber heel
- Anti-Static
- Oil resistant sole
- Slip ResistantWashable to 40°C
- Water resistant upper
  EN ISO 20345 S2 SRC









CF83

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours:



Black CF833



Anti Slip Sole



Cat 2 - Intermediate Risk



Machine Washable 40°c



Fuel Oil Resistant Sole



Shock Absorber Heel



200 Joule Steel Toecap



Water Resistant



Conforms to EN ISO 20345 S2

#### **MICRO-FIBRE SLIP ON SHOE S2**

- 200 Joule steel toe capShock absorber heel

- Anti-StaticSlip Resistant
- Washable to 40°C
- EN ISO 20345 S2 SRC













Product Code: CF862

Available in Sizes: 04-07

Unit of Measure:

Available in Colours:



Black CF862



200 Joule Composite Toe



Fuel Oil Resistant Sole Shock Absorber Heel



Conforms to EN ISO 20345 S1P SRC





Cat 2 - Intermediate Risk

#### MICRO FIBRE LADIES TRAINER

- Black Microfibre upper
- Light blue sandwich mesh lining
   Black/Light blue EVA/rubber sole
   200 Joule Composite toe cap
   Composite Midsole
   Shock absorber heel

- Oil resistant sole Anti slip sole
- Conforms to EN ISO 20345:2011 S1P SRC
- Sizes EU 36(3) 42(8)









Available in Colours:

Cat 1 - Minimal Risk

#### **CLICK FLAT SHOE LACE**

Flat shoe lace 70cm in length









Product Code: CTF59

Available in Sizes: 3 - 13

Unit of Measure:

Available in Colours:



Anti Slip Sole



Cat 2 - Intermediate Risk



Composite Midsole 200 Joule Composite Toe



Fuel Oil Resistant Sole



Shock Absorber Heel



Conforms to EN ISO 20345 S1P SRC

#### **CLICK NON METALLIC TRAINER SHOE**

- Dual density PU
- 200 Joule composite toe cap
  Composite midsole protection
  Shock absorber heel

- Anti-staticSlip resistant
- Breathable mesh lining
  Conforms to EN ISO 20345: 2011 S1P









Product Code: LAV1204

Available in Sizes: 02-13

Unit of Measure: Each

Available in Colours:




100% Non Metallic



Antistatic



Compostie Toe Cap















- Protective Kevlar Midsole (resistant at perforation 1100N
   Composite Toe Cap (resistant to impact 200J and compression 15Kn)
   PU rubber outsole: anti vibration, antistatic, resistance to fuel oil
- Energy absorption on seat region
  WR full grain black leather
- 100% Metal Free











- Composite Toe Cap (resistant to impact 200J and compression 15Kn)
   PU rubber outsole: anti vibration,
- antistatic, resistance to fuel oil
- Energy absorbentElectric Static Discharge
- Textile absorbing lining and soft tongue







LAV1215

Available in Sizes: 02-08

Unit of Measure:

Available in Colours:




100% Non Metallic



Antistatic



Compostie Toe Cap









Shock Absorber





Product Code: SW2010

Available in Sizes: 5 - 12

Unit of Measure: Each

Available in Colours:



Anti Slip Sole



Cat 2 - Intermediate Risk



Fuel Oil Resistant Sole



Shock Absorber Heel



200 Joule Steel Toecap



Conforms to EN ISO 20345 S1 SRC

#### **MANAGERS SHOE S1**

- 200 joule steel toe capShock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper









Product Code: SW2011

Available in Sizes: 5 - 12

Unit of Measure: Each

Available in Colours:



Black SW2011



Anti Static Sole



Cat 2 - Intermediate Risk



Leather Upper Fuel Oil Resistant Sole



Shock Absorber Heel



200 Joule Steel Toecap





Conforms to EN ISO 20345 S1 SRC

#### **BROGUE SHOE S1**

- Mono Density PU
- 200 joule steel toe cap
  Shock absorber heel
  Anti-static
- Oil resistant soleSlip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1 SRC









Product Code: UPRS20134

Unit of Measure:

Available in Colours:

Black
UPRS20134

#### **Marlin Safety Shoe**

Safety shoes low, light and comfortable U-Power of the Red 360. High abrasion resistant PUTEK® star upper, water resistant, breathable, with Lycra® fibre fabric collar and heel shock shield, aluminum toecap, anti-puncture, anti-slip and PU / PU infinergy, All products in this collection are protected by EU-registered designs.

Complies to EN ISO 20345 - S3 SRC CI







#### MATT LIGHT SAFETY SHOE ESD

Lightweight safety shoes with Airtoe® Aluminium toecap and sole made with an ultra light innovative new generation PU compound that significantly reduces the weight of the shoe.

The lightness of this safety shoe allows for greater freedom of movement, greater energy and better performance.

Safety shoes for women and men, with upper in PUTEK® star highly resistant to abrasion, water repellent and breathable. Toe protection with abrasion-resistant scuff cap.

Breathable shoes with no-slip, anti-static, oil-resistant and abrasion-resistant sole with innovative ultralight puncture-resistant textile insole, ideal for: craftsmen, electricians, carpenters, warehouse workers, and the logistics and transport sectors.

Comfort and well-being guaranteed by the Wingtex breathable air tunnel lining and the U-Power Original insole in light polyurethane compound soft polyurethane, anatomical. breathable and antibacterial.

Conforms to EN ISO 20345:2011

S3 SRC CI ESD protection class safety shoes which offer special protection of the sole from the cold.





BEESWIFT

**FOCUSED ON SAFETY** 

Product Code:

Available in Sizes: 02-13

Unit of Measure:

Available in Colours:

Black
UPRV20014

Airtoe Aluminium

uPower-Original

uPower-Secoso

uPower-SaveFlexair

Electrostatic Discharge

uPower-NaturalComfort

UPRV20014







Product Code: UPRV20104

Available in Sizes: 02-13

Unit of Measure: Each

Available in Colours:
Black
UPRV20104

Airtoe Aluminium

Electrostatic Discharge Protection uPower-NaturalComfort

di owei-ivaturarcomi

uPower-Original

uPower-SaveFlexair



uPower-Wingtex

BEESWIFT

**FOCUSED ON SAFETY** 

Product Code

Available in Sizes: 02-13

Unit of Measure:

Available in Colours:

Black UPRV20134

Airtoe Aluminium

uPower-Original

uPower-Secoso

uPower-SaveFlexair

Electrostatic Discharge

uPower-NaturalComfort

**UPRV20134** 

#### LOGAN LIGHT SAFETY SHOE ESD

Low and light safety shoes with innovative perforation-resistant system consisting of an ultralight puncture-resistant textile insole and new generation PU compound sole.

These new highly innovative materials have allowed a considerable reduction in the overall weight of the shoe to the benefit of the well-being of the worker.

Super light S3 SRC CI ESD standard safety shoes with particular protection of the sole from the cold ( $\leq 10$ °C).

High-sturdiness PUTEK® star upper and toe protection with abrasion-resistant scuff cap. Non-slip, oil-resistant, abrasion-resistant and anti-static sole.

Super light safety shoes suitable for wet and dry environments and, in particular for: electricians, craftsmen, carpenters, warehouse workers, and the logistics and transport sectors.

Highly breathable safety shoes with air tunnel lining that ensures the dispersion and absorption of moisture and the U-Power original insole in polyurethane compound.

Conforms to EN ISO 20345:2011







#### THOMAS LIGHT SAFETY SHOE ESD

Lightweight safety work shoes with upper in Nubuck-effect soft microfibre.

These low work shoes, with Airtoe® Aluminium light toe cap, in S3 SRC CI ESD protection class, feature an ultra-light sole built using a new generation anti-abrasion, anti-oil, anti-slip and antistatic PU compound.

The brand new puncture-proof textile insole makes these work shoes lighter than traditional models ensuring the protection of the sole of the foot.

The use of these innovative materials for the outsole and the anti-puncture system, together with the Airtoe® aluminium toe cap, allow a considerable reduction in the overall weight of the work footwear, which greatly benefits the performance and wellbeing of the worker.

CI safety footwear, with special protection of the sole from the cold, ideal for: electricians, carpenters, craftsmen, warehouse workers, and for workers in the transport & logistics sector.

The U-Power Original insole, built using a light polyurethane compound ensures comfort and foot health thanks to its antibacterial, anatomical and breathable characteristics. WingTex Air tunnel lining.

Safety shoes for men and women.

Conforms to EN ISO 20345:2011











Product Code: UV85128

Available in Sizes: 03-13

Unit of Measure: Each

Available in Colours: Black / Red UV85128

#### **UVEX 1 X-TENDED SUPPORT S1 SRC SHOE**

General features

- · Particularly lightweight and versatile perforated S1 safety
- Made from synthetic materials, so suitable for people allergic to chrome
- All sole materials are free of silicones, plasticisers and other paint wetting impairment substances
  • Elastic laces for quick, individual adjustment, normal
- laces also provided
- Colour: black, red
- Available in sizes: 35 to 52

Protection features

- Protection class S1 in accordance with EN ISO 20345:2011 with additional marking for excellent slip resistance (SRC)
- Meets the ESD specification with bleeder resistor under 35 megaohms
- 100 % metal-free uvex xenova® toe cap compact. anatomically formed, not thermally conductive and with good side stability
- e Ergonomically designed outsole made from dual density polyurethane with excellent slip resistance
- Medial and lateral heel support for the foot with specially designed side frame – provides additional protection from ankle twisting, stabilises and guides the foot while providing impact protection

Comfort features

- Outstanding wearer comfort as a result of a recently developed last and the climate-optimised, breathable materials with perforation
- Virtually seam-free construction from high-tech microvelour material to eliminate pressure points
- Removable anti-static comfortable insole, with a moisture transport system and additional shock absorption around the heel and forefoot
- Soft padding on collar and tongue



#### uvex

#### **UVEX 1 SAFETY TRAINER**



Product Code: UV85448

Available in Sizes: 05-13

Unit of Measure:

Available in Colours: Black UV85448

- Extremely lightweight and flexible
- 100% metal-free
- uvex xenova® metal-free toe cap
- uvex climazone technology helps regulate internal temperature
- Breathable, water and abrasion-resistant upper mesh
  Virtually seamless design to eliminate pressure points
- Removable comfort insole, antistatic, c/w moisture
- uvex 3D hydroflex® foam insole shock absorbing
- PU sole with best shock absorbing properties
- EN ISO 20345:2011 S2 SRC







### BEESWIFT FOCUSED ON SAFETY

Product Code: 142

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours:



Green 142VP



Anti Static Sole



Fuel Oil Resistant Sole



Steel Midsole



200 Joule Steel Toecap



Various Chemical Resistant



Water Resistant

#### PROTOMASTER FULL SAFETY PVC WELLINGTON

- Steel Toe CapSteel Mid-Sole
- Oil Resistant Outsole Antistatic
- Energy Absorbing Sole
- WaterproofEN ISO 20345 S5 SRA







#### **PROTOMASTOR SAFETY**



Product Code: 171BV

Available in Sizes: 3 - 13

Unit of Measure:

Available in Colours:



Energy absorbing



Protective toecap

Waterproof



Slip resistant outsole SRA



SB SB

- 100% waterproof
- PVC/Nitrile
- Steel Toe Cap
- Oil resistant outsole
- Various chemical resistant
   Resists minerals, animal and plant oils and fats, blood, disinfectants, fertilizer, various chemicals
   EN ISO 20345:2011 Personal protective equipment. Safety
- footwear SB E FO SRA









Product Code: A242A31

Available in Sizes: 06.5-12

Unit of Measure: Each

Available in Colours:



Antistatio

Chemical resistant

Oil resistant outsole



Protective toecap + midsole



Slip resistant outsole SRA



#### **ACIFORT CONCRETE F/S**

The only real boot solution for concrete work, protecting construction workers who are involved in structural work. Based on a modified Dunlop® Acifort® compound, with a higher concentration of added polymers and nitrile, the boot offers an excellent resistance against bases that are found in concrete chemicals. The dense compound protects against protruding objects and the rigid outsole offers extra comfort and protection when walking on concrete forewards. concrete formwork .

- Ankle protection and reinforced heel area assure safety in all directions.

  • Unique rib-design additional protection
- Resistance to: various chemicals found in concrete
   EN ISO 20345:2011 SB P A FO AN SRA







#### **ACIFORT RIBBED FULL SAFETY WELLINGTON**

This boot, which is suitable for various construction environments, has a ribbed top to protect the shinbone (metatarsal). Strong and durable.

- Acifort full safetyToecap protectionMidsole protection
- Energy absorbent
- Oil resistant outsole
- 100% Waterproof
- Ribbed to protect shinbone
  EN ISO 20345 SBP P A FO SRA











Product Code: A442

Available in Sizes: 06 - 13

Unit of Measure: Each

Available in Colours:



Antistatio



Energy absorbing



Oil resistant outsole



Protective toecap + midsole Slip resistant outsole SRA



Waterproof



#### **ACIFORT HEAVY DUTY FULL SAFETY WELLINGTON**

Dunlop has improved its Acifort® Agri Range. The Acifort Heavy Duty Full Safety now features a dark green shaft, black outer sole with a third, red intermediate layer (NEW) for immediate safety recognition. The boot is certified according to the most recent European standards.

A practical and durable work boot for farm work. Excellent resistance to various liquids and materials and a good life span. Ideal for less intensive and general tasks on the farm. Features a steel-tipped toe and steel midsole for impact and penetration

- Toecap protection
  Midsole protection
  Energy absorbing sole
  Antistatic
- Slip resistant
- 100% Waterproof
- · Resists minerals, animal and plant oils and fats, disinfectants, fertilizer, various chemicals
  • EN ISO20345:2011 S5 SRA







#### **ACIFORT HEAVY DUTY**



Product Code: A4422B1

Available in Sizes: 06-12

Unit of Measure:

Available in Colours:



Yellow A4422B1

- Strong abrasion resistant outsole for extra durability
- Easy cleaning and SRA+ rated slip resistant outsole
- Shock absorbing heel design

- Suitable for use under protective suits (EN943-1 certified)
   Excellent level of toe protection
   Nitrile and polymers enhanced PVC compound for basic chemical protection
- Reinforced ankle protection
- EN ISO 20345:2011 S5 SRA









Product Code: B440631

Available in Sizes: 06 - 13

Unit of Measure: Each

Available in Colours:



Anti Slip Sole Anti Static Sole

Fuel Oil Resistant Sole



Various Chemical Resistant Water Resistant

#### **ACIFORT HEAVY DUTY**

Dunlop has improved its Acifort® Agri Range. The Acifort Heavy Duty now features a dark green shaft, black outer sole with a third, yellow intermediate layer (NEW) for immediate safety recognition. The boot is certified according to the most recent European standards.

A practical and durable work boot for farm work. Excellent resistance to various liquids and materials and a good life span. Ideal for less intensive and general tasks on the farm.

- Anti-Static
- Energy Absorbing
- Resistance to minerals, animal and plaint oils and fats, fertilizer, acids, disinfectants, various chemicals
   Waterproof

EN ISO 20347:2011.O4.FO.SRA







#### **DUNLOP PRICEMASTER NON SAFETY WELLINGTON**

A standard boot for less intensive farming applications.

- Colour: Black
- Standard: CE

**BEESWIFT** 

NLINE

Available in Sizes: 3 - 12

Product Code:

BB

Unit of Measure:

Available in Colours:



Green BBG



Waterproof



CE

Cat 1 - Minimal Risk

No steel components

- Non safety100% Waterproof









Product Code: **BBPUSB** 

Available in Sizes: 03-12

Unit of Measure: Pair

Available in Colours:



Orange BBPUSBOR



#### **PU SAFETY BOOT S5 HI VIS**

The B-Dri Fluoro Boot is a Fluorescent full safety wellington boot offer great protection in many environments, while ensuring the wearer has maximum comfort and vibrant visibility. The Fluoro boot has been designed for all day use, and as such we have made this lighter than most PVC or Rubber full safety boots. These boots come in two stand out colours fluorescent yellow and Fluorescent orange.

- Fluorescent high quality and flexible polyurethane S5 Safety wellingtons
- Superior grip and excellent thermal insulation down to -20 degree centigrade
- Providing great comfort and strength even in extreme temperatures
   These hard wearing work boots are more comfortable and much lighter than any classic PVC or rubber safety boots
- - Steel toe cap protection
    Steel midsole protection
  - · Energy absorbing sole
  - Antistatic
  - 100% waterproof
  - Cold insulating
  - Resistance to various chemicals, oils and fats
    EN ISO 20345: 2011 SRC CI S5
    EU size 36 47 UK size 3 12

Areas of use's Construction Agriculture Cold storage Forestry Refuse

Great alternative to: C762241 - Dunlop Purofort full safety







#### **PVC SAFETY WELLINGTON**

- PVC / Nitrile
- Steel Toe Cap
- Various chemical resistant
- Oil resistant outsole
- 100% waterproof
- EN ISO 20345: 2011 S4 SRC









# **BEESWIFT**

Product Code: BBSSB

Available in Sizes: 3 - 12

Unit of Measure: Each


Available in Colours:



Acid & Alkali Resistant





















**BEESWIFT** 

**FOCUSED ON SAFETY** 

**Product Code** 

**BNPAN1P9180** 

#### **B-DRI BUDGET S-SAFETY**


- Full SafetySteel midsole
- Various chemical resistant
- Oil resistant outsole
- 100% waterproof
- EN ISO 20345:2011 S5 SRC











Standard fitting

- Available in non safety (04), steel toe cap (S4), toe cap and midsole (S5)
- Excellent grip
   Increased slip resistance: SRC approved
- Resistant to fats, manure and a variety of chemicals
- Kick-off spur
- Thermal insulation -20°C
  EN ISO 20347:2012 04.SRC.CI





















 Neotane material: proprietary polyurethane formulation: light, flexible, long lasting

• Suitable for use in the food industry

Standard fitting

Safety: steel toe cap S4

Excellent grip
 Increased slip resistance: SRC approved
 Resistant to fats, manure and a variety of chemicals

Kick-off spur

Thermal insulation -20°C

RFID incl


EN ISO 20345:2011 S4 .SRC CI











Safety: steel toe cap S4
Excellent grip
Increased slip resistance: SRC approved

Resistant to fats, manure and a variety of chemicals

Kick-off spur

• Thermal insulation -20°C

PVC freeRFID incl.

EN ISO 20345:2011 S4 .SRC CI







**BEESWIFT** 

**FOCUSED ON SAFETY** 

**Product Code** 


BNPAN3P5353

Available in Sizes: 3.5 - 13

Unit of Measure:

Available in Colours: Blue BNPAN3P5353





**BEESWIFT** 

**FOCUSED ON SAFETY** 

**Product Code** 

BNPAN4P8080

Available in Sizes: 04 - 13

Unit of Measure:

Available in Colours: Black BNPAN4P8080

> Anti-Bacterial Anti-Slip Anti-Static

Chemical Resistance Energy Absortion Full Safety Insulating Non Abrasion Oil Resistant

Waterproof

#### STEPLITE EASYGRIP FULL SAFETY S5

- Neotane material: proprietary polyurethane formulation: light, flexible, long lasting
   Standard fitting
- Safety: steel toe cap and midsole S5
- Excellent grip
- Increased slip resistance: SRC approved
   Resistant to fats, manure and a variety of chemicals

- Kick-off spur
   Thermal insulation -20°C
   EN ISO 20345:2011 S5 .SRC CI









- Neotane material: proprietary polyurethane formulation: light, flexible, long lasting
- Standard fitting
- Safety: steel toe cap and midsole S5

- chemicals
- Kick-off spur











#### STEPLITE X THERMOPROTEC F/S S5 NON METALLIC

- Neotane material: proprietary polyurethane formulation: light, flexible, long lasting
   Non-metallic toe cap and midsole
- Extra high top & wide fitting: enhanced comfort
- Excellent grip
- Increased slip resistance: SRC approved
- Kick-off spur100% waterproof
- Cushioning effect in heel
  Thermal insulation 40°C
- Standard EN ISO 20345:2011 S5.SRC.CI







#### STEPLITE X THERMOPROTEC F/S S5 NON METALLIC

- Neotane material: proprietary polyurethane formulation: light, flexible, long lasting
- Non-metallic toe cap and midsole
   Extra high top & wide fitting: enhanced comfort Excellent grip
   Increased slip resistance: SRC approved

**BEKINA** 

- Kick-off spur 100% waterproof
- Cushioning effect in heel
- Thermal insulation 40°C
  Standard EN ISO 20345:2011 S5.SRC.CI















#### STEPLITE X SOLID GRIP FULL SAFETY S5

- Neotane material: proprietary polyurethane formulation: light, flexible, long lasting
  Wide fitting:
- Safety: steel toe cap and midsole S5
- Excellent grip
- Increased slip resistance: SRC approved
   Resistant to fats, manure and a variety of chemicals
- Kick-off spur


- Cushioning effect in heel
  Thermal insulation 30°c
  Standard EN ISO 20345:2011 S5.SRC.CI







#### STEPLITE X SOLID GRIP F/S S5 NON METALLIC



- Non-metallic toe cap and midsole
   Extra high top & wide fitting: enhanced comfort Excellent grip
   Increased slip resistance: SRC approved
- Kick-off spur 100% waterproof
- Cushioning effect in heel
- Thermal insulation 30°c
  Standard EN ISO 20345:2011 S5.SRC.CI











**BEESWIFT** 

**FOCUSED ON SAFETY** 

Product Code

BNXAN9P8080





#### **RIGLITE X SOLIDGRIP FUR S5 FULL SAFETY**

- Neotane material: proprietary polyurethane formulation: light, flexible, long lasting
   Winter Lined
- Ultralight quick boot with pull-on loop
- Wider fitting
- · Safety: steel toe cap and midsole (S5) for optimal protection
- 100% waterproof for warm and dry feet
- Multipurpose, slip-resistant outsole: SRC certified
- Abrasions-resistant, deep treads for longer life
- Kick off spur: get out your boots with ease
  Standard EN ISO 20345:2011 S5.SRC.CI











**FOCUSED ON SAFETY Product Code** BNXRN4P7080

Waterproof

Available in Sizes: 3.5 - 14

Unit of Measure:

Available in Colours: Brown BNXRN4P7080



Chemical Resistance



Full Safety Insulating



Non Abrasion



Oil Resistant



Waterproof



- Neotane material: proprietary polyurethane formulation: light, flexible, long lasting

  Ultralight quick boot with pull-on loop

  Wider fitting

- · Safety: steel toe cap and midsole (S5) for optimal protection
- •100% waterproof for warm and dry feet
- Multipurpose, slip-resistant outsole: SRC certified
- Abrasions-resistant, deep treads for longer life
- Kick off spur: get out your boots with ease
  Standard EN ISO 20345:2011 S5.SRC.CI









**Energy Absortion** Full Safety Insulating

Oil Resistant

Waterproof

#### **THERMOLITE S5**

- Neotane material, proprietary polyurethane formulation: light, flexible, long lasting
   Safety: steel toe cap and midsole S5
- Standard fitting
- Strong grip
- Increased slip resistance: SRC
- 100% waterproofShock absorbing heel
- Resistant to fats, manure and a variety of chemicalsl
  Thermal insulation 50°c
  Standard EN ISO 20345:2011 S5.SRC.CI









Product Code: C662343

Available in Sizes: 05 - 13

Unit of Measure:

Available in Colours:





Chemical resistant



Superior comfort





Slip resistant outsole SRC



S5

#### **PUROFORT THERMO+ FULL SAFETY WELLINGTON**

The Purofort Thermo+ is the ideal boot for use in cold environments. Safe thanks to its steel-tipped toe and suitable for conditions down to -50°C, the Thermo+ protects workers against cold conditions. The heat-retaining sole ensures that workers stay comfortable, and the shock-absorbing technology and flexible upper sole offer freedom of movement.

- Steel toe cap
- Midsole protection
- Energy absorbing sole
- Antistatic100% WaterproofOil Resistant outsole
- Slip resistant
- Cold insulating
- Resistance: minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents, various chemicals.

  • Standard: EN ISO 20345:2011.S5.CI.SRC









#### **PUROFORT THERMO+ FULL SAFETY WELLINGTON**

Dunlop has improved its Purofort® Agri Range:

1. Lining; antibacterially treated, recognisable Dunlop red 2. Improved insole; premium, 3x better moisture absorption, 100% better energy absorption In addition, the communication on the boot and the Dunlop pair box has been improved. The Dunlop® Purofort® Thermo+ is certified according to the most recent European standards.

A strong, durable Purofort boot for a variety of uses in the agricultural sector. Excellent thermal insulation for temperatures down to -50°C thanks to the Purofort material technology. Shock-absorbing sole offers comfort for daily use. An easy-to-clean antislip tread for practical use on the farm. Features a steel-tipped toe and steel midsole for impact and penetration protection.

- Toecap protection
- Midsole protection
- Energy absorbing soleAntistatic
- 100% Waterproof
- Oil Resistant outsole
- Slip resistant Cold insulating
- Resists minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents, various chemicals.
  EN ISO 20345:2011 S5 CI SRC









Product Code: C762041

Available in Sizes: 06 - 13

Unit of Measure:

Available in Colours:

Black C762041











Oil resistant outsole



Slip resistant outsole SRC



S5

#### **PUROFORT+ FULL SAFETY WELLINGTON**

The ideal Purofort+ work boot for the construction & infrastructure sector. This boot has the highest non-slip certification, SRC. The shaped shaft offers a safe fit and the reinforced insole provides improved gripping properties and prevents sprained ankles.

Additional reinforcement in the metatarsal area and the heel offers the foot protection and support when moving. Insulated against the cold for temperatures down to -20°C. Lightweight and durable. Flexible for more comfort. Reflective strip on the heel for better visibility.

- Steel toe cap
- Midsole protection
- Energy absorbent
- Anti-static
- Oil resistant outsole
- Slip resistant100% Waterproof
- Cold insulating to -20°C
   Additional reinforcement in the metatarsal area
- Lightweight and durable SRC highest non slip certificarton
- Resistance: minerals, animal and plant oils and fats,
- disinfectants, fertilizer, solvents, various chemicals.

   Standard: EN ISO 20345:2011.S5.CI.SRC









#### PUROFORT+RUGGED FULL SAFETY RIGGER BOOT

The Dunlop® Rugged offers all the benefits of Purofort® and a superior outsole, making it an ideal boot for everyday construction work.

This is the only footwear to combine comfort and flexibility with durability under all weather conditions.

- 100% waterproof (no stitched seams)
  Keeping feet dry and warm
  Stays flexible and supple, with every step and movement
  Anatomically designed foot bed, offering support all day
- Easy to maintain and clean

- Does not dry out and crack
   Cut resistant upper
   Outsole with optimal grip on uneven and wet surfaces
   Steel toecap and midsole, offering full safety
   Cold insulation down to -20°C,

- · Resists minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents, various chemicals EN ISO 20345:2011 S5 CI CR SRC









Product Code: C762241

Available in Sizes: 05 - 12

Unit of Measure:

Available in Colours:





Chemical resistant



Superior comfort



Energy absorbing Oil resistant outsole



Protective toecap + midsole



Slip resistant outsole SRC



**S5** 

#### PUROFORT+FULL SAFETY WELLINGTON

The ideal Purofort+ work boot for the construction & infrastructure sector. This boot has the highest non-slip certification, SRC. The shaped shaft offers a safe fit and the reinforced insole provides improved gripping properties and

prevents sprained ankles. Insulated against the cold for temperatures down to -20°C. Lightweight and durable. Flexible for more comfort. Reflective strip on the heel for better visibility.

- Steel toe cap
- Midsole protection
- Energy absorbentAnti-static
- Oil resistant outsole
- Slip resistant
- 100% Waterproof
- Cold insulating to -20°C
- Lightweight and durable
   SRC highest non slip certificarton
   Resistance: minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents, various chemicals.
- Standard: ÉN ISO 20345:2011 S5 CI CR SRC









Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours:



Blue CA61631 Green CA61831





Chemical resistant



Superior comfort



Energy absorbing



Oil resistant outsole Protective toecap



Slip resistant outsole SRC









Dunlop® introduces a new generation of Purofort® boots for the Food Processing segment Industry. The FoodPro Multigrip boot has been specifically developed for food processing. Therefore the boot offers, in addition to all the benefits of Purofort® Technology solutions based on the specific endusers needs within the Food Processing Industry.

- 100% waterproof
- Steel toe cap protection
- Anti-static
- Energy absorbing
- Oil resistant outsole
- Slip resistant
- Extra smooth design and shaft: easy to clean
- Anti-Bac Lining
   Specifically designed for orthopedic insole
- Gender specific design
- Purofort Technology: light and durable
- Resists Mineral, animal and vegetable oils and fats, manure, blood, disinfectants, solvents and various chemicals.

EN ISO 20345:2011 S4 CI SRC







#### WARWICK FULL SAFETY WELLINGTON



**FOCUSED ON SAFETY** Product Code: D8864

Available in Sizes: 6 - 12

Unit of Measure:

Available in Colours:



Oil resistant outsole



Slip resistant outsole SRA



Steel Midsole

Conforms to EN ISO 20345 SBP

- Acifort full safety.
- PVC/Nitrile Rubber
- Steel toe cap
- Midsole protection Oil resistant outsole.
- 100% Waterproof.
  EN ISO 20345 SB P FO SRA









Product Code: GG

Available in Sizes: 3 - 11

Unit of Measure: Each

Available in Colours:



Green GG



Water Resistant

**BEESWIFT** 

**FOCUSED ON SAFETY** 

Product Code:

Available in Sizes: 06-13

Unit of Measure:

Available in Colours: Grey MZ2LE01

MZ2LE01

#### **WELLIE SHOE**

Easy-on and easy-off wellie shoe for agriculture areas. Resistant against minerals, animal and plant oils, fats, disinfectants and various chemicals including low-concentration acids, bases and fertilisers.

- Waterproof to give protection in wet conditionsNo steel components
- Non-safety









#### **ACIFORT METGUARD FULL SAFETY**



- EN-certified metatarsal and ankle protection keeps you safe for the toughest jobs
- Dunlop's Acifort provides extra chemical protection from fuel and acids
- Specially formulated Acifort outlasts the competition
   SRC rated outsole designed for maximum grip on the toughest terrains
- Tread wear indicator to monitor outsole performance
- Dual-density mid layer absorbs impact energy with every step

- Steel toecap protection
  Steel midsole protection
  Energy absorbing sole
  EN ISO 20345:2011 SB P E FO SRC M AN









Available in Sizes: 6 - 12

Unit of Measure: Each

Available in Colours:



Waterproof

CE

#### **PVC CHEST WADER**

Practical, durable wading pants; ideal for a variety of uses in the agricultural sector.

- No steel componentsColour: Green
- Standard: CE
- Non Safety100% waterproof.

Practical, durable wading pants; ideal for a variety of uses in the agricultural sector.

• 100% waterproof.







#### **FULL SAFETY CHEST WADER**

Practical, durable wading pants; ideal for a variety of uses in the agricultural sector. Features a steel-tipped toe and steel midsole for impact and penetration protection.

- Toecap protection.Midsole protection.Antistatic.
- Slip resistant.
- Energy absorbing sole.
- Resistant to mineral oils, animal and vegetable oils & fats.
- 100% waterproof.

EN ISO 20345:2011 S5 SRA











Product Code: PTW

Available in Sizes: 6 - 12

Unit of Measure: Each

Available in Colours:



...



#### THIGH WADER NON SAFETY


Practical, durable wading pants; ideal for a variety of uses in the agricultural sector.


• 100% waterproof.











#### Pictogram Key

✓ Antistatic

Clima Cork System

Electro Static Dissipative

Kevlar Midsole

100% Recycable

Sole Resistant to 300°

Steel Toe Cap

Waterproof Membrane

woman Woman

Airtoe Aluminium

uPower-NaturalComfort

<sup>™</sup>ໍ່ສະ uPower-SaveFlexair

wing wing tex uPower-Wingtex

Chainsaw Protection

Compostie Toe Cap

Exclusive PU Outsole

, 🦐 Oil Resistant Sole

Shock Absorber

Steel Midsole

Sympatex

water Resistant Upper

Cat 2 - Intermediate Risk

Electrostatic Discharge Protection

uPower-Original

uPower-Secosol

