

# SINDUSTRIAL PRODUCTS & SUPPLIES CATALOGIES





#### REPLACEMENT PLASTIC HARNESS

Replacement plastic harness for b-brand vented helmets.









#### REPLACEMENT RATCHET HARNESS

Replacement ratchet harness for b-brand vented helmets.









# FOCUSED ON SAFETY

Product Code: EY6840

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:



#### HARD HAT FLEECE LINER ECONOMY

- 2-Layer Poly/Fleece
  Shell: 100% polyester with PU coating
  Lining: 100% poly fleece
  Hook & loop chin strap

- Regular length











Product Code: EY6842

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:



Black EY6842BL Yellow EY6842Y

- Shell: 100% 150D oxford polyester

- Lining: 100% polyester fleece
  Warming pack pockets for added warmth
  Hook & loop chin strap and hard hat attachments









**Product Code:** MSA10118417

Available in Sizes: ONE SIZE

Unit of Measure: Dozen

Available in Colours:



#### V-GARD LINER KNIT CAP

Approved for use with all V-Gard Helmet Models, the V-Gard Knit cap provides ultimate protection against cold and humidity:

• Stylish and comfortable knit cap

- Design prevents liner from obstructing vision
  Allows the safety helmet to remain stable
- 100% high bulk acrylicSold in packs of 12









**BBEVSH** 

Unit of Measure: Each

Available in Colours:



Blue BBEVSHB



Green BBEVSHG Orange BBEVSHO



Red BBEVSHRE White BBEVSHW



Yellow BBEVSHY



Cat 2 - Intermediate Risk

#### **ECONOMY VENTED SAFETY HELMET**

- Modern Stylish Design
- ABS Shell
- Vents to crown
- LightweightPlastic harness c/w sweatbandSlots for attachments
- Conforms to EN397









BBFK

Unit of Measure:

Available in Colours: Orange



Cat 3 - High Risk

#### **FORESTRY KIT**

- Kit contains
  1 x ABS Safety Helmet.
  1 x Set of Clip-on Ear Defenders. (SNR 23)
  1 x Chin Strap.
- 1 x Mesh Face Shield with Mount.

Suitable for Forestry, Strimming and Agricultural. Conforms to the following standards. EN397, EN352-3, EN1731.

- Conform to EN166:
- Optical Class:1
   F (Low impact energy)









#### **SAFETY BASEBALL CAP**

Stylish fashionable 100% cotton baseball cap with ventilation holes. Fitted over a plastic shell providing lightweight head protection.

Fits 54cm - 59cm Circumference

Conforms to EN812: 2012











Unit of Measure:

Available in Colours:

Orange BBSBCOR

Cat 2 - Intermediate Risk

### **B-BRAND SFTY BASEBALL CAP WITH RETRO REFLECTIVE**

- Stylish fashionable baseball cap with mesh side panels & ventilation holes.
  Fitted over an ABS durable plastic shell, providing lightweight head protection.
  65/35% Polyester cotton hi viz cap with reflective tape

- Fits 54cm 59cm Circumference
- Conforms to EN812: 2012
- Does not conform to EN ISO 20471









**BBSBCY** 

Unit of Measure: Each

Available in Colours: Saturn Yellow BBSBCY



Cat 2 - Intermediate Risk

#### **B-BRAND SFTY BASEBALL CAP WITH RETRO REFLECTIVE TAPE**

- Stylish fashionable baseball cap with mesh side panels & ventilation holes.
- Fitted over an ABS durable plastic shell, providing lightweight head protection.
- 65/35% Polyester cotton hi viz cap with reflective tape
   Fits 54cm 59cm Circumference
- Conforms to EN812: 2012
- Does not conform to EN ISO 20471









#### **B-BRAND REDUCED PEAK HELMET**

- Reduced peak industrial safety helmet.
  ABS vented shell to improve long period wear.
- Comfort fit sweatband.
- 6 point webbing harness.
- Ratchet adjustment.
- Complete with 4 point chinstrap.
   30mm slot fixing point for attachments
- EN397:2012+ A1:2012














Short peak

Fits 53cm - 62cm Circumference
Conforms to EN812 - 2012







Cat 2 - Intermediate Risk

**BEESWIFT** ONLINE

Product Code: **BBSPSBC** 

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours: Navy Blue BBSPSBCN





BEESWIFT

Product Code: BBVHSBN

Available in Sizes: One Size

Unit of Measure: Bx 10

Available in Colours:

Black
BBVHSBN

Cat 1 - Minimal Risk

#### **VENTED HELMET CHIN STRAP**

Comfortable and easy to adjust









#### **VENTED HELMET SWEATBAND**

- Sweatband for use with Vented Safety Helmets (BBVSH/BBEVSH).
- Comfortable when worn over long periods









#### **COMFORT VENTED SAFETY HELMET**

- Modern Stylish DesignABS Shell
- Vents to crown
- Lightweight
- 6 point webbing harness
- Slip-ratchet headband adjustment

- Slots for attachments
   Complete with terry towelling sweatband
   Available in 7 colours
   Conforms to EN397









**BBVSHRH** 

Unit of Measure: Each

Available in Colours:



Blue BBVSHRHB



Red BBVSHRHRE



Yellow BBVSHRHY



Cat 2 - Intermediate Risk

#### WHEEL RATCHET VENTED SAFETY HELMET

- Modern Stylish Design
- ABS Shell
- Vents to crown
- LightweightWheel ratchet adjustment harnesssSlots for attachments
- Complete with terry towelling sweatband
   Conforms to EN397









Navy Blue BCN Red BCRE Royal Blue BCR

Cat 1 - Minimal Risk

#### **BASEBALL CAP**

- 100% Cotton
- Standard peaked cap
  Comfortable to wear over long periods
- 5 Panel Cap
- Pull down buckram
- Plastic Snap AdjusterOne size fits all









CNS01CWA

Unit of Measure: Each

Available in Colours:



#### 1100 FP S/RATCHET HELMET

- HDPE general purpose safety helmet fitted with a 6-point plastic cradle
   Conforms to EN 397:2012+A1:2012









CNS03BA

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

Blue CNS03BA



- General purpose HDPE helmet
  Slip headband and Terylene Cradle
- Approved to EN 397











- General purpose HDPE helmet
- Slip headband and Terylene Cradle
  Approved to EN 397

**1125 SAFETY HELMET** 







Unit of Measure: Each

Available in Colours:







CNS03WA

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

White CNS03WA




- General purpose HDPE helmet
  Slip headband and Terylene Cradle
- Approved to EN 397











Slip headband and Terylene Cradle
Approved to EN 397







CNS03YA

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

Yellow CNS03YA





Product Code: CNS08BL

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:



### **CONCEPT LINESMAN SAFETY HELMET**

- Lightweight ABS helmet for wearer comfort and ideal for prolonged use
- The Linesman provides advanced security with a quick release 4 point harness and reduced peak for improved
- upward visibility
   Approved to EN 397 including 1000V a.c. option, EN 50365











Product Code: CNS08CBRF

Unit of Measure: Each

Available in Colours:



Blue CNS08CBRF

- Lightweight ABS helmet for wearer comfort and prolonged use Includes premium Twist2Fit Ratchet headband for a quick and easy custom fit
  Ideal for roofing, steel erecting, scaffolding and installation work
  Approved to EN 397, EN 50365
- Vented







# FOCUSED ON SAFETY

Product Code: CNS08CKRF

Unit of Measure:

Available in Colours:

Black CNS08CKRF



- Light, strong and comfortable helmet.
  Manufactured from high quality, strong
- ABS material
- The Concept is up to 20% lighter than
- most other helmets.

   Approved to EN 397, EN 50365












Product Code: CNS08CLBRF

Unit of Measure: Each

Available in Colours:

Light Blue CNS08CLBRF









## FOCUSED ON SAFETY Product Code:

CNS08CRF

Unit of Measure:

Available in Colours:



#### **CONCEPT REDUCED PEAK VENTED SAFETY HELMET**

- Light, strong and comfortable ABS helmet
   Only 300g, Lighter than most other
- helmets
- For prolonged usage where weight and
- comfort is paramount
   Approved to EN 397, EN 50365












**Product Code** CNS08CWRF

Unit of Measure: Each

Available in Colours:

White CNS08CWRF











Product Code: CNS08LBA

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

Light Blue CNS08LBA




- Light, strong and comfortable ABS helmet
  Only 300g, Lighter than most other
- For prolonged usage where weight and
- comfort is paramount
   Approved to EN 397, EN 50365











Product Code: CNS08RL

**BEESWIFT** FOCUSED ON SAFETY

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:

Red CNS08RL

- · Lightweight ABS helmet for wearer comfort and ideal for
- The Linesman provides advanced security with a quick release 4 point harness and reduced peak for improved upward
- Approved to EN 397 including 1000V a.c. option, EN 50365









Product Code: CNS08WA

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

White CNS08WA



- Light, strong and comfortable ABS helmet
   Only 300g, Lighter than most other helmets
   For prolonged usage where weight and comfort is paramount
- Approved to EN 397, EN 50365
- Unvented











Product Code: CNS08WF

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:

White CNS08WF

- Light, strong and comfortable ABS helmet
  Only 300g, Lighter than most other
- helmets
   For prolonged usage where weight and
- comfort is paramount
   Approved to EN 397, EN 50365









Product Code: CNS08WL

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

White CNS08WL

#### **CONCEPT LINESMAN SAFETY HELMET**

- Lightweight ABS helmet for wearer comfort and ideal for prolonged use
- The Linesman provides advanced security with a quick release 4 point harness and reduced peak for improved
- upward visibility
   Approved to EN 397 including 1000V a.c. option, EN 50365











Product Code: CNS09CWA

Unit of Measure: Each

Available in Colours:

White CNS09CWA

- Full Peak
- Light, strong and comfortable ABS helmet
  Only 300g, Lighter than most other
- helméts For prolonged usage where weight and comfort is paramount
  Approved to EN 397, EN 50365
- Unvented









CNS09CWF

Unit of Measure:

Available in Colours:

White CNS09CWF



- Light, strong and comfortable ABS helmet
  Only 300g, Lighter than most other
- For prolonged usage where weight and comfort is paramount
  • Approved to EN 397, EN 50365












CNS10PLUSEBA


Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:

Blue CNS10PLUSEBA











## BEESWIFT FOCUSED ON SAFETY

Product Code: CNS10PLUSEBLA

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours: Black CNS10PLUSEBLA

#### **VISION PLUS SAFETY HELMET WITH INTEGRATED VISOR**

- Specialised ABS safety helmet with fully integrated retractable moulded visor
- The visor design allows for prescription eyewear to be used underneath it Anti-scratch and anti-mist coating for
- Introduction and anti-first coaling for improved durability and visibility
  Visor achieves Grade A High Energy Impact Protection to EN 166
  Visor approved to EN 166
  Helmet approved to EN 397











CNS10PLUSEORA

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours: Orange CNS10PLUSEORA

 Specialised ABS safety helmet with fully integrated retractable moulded visor The visor design allows for prescription New York design allows for prescription eyewear to be used underneath it
 Anti-scratch and anti-mist coating for improved durability and visibility
 Visor achieves Grade A High Energy Impact Protection to EN 166

 Visor approved to EN 166 Helmet approved to EN 397









CNS10PLUSEWA

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

White CNS10PLUSEWA

#### VISION PLUS SAFETY HELMET INTEGRATED VISOR

- Specialised ABS safety helmet with fully integrated retractable moulded visor
   The visor design allows for prescription eyewear to be used underneath it
   Anti-scratch and anti-mist coating for
- improved durability and visibility

  Visor achieves Grade A High Energy
- Impact Protection to EN 166

  Visor approved to EN 166

  Helmet approved to EN 397









A general purpose HDPE safety helmet with a unique rear flash in high visibility yellow or orange for added wearer security

6 point Nylon Textile cradle

Brushed Nylon sweatband

Ventilation as standard

Approved to EN 397, EN50365



Available in Colours:



Unit of Measure:







## BEESWIFT FOCUSED ON SAFETY

Product Code: CNS12BHVYA

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

Blue CNS12BHVYA

#### REFLEX SAFETY HELMET BLUE C/W YELLOW REAR FLASH

- A general purpose HDPE safety helmet with a unique rear flash in high visibility yellow or orange for added wearer security
- 6 point Nylon Textile cradleBrushed Nylon sweatband
- Ventilation as standard
- Approved to EN 397, EN50365











**Product Code** CNS12EHVOA

Unit of Measure: Each

Available in Colours:



Grey CNS12EHVOA

- A general purpose HDPE safety helmet with a unique rear flash in high vis orange
  6 point Nylon Textile cradle
  Brushed Nylon sweatband

- Ventilation as standard
  Approved to EN 397, EN50365









CNS12WHVOA

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

White CNS12WHVOA



- A general purpose HDPE safety helmet with a unique rear flash in high visibility yellow or orange for added wearer security
  6 point Nylon Textile cradle
- Brushed Nylon sweatband
- Ventilation as standard
- Approved to EN 397, EN50365











**Product Code** CNS12WHVYA

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:

White CNS12WHVYA

- A general purpose HDPE safety helmet with a unique rear flash in high visibility yellow or orange for added wearer security

  6 point Nylon Textile cradle

  Brushed Nylon sweatband

  Ventilation as standard

  Approved to EN 397, EN50365









CNS16EBA

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:



#### **NEXUS CORE SAFETY HELMET**

- Modern recreational styling combined with multi standard protection
   Optimised 'micro' peak providing maximum upward visibility without compromising safety
   Stickers shown are an optional extra
- Approved to EN 397, EN 50365











**Product Code** CNS16EBFMR

Unit of Measure: Each

Available in Colours:



Blue CNS16EBFMR

- Optimised 'micro' peak providing maximum upward visibility without compromising safety
- High performance lightweight liner with innovative ventilation channels for extra

- Premium Twist2fit Ratchet headband for easy adjustment
   Stickers shown are an optional extra
   Approved to EN 12492 (The standard for Mountaineers & industrial work at heights)
- Conforms to EN 397 in respect of shock absorption, penetration, LD & -40°C, EN 50365









**Product Code:** CNS16EKFMR

Unit of Measure:

Available in Colours: Black CNS16EKFMR

#### **NEXUS HEIGHTMASTER SAFETY HELMET**


- Optimised 'micro' peak providing maximum upward visibility without compromising safety
- High performance lightweight liner with innovative ventilation channels for extra
- Premium Twist2fit Ratchet headband for easy adjustment
- Stickers shown are an optional extra
  Approved to EN 12492 (The standard for Mountaineers & industrial work at
- heights)
   Conforms to EN 397 in respect of shock absorption, penetration, LD & -40°C, EN











Optimised 'micro' peak providing maximum upward visibility without compromising safety

Stickers shown are an optional extra
Approved to EN 397, EN 50365







CNS16EWA

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:

White CNS16EWA





Product Code: CNS16EWFMR

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

White CNS16EWFMR

#### **NEXUS HEIGHTMASTER SAFETY HELMET**

- Optimised 'micro' peak providing maximum upward visibility without compromising safety
   High performance lightweight liner with innovative ventilation channels for extra airflow
- Premium Twist2fit Ratchet headband for easy adjustment

- Stickers shown are an optional extra
   Approved to EN 12492 (The standard for Mountaineers & industrial work at heights)
   Conforms to EN 397 in respect of shock absorption, penetration, LD & -40°C, EN 50365









- General purpose HDPE helmet
- Slip headband and Terylene Cradle
- Approved to EN 397







CNS17WA

Unit of Measure: Each

Available in Colours:

White CNS17WA





Unit of Measure:

Available in Colours:



Blue CNS19



Orange CNS19



White CNS19

Yellow CNS19

#### **S19 BUMP CAP**

This low impact lightweight Bump cap offers hygienic protection - ideal for use in the food industry when sterilisation is required.

- Conforms to EN 812:2012
- Available in six colours- White, Yellow, Blue, Green, Orange, Red
  Features a PVC sweatband for comfort
  Replaceable, adjustable plastic cradle
  Lightweight HDPE (200G)


- Reduced peakAvailable for pad printing











Product Code: CNS20BA

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:



Blue CNS20BA

- integrated retractable over spectacles The over spectacle design allows for prescription eyewear to be used underneath it Overspectacles provide Grade B medium energy impact protection to EN 166, better
- than standalone spectacles Anti-scratch and anti-mist coating provides
- improved durability and visibility Largest front logo area of any industrial safety helmet
- Helmet approved to EN 397, EN 50365 Visor approved to EN 166









Product Code: CNS20REA

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

Red CNS20REA

### SPECTRUM SAFETY HELMET RED C/W INTEGRATED EYE PROTECTION

- Specialised ABS safety helmet with integrated retractable over spectacles
- The over spectacle design allows for prescription eyewear to be used underneath it
- Overspectacles provide Grade B medium energy impact protection to EN 166, better than standalone spectacles
   Anti-scratch and anti-mist coating provides
- improved durability and visibility


   Largest front logo area of any industrial
- Largest front logo area of any industrial safety helmet
- Helmet approved to EN 397, EN 50365
   Visor approved to EN 166











- The over spectacle design allows for prescription eyewear to be used underneath it
  Overspectacles provide Grade B medium energy impact protection to EN 166, better than standalone spectacles
- Anti-scratch and anti-mist coating provides improved durability and visibility
- Largest front logo area of any industrial safety helmet
- Helmet approved to EN 397, EN 50365 Visor approved to EN 166







Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

White CNS20WA





Product Code: CNS22WA

Unit of Measure:

Available in Colours:

White CNS22WA

#### **VULCAN WHITE SLIP RATCHET HELMET**

- Specialised fibreglass Vulcan safety helmet is designed to protect workers where there is a risk from high levels of radiant heat
   Polyester Resin shell which is Glass Reinforced Plastic (GRP) resistant to radiant temperatures of up to 500°C
   Comfortable fit with Terylene 6-Point Cradle and Brushed Nylon Sweatband

- Approved to EN397:2012











- Removable foam side inserts (providing 45% more shock absorbency compared to standard ABS liner)
- Peak length 50mmApproved to EN 812:2012







Product Code: CNS28BL

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours: Black CNS28BL





Product Code: CNS28NB

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

Navy Blue CNS28NB

#### **COOL CAP BASEBALL BUMP CAP**

- Sleek 3 panel design with improved side ventilation
- Removable foam side inserts (providing 45% more shock absorbency compared to standard ABS liner)
- Peak length 50mmApproved to EN 812:2012











Product Code: CNS30EN

Unit of Measure: PK 10

Available in Colours: Black CNS30EN

- Adjustable Elasticated Chinstrap
- Plastic Chin Cup
- Easy to connect
- Fits all Centurion Safety Helmets excluding Vulcan









Product Code: CNS30LYN

Unit of Measure: PK 10

Available in Colours: Black CNS30LYN

#### **EN 397 LINESMAN 4 POINT HARNESS**

• 4-point EN 397 Harness providing additional wearer comfort and helmet stability









- Lightweight and compact liner for improved impact and Engitweight and compact time for impoved impact penetration protection according to EN 12492
   In conjunction with the EN 12492 S30NY harness, upgrade Nexus Core to Nexus Heightmaster
   Replacement liner for Nexus Heightmaster







Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:

Black CNS30NL





CNS30NYN

Unit of Measure: PK 10

Available in Colours:



Blue CNS30NYN



- High quality replaceable Nexus 4-point harness with easy side adjustment
- Provides approval to EN 12942. Working at Height
  (Mountaineering helmet standard) in conjunction with S30NL (Nexus Heightmaster Liner











**CNS30SNHIRS** 

Available in Sizes: ONE SIZE

Unit of Measure: Bx 5

Available in Colours: Chrome CNS30SNHIRS

- Designed specifically for applying to Centurion Nexus Safety helmets for improving wearer visibility and safety

  • Sticker set provides coverage on the front, top, sides, rear of the helmet

  • Material approved to EN 12899-1 Ra2
- One set of stickers for one helmet
- Five sets of stickers to a pack









Product Code: CNS31DN

Unit of Measure: PK 10

Available in Colours: Black CNS31DN

#### **S31D DRYTECH SWEATBAND**

- Premium Sweatband with superb drying capability and excellent Fits all Centurion Safety helmets except Reflex
   Up to 40% faster drying

- Absorbs 4x more moisture







#### **BRUSHED NYLON SWEATBAND**

- Brushed nylon sweatband for improved comfort
- To Fit 1125, Reflex and Vulcan helmets2mm thick foam layer







Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours: Black CNS31N





Product Code: CNS38BLRP

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

Black CNS38BLRP

#### AIRPRO BASEBALL BUMP CAP REDUCED PEAK

- All the components have been designed to provide maximum air circulation
  The unique rear design provides a very secure fit on the head
  Shell, pad and cover are washable

- Peak length 50mm
- Approved to EN 812:2012











• The unique rear design provides a very secure fit on the head

Shell, pad and cover are washablePeak length 50mm

Approved to EN 812:2012



Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:









Product Code: CNS38HVY

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours: Hi Vis Yellow CNS38HVY



- All the components have been designed to provide maximum air circulation
  The unique rear design provides a very secure fit on the head
  Shell, pad and cover are washable
  Peak length 50mm


- Approved to EN 812:2012











Shell, pad and cover are washable
Peak length 50mm
Approved to EN 812:2012



CNS38NB

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:











Product Code: CNS38NBRP

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours: Navy Blue CNS38NBRP

#### AIRPRO BASEBALL BUMP CAP REDUCED PEAK

- All the components have been designed to provide maximum air circulation
  The unique rear design provides a very secure fit on the head
  Shell, pad and cover are washable
  Peak length 50mm

- Approved to EN 812:2012











**Product Code** CNS50HVOEDFC

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours: Hi Vis Orange CNS50HVOEDFC

- CE Approval to fit all Centurion Helmets
- A cold weather system designed to assist you during the Autumn through to the coldest Winter
- Zips onto Centurion Universal Fleece Helmet Liner
- High Visibility colours must meet the material requirements of EN 471









Product Code: CNS50UFL

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours: Black CNS50UFL

#### UNIVERSAL FLEECE HELMET LINER

- Fits all Centurion helmets
- Fits neatly between the helmet and cradle to provide warmth during cold weather











Product Code: CNS89SR

Unit of Measure: Each

Available in Colours: Black CNS89SR

- The Browguard system allows you to fit general purpose Face Screens or Chinguard Face Screens when a safety helmet is not
- Nylon
   Attaches quickly and easily to Face Screens or Chinguards
- Slip Ratchet
- MUST BE WORN WITH APPROPRIATE FACE SHIELD IN ORDER TO ACHIEVE PROTECTION









CNS910

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

Clear CNS910



- Clear PolycarbonateVisible Length when fitted 150mmChin guard not included

Conforms to EN166 1B 9 3
MUST BE WORN WITH APPROPRIATE BROW GUARD IN
ORDER TO ACHIEVE PROTECTION











Product Code: CNS91C

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:



- Chinguard can be fitted to the Centurion Chinguard Face

Clear Chinguard
 Clear Chinguard
 Polycarbonate
 EN166
 MUST BE WORN WITH APPROPRIATE FACE SHIELD AND BROW GUARD IN ORDER TO ACHIEVE PROTECTION









Product Code: CNSANA25

Unit of Measure:

Available in Colours:



Black CNSANA25



- Sana Ear Defenders offer a wide range of attenuation levels, from 25dB to 34dB, to suit the majority of industrial environments, providing protection against light industry noise through to extremely high noise levels.
- The Sana range was developed to provide superior performance and enhanced comfort and fit as well as being fully compatible with Centurion's safety helmets and face protection.
- Stylish cup design in matt Black with gloss features
- Colour coded ring and front printing for easy identification and selection of the correct attenuation level
- Easy to adjust steel arms for quick personalised fit Compatible with the full range of Centurion safety helmets and face protection (supplied with Euro & connect clips)
- Soft wide cushions for maximum comfort
- The Sana ear defender range is also available as headband mounted versions
- H=33dB,M=23dB,L=14dB
- SNR 25dB











Product Code: CNSANA30

Unit of Measure: Each

Available in Colours:



- Sana Ear Defenders offer a wide range of attenuation levels, from 25dB to 34dB, to suit the majority of industrial environments, providing protection against light industry noise through to extremely high noise levels.

  The Sana range was developed to provide superior performance and enhanced comfort and fit as well as being
- fully compatible with Centurion's safety helmets and face protection.
- Stylish cup design in matt Black with gloss features

- Stylish cup design in mail black with gloss features
   Colour coded ring and front printing for easy identification and selection of the correct attenuation level
   Easy to adjust steel arms for quick personalised fit
   Compatible with the full range of Centurion safety helmets and face protection (supplied with Euro & connect clips)
   Soft wide cushions for maximum comfort
   The Sana ear defender range is also available as
- The Sana ear defender range is also available as
- headband mounted versions
   H=36dB.M=282dB.L=20dB
- SNR 30dB







# BEESWIFT FOCUSED ON SAFETY

Product Code: CNSANA34

Unit of Measure: Each

Available in Colours:



Black CNSANA34

BEESWIFT FOCUSED ON SAFETY

Product Code: EY3155

Unit of Measure:

Available in Colours:

Yellow
EY3155

Each

#### SANA HELMET MOUNTED EAR DEFENDERS SNR 34

- Sana Ear Defenders offer a wide range of attenuation levels, from 25dB to 34dB, to suit the majority of industrial environments, providing protection against light industry noise through to extremely high noise levels.
- The Sana range was developed to provide superior performance and enhanced comfort and fit as well as being fully compatible with Centurion's safety helmets and face protection.
- Stylish cup design in matt Black with gloss features
- Colour coded ring and front printing for easy identification and selection of the correct attenuation level
- Easy to adjust steel arms for quick personalised fit
   Compatible with the full range of Centurion safety helmets and face protection (supplied with Euro & connect clips)
- Soft wide cushions for maximum comfort
- The Sana ear defender range is also available as headband mounted versions
- H=36dB,M=322dB,L=25dB
- SNR 34dB











Easily attaches to hard hats and other headwear

Quick connect clamp attaches securely to fabric







## FOCUSED ON SAFETY Product Code:

EY6650

Unit of Measure:

Available in Colours:



HIGH PERFORMANCE HAT WITH SHADE

- Hi Cool® moisture management performance fabric
  Absorbent terry headband
  Wide panel neck protection
- Adjustable cinch cord for a great fit









EY6650Y

Unit of Measure: Each

Available in Colours:



#### HIGH PERFORMANCE HAT WITH SHADE

- Hi Cool® moisture management performance fabric

- Absorbent terry headband
  Wide panel neck protection
  Adjustable cinch cord for a great fit









Product Code: EY6670CT

Unit of Measure:

Available in Colours:



Machine Washable



**PVA Cooling Material** Moisture Management



#### **EVAPORATIVE HARD HAT NECK SHADE WITH COOLING TOWEL**

- Advanced PVA material activates easily and quickly when run under water for one minute
- Re-usable, just re-wet
   Super-evaporative cooling process helps keep you cool
- Remains hydrated for up to 4 hours
- Hook and Loop straps for easy attachment
- Patented









Product Code: EY6700

Unit of Measure: Each

Available in Colours:



Black EY6700BL



Acrylic Polymer Crystals

#### **EVAPORATIVE COOLING BANDANA**

#### Features

- Bandana/headband tie closure
- Activate by soaking in water for 2-5 minutes
  Remains hydrated for up to 4 hours
- Re-usable: just soak in water to re-activate

Application Construction Maintenance Landscaping/Grounds Assembly/Fabrication Material Handling Freight/Baggage Warehousing/Distribution Iron/Steel Fabrication









Product Code: EY6717

Unit of Measure:

Available in Colours:





#### **EVAPORATIVE COOLING HARD HAT PAD C/W NECKSHADE**

Evaporative Cooling Hard Hat Pad W/Neck Shade: Pad with long shade that protects against the sun.

- · Lightweight, cooling acrylic polymers

- Hook & loop closures
   Protects neck from harmful UV rays
   Conveniently attaches to hard hat suspension system
   Soak in water 2-5 minutes to activate
- Remains hydrated for up to 4 hours
- Reactivate by re-soaking
- Solid blue

#### Application

- Construction
- Trades
- Maintenance
- Landscaping/Grounds
- Assembly/Fabrication
- Material Handling
- Freight/BaggageWarehousing/DistributionIron/Steel Fabrication







#### PELTOR OPTIME 2 HELMET ATTACHMENT



Product Code: H520P3E

Unit of Measure: Each

Available in Colours:



Green H520P3E-410-GQ

- Soft wide cushions helps reduce pressure around the ears and improves comfort and wearability
- Large space inside cup helps reduce moisture and heat build-up
   Easy to replace cushions and inserts helps keep them hygienically clean
- P3E Helmet attachment for helmet mounting

SNR = 31dB, H = 34dB, M = 28dB, L = 19dB









Product Code: HC23

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours: Hi Vis Orange HC23HO

#### **HC23 FIRST BASE CAP**

- A waterproof, breathable, true high visibility cap with 360 degree reflective band for enhanced safety
   Maximum 360 degree visibility reflective
- True high visibility EN471 specified fabrics; compliment workwear
- Waterproof & breathable polurethane
- polyester fabric
   First Base 3 Classic High Visibility keeps workers visible and dry .

  • Standard Peak size 70mm

CE Standard: EN812









#### **HC23 FIRST BASE 3 CAP REDUCED PEAK**

- A waterproof, breathable, true high visibility cap with 360 degree reflective band for enhanced safety
- Maximum 360 degree visibility reflective True high visibility - EN471 specified fabrics; compliment workwear
   Waterproof & breathable polurethane polyester fabric

- First Base 3 Classic High Visibility keeps
- workers visible and dry .





Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:



Hi Vis Orange HC23HORP







Product Code: **HC23WINTER** 

Unit of Measure:

Available in Colours:



Navy Blue HC23WINTERN



Orange HC23WINTERHO

#### **SCOTT HC23 WINTER CAP**

First Base 3 Winter Bump Cap helps safeguard employee health and safety by maintaining worker alertness and letting them concentrate solely on the task in hand. 360 degree reflective strips provide the best possibility to be seen in all light conditions, helping alleviate potential accidents in today's Zero harm business cultures.

- Waterproof & breathable outer fabric maintains dryness without overheating
   3600 reflectivity ensures workers stay visible in all light
- and weather conditions
- Stylish and practical cap design ensures high levels of wearer adoption and acceptance
  • CE certified to EN812:A1
- Flexible ABS protective shell guards against bumps and lacerations to the head
- •ABS (Acrylonitrile Butadiene Styrene)







#### **HC24 FIRST BASE 3 CLASSIC STANDARD PEAK**



**FOCUSED ON SAFETY** Product Code: HC24

Available in Sizes: ONE SIZE

Unit of Measure:


Available in Colours:



Grey HC24GY



Navy Blue HC24NB



- Timeless look and appeal
- Lightweight micro-fibre fabric reduces humidity and permits air crculation
- Side mesh ventilation enhances breathablility
- Conforms to EN812









Product Code: HC24MP

Unit of Measure:

Available in Colours:



Navy Blue HC24NBMP

#### **HC24 FIRST BASE 3 CAP MICRO PEAK**

- Micro peak for increased upwards vision and lower profile
   Timeless look and appeal
   Lightweight micro-fibre fabric reduces humidity and permits air crculation
   Side mesh ventilation enhances breathablility
- Conforms to EN812











Product Code: HC24RP

Unit of Measure: Each

Available in Colours:



Green HC24GRP





- Reduced peak for increased upwards vision
- Timeless look and appeal
- Lightweight micro-fibre fabric reduces humidity and permits air crculation
   Side mesh ventilation enhances breathability
- Conforms to EN812









#### Chinstrap EN 12492 R Earmuffs Fitting Lamp Clips Ring To Hook Sanitized UP&DOWN 2 0

Visor Attachable

#### SUPERPLASMA PL SAFETY HELMET

- Approved to EN 12492 (The standard for Mountaineers and industrial work at heights
  Maximum ventilation. The air intakes and internal outflow
- channels guarantee effective breathability
- Helmet is equipped with strong external carrying clips with front antislide insert, compatible with all headlamps with elastic bands
- The air intakes are equipped with an anti-intrusion grille that prevents entry of debris whilst maintaining breathability Four point chinstrap crossed at the back to secure the helmet to the head better. Safety release system allows quick fastening and opening of the locking mechanism in conformity with EN 12492. Provided with lateral divider for adjusting the length of straps
- Special hook on the chinstrap which allows the helmet to be attached to the harness
- The Sanitized® treatment is an antibacterial treatment that acts as an internal deodorant counteracting the development of unpleasant odours. Thanks to its hygienic function, it effectively prevents bacterial proliferation by increasing freshness and comfort of the fabric in contact with skin.
- High-tech fabric that dries very quickly, helping the dispersion of moisture to the outside and leaving a pleasant feeling of freshness.
- The innovative and exclusive UP & Down technology ensures a precise and comfortable fit around the neck. A centre wheel and two side flaps allow quick adjustment of the helmet not only in width but also in height and tilt.

  Provided with attachment for fitting visors

  Range of face visors available which simply attach to the
- helmet.
- Full face visor KAWVI00003-015 is available (no screws
- required)
   Visors KAWVI00002-009 and KAWVI00002-015 available (No screws required)
   Ear Defenders KAWHP00001-202, KAWHP00001-203 and KAWHP00001-205 available (Bayonet adapter KAWAC00003 required)









**Bayonet Adapter** 

Adapter for earmuffs for Plasma Helmets



Each

Available in Colours:











Product Code: KAWAC00005

Unit of Measure: Each

Available in Colours: Black KAWAC00005

#### **VISOR SCREW SET**

- Screw Set

  Screw set adapters for Plasma Helmet visors

  Compatible with Plasma Helmets only







#### **VISOR ADAPTER**

Visor Adapter

- Adapter for Zenith visor attachmentCompatible with Zenith helmets only



**BEESWIFT** 









Product Code: KAWAC00010

Unit of Measure:

Available in Colours: Black KAWAC00010

#### **VISOR CARRIER**

Visor Carrier

- Used with Zenith Full Face Polycarbonate Clean Visor
- Compatible with Zenith helmets only





### KAJK

#### PLASMA HP SAFETY HELMET



Product Code KAWHE00007

Unit of Measure: Each

Available in Colours:







Earmuffs Fitting





- Washable soft padding with 2DRY technology for maximum comfort
- Sanitized antibacterial treatment acts as internal deodorant
- Maximum ventilation thanks to the ten air takes
   Micrometrical adjustment system provides quick and precise adjustment
- Universal-adjustable
- Multilateral hit protection ensured
  Conforms to EN 14052
- Full face visor KAWVI00003-015 is available (no screws required)
- Visors KAWVI00002-009 and KAWVI00002-015 available (No screws required)
  • Ear Defenders KAWHP00001-202, KAWHP00001-203
- and KAWHP00001-205 available (Bayonet adapter KAWAC00003 required)









Available in Colours:

Black KAWHE00008-210

Blue KAWHE00008-208

Orange KAWHE00008-203

White KAWHE00008-201 Yellow KAWHE00008-202

2Dry

Adjustable 

Air

Air Grid



Earmuffs Fitting



Lamp Clips Ring To Hook



BEESWIFT

**FOCUSED ON SAFETY** 

**Product Code** 

KAWHE00072

Unit of Measure:

Available in Colours: White KAWHE00072-201

Each






- Washable soft padding with 2DRY technology for maximum comfort
- Sanitized antibacterial treatment acts as internal
- Maximum ventilation thanks to the ten air intakes
- Micrometrical adjustment system provides quick and precise adjustment
- Universal-adjustable
- Multilateral hit protection ensured
   EPS inner shell for best shock absorption and protection
- Conforms to EN397
- Full face visor KAWVI00003-015 is available (no screws required)
  • Visors KAWVI00002-009 and KAWVI00002-015 available
- (No screws required)
   Ear Defenders KAWHP00001-202, KAWHP00001-203
- and KAWHP00001-205 available (Bayonet adapter KAWAC00003 required)







#### **KASK ZENITH X BA AIR**



Sanitized antibacterial treatment acts as an internal deodorant

Ratchet system with triple adjustment - width, height and rotation for perfect, secure fit
Maximum ventilation thanks to eight air intakes

Easy direct connection with accessories

Universal-adjustable

- Multilateral hit protection ensured
   EPS inner shell for best shock absorption and protection
   Conforms to EN 397 and EN 12492 impact requirements
- Full face visor KAWVI00008-015 available (Requires
- KAWAC00009 adapter and KAWAC00010 carrier)

  Visors KAWVI00007-009 and KAWVI00007-015 available (Requires KAWAC00009 adapter)
- Ear Defenders KAWHP00001-202, KAWHP00001-203 and KAWHP00001-205 available (Clips straight in, no adapter required)









Product Code: KAWHE00073

Unit of Measure:

Available in Colours:

Black KAWHE00073-210

Blue KAWHE00073-208

Orange KAWHE00073-203

White KAWHE00073-201

KASK Adaptive Fit System

Advanced Chinstrap SOF

Click-in System

**D-Core Technology** 

Dry+

Earmuff Attachment Slots

Earplug Hooks

Easy Click System (a)

Electric Shock Protection

BEESWIFT

**FOCUSED ON SAFETY** 

**Product Code** 

KAWHE00079

Unit of Measure:

Available in Colours:

Orange KAWHE00079-203

White KAWHE00079-201 Yellow KAWHE00079-202

Click-in System **D-Core Technology** 

Dry+

KASK Adaptive Fit System Advanced Chinstrap

Each

SOF

**Electrical Shock Protection** 



•POLYPROPYLENE HD EXTERNAL SHELL

Lightweight external shell with exponential better performance. Excels in impact absorption, especially at lower temperatures (-30°C). Resists yellowing and degradation.

Sanitized antibacterial treatment acts as an internal deodorant

Ratchet system with triple adjustment - width, height and rotation for perfect, secure fit

 New, eco-leather chinstrap designed with new, rear adjustment points for a more personalized fit. Accommodates wider sizes and adapts to earmuff use. Color-coded fastener indicate which EN standard the chinstrap meets.

Easy direct connection with accessories

Dielectric design

Universal-adjustable

 Multilateral hit protection ensured
 EPS inner shell for best shock absorption and protection Conforms to EN 397 and EN 12492 impact requirements

EN 397 chinstrap designed to release if snagged (strength less than 25daN)

Certified EN50365, protecting from 1000ac and 1500dc

Full face visor KAWVI00008-015 available (Requires KAWAC00009 adapter and KAWAC00010 carrier)
 Visors KAWVI00007-009 and KAWVI00007-015 available (Requires

KAWAC00009 adapter)

• Ear Defenders KAWHP00001-202, KAWHP00001-203 and KAWHP00001-205


available (Clips straight in, no adapter required)







#### ZENITH X PL SAFETY HELMET



Lightweight external shell with exponential better performance.

 Excels in impact absorption, especially at lower temperatures (-30°C). Resists yellowing and degradation.

Washable and removable soft padding with FAST3DRY Technology
 Helmet designed with 8 air intakes that maximize internal airflow through

outflow channels providing exceptional helmet breathability.

Sanitised antibacterial treatment acts as an internal deodorant

Adaptive fit system patented technology

Easy direct connection with accessories
 Front slot for badge holder KAW00048 or Kask front lamp
 Dielectric design, Universal-adjustable
 Multilateral hit protection ensured
 EPS inner shell for best shock absorption and protection

• 3 years warranty and up to 10 years' service life

Sticker or printed corporate logo available on request











**Product Code:** KAWVI00003

Unit of Measure:

Available in Colours:



Anti-fog and scratch resistant treatment
Panoramic lens compatible for overlapping corrective glasses

Drip proof upper contour made of rubber
Impact resistant even at extreme temperatures

PLASMA FULL FACE PC VISOR


- Conforms to EN166Compatible with Plasma helmets only





### **K**//K

#### ZENITH POLYCARBONATE VISOR



- Cut proof edge

- Cut proof edge
  Drip proof upper contour made of rubber
  Conforms to EN166
  Compatible with Zenith helmets only
  Requires the KAWAC00009 adapter (sold separately)







Available in Colours:

Clear KAWVI00007-015





**Product Code:** KAWVI00008

Unit of Measure:

Available in Colours:



#### ZENITH FULL FACE POLYCARB VISOR

- Anti-fog and scratch resistant treatment
  Panoramic lens compatible for overlapping corrective glasses
  Ergonomic reinforced frame that protects against the entry of debris
- Protection for a larger area of the face
- Conforms to EN166
- Compatible with Zenith helmets only
   Requires the KAWAC00009 adapter and the KAWAC00010 carrier (both sold separately)











Product Code MSA10115827

Unit of Measure: Bx 5

Available in Colours:



- · V-Gard chin protectors provide additional protection to the face and neck from impacts, chemical splash and arc flash making them suitable in a wide range of environments
- The standard chinguard is easily mounted to specific V-Gard visors versions including the MSA10115856, MSA10115837, MSA10154950 and MSA10154967









Unit of Measure:

Available in Colours: Black MSA10121266

BEESWIFT

**FOCUSED ON SAFETY** 

**Product Code** 

MSA10127061

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:

Black MSA10127061

#### V-GARD STANDARD FRAME


- The Standard HDPE frame uses slot adapters compatible with any MSA slotted helmets (included with each frame) and a wide choice of V-Gard visors
- · Works with or without ear defenders- adaptors stow away when using ear defenders resulting in no more lost parts
- Conforms to EN 166 (When worn with appropriate visor)
- 8 = Resistance to short circuit electric arc
- 9 Non adherence of molten metals and resistance to penetration of hot solids B = Medium Energy Impact (120 m/s)
- T = Impact resistance at extreme of temperatures (-5/+55°C)
- Conforms to EN 1731 (When worn with appropriate visor)
  - F = Low Energy Impact (45m/s)







#### V-GARD STANDARD BROWGUARD



- Self-retaining, easy-to-grip visor adjustment knobs no more lost parts!
   Seven-point crown adjustment to fit most head sizes and shapes
   Replaceable, sweat-wicking, cushioned

- headband helps keep workers dry and cool Sweat-wicking ratchet cover keeps nape
- comfortable • For use ONLY with wide range V-Gard Visors, not for use where head protection is
- required
- All non-metal construction
- Conforms to EN1731:2006 Personal eye protection. Mesh eye and face protectors
- Conforms to EN 166:2002 Personal eye protection. (When worn with appropriate visor)









Unit of Measure:

Available in Colours:



Black MSA10162507

#### PUSH-KEY SUSPENSION WITH SEWN IN PVC SWEATBAND

Push-Key suspensions designed exclusively for MSA V-Gard® Industrial Safety Helmets. The Push-Key suspension with its innovative adjustment concept brings an extraordinary way to enhance user retention and comfort. Push-Key the new suspension with the best cost-benefit ratio offered in the market.

MSA Push-Key suspension exclusive features and benefits EASE OF USÉ:

- This is the fastest sliding suspension on the market: simple push to loosen, squeeze to tighten
- Căn be adjusted with one hand even when worn

#### SURE FITTING:

- It offers greater retention capacity than competitive sliding suspensions because it's so much easier to select the best adjustment position ADJUSTABILITY:
- 2 levels of nape adjustment for fitting comfort
- Designed to avoid interference with other PPE such as ear muffs SWEATBAND COMFORT:
- 2 different options: sewn in PVC perforated wipeable or sweat-wicking foam Also available Terry cotton washable sweatband, MSA696688 that can be used over both sewn in PVC or replaceable foam sweathands for increased user comfort







#### FAS-TRAC III SUSPENSION WITH SEWN IN PVC SWEATBAND

Fas-Trac III ratchet suspensions designed for MSA V-Gard® industrial safety helmets. Extensive customer research shows the Fas-Trac III suspension was preferred by

most users over what they were currently wearing because its improved helmet comfort, retention and stability whilst being easy to use with or without gloves

MSA Fas-Trac III suspensions features and benefits

- BALANCE & STABILITY:
- Lower nape strap improves retention: Helmets stay on when leaning over
- Adjusts for a custom fit to the back of the
- HEADBAND COMFORT:
- The comfort pad by separating the ratchet from the head, cradles the head increasing comfort and cooling airflow
- Prevents hair from getting pulled
- · EASE OF USE:
- Ratchet offers smooth rotation: reduced effort to turn
- Easy grip knob adjustable even with gloves on • ADJUSTABILITY:
- Three levels of nape height adjustment giving superior nape fit
- Avoids interference with other PPE such as ear muffs
- SWEATBAND COMFORT:
- Largest sweatband surface area on the market covers more of the headband and user's forehead for increased comfort
- 2 different sweatband options: sewn in PVC perforated wipeable or sweat-wicking washable foam (breathable fabric allows direct
- Replaceable foam sweatband can be attached over the existing sweatband without demounting the suspension
   Also available Terry cotton washable sweatband, MSA696688 that can be used over both sewn in PVC or replaceable sweatbands for increased user comfort





BEESWIFT

**FOCUSED ON SAFETY** 

**Product Code** MSA10162752

Unit of Measure:

Available in Colours: Black MSA10162752

Bx 20





Unit of Measure:

Available in Colours:

Black MSA10194790

Blue MSA10194785

Green MSA10194786

Lime Green MSA10194788

Orange MSA10194789

Red MSA10194784

BEESWIFT

**FOCUSED ON SAFETY** 

**Product Code** 

MSA1019479

Each

Unit of Measure:

Available in Colours: Black MSA10194798

Blue MSA10194793

Green MSA10194794

Grey MSA10204347

Lime Green MSA10194796 Orange MSA10194797

Red MSA10194792 White MSA10194791 Yellow MSA10194795

White MSA10194783 Yellow MSA10194787

#### V-GARD H1 TRI-VENTED HELMET

Working at heights safety helmet designed for tower climbing, forestry, rescue and confined spaces. The V-Gard® H1 Safety Helmet provides exceptional comfort and ease of use in a stylish low-profile hard hat design. A complete above-the-neck platform for all applications.

• Fas-Trac® III Pivot Ratchet Suspension for superior

comfort, adjustability, and range of motion

Non-contact foam liner maximizes air flow and breathability

for optimal cooling and hygiene.

Tri-vented option for optimal air flow and cooling (Non-

vented option for use in electrical applications)

Field replaceable 4-point chinstraps with multiple

adjustment points for customized fit and comfort

Premium moisture wicking headband with breathable foam
and hook and loop attachment for easy field replacement.

Patented "push-button" accessory attachment rail and

universal clips for head lamps enables quick installation and removal, with no need for an additional carrier

 Low profile design, even with a visor or spectacles attached Convenient rescue whistle integrated into the chin strap buckle

Matte finish HDPE shell

· Standard reflective stickers

Optional logo customisation in up to 3 locations
 Compatible with a wide range of H1 attachments including face shields, spectacles and V-Gard ear defenders

 EN 12492:2012 Mountaineering equipment. Helmets for mountaineers







#### V-GARD H1 NON VENTED HELMET

The V-Gard® H1 Safety Helmet provides exceptional comfort and ease of use in a stylish low-profile hard hat design. A complete above-the-neck platform for all applications

Fas-Trac® III Pivot Ratchet Suspension for superior comfort, adjustability, and range of motion
 Non-contact foam liner maximizes air flow and breathability

for optimal cooling and hygiene.

Non-vented option for use in electrical applications (Tri-

Non-vented option for use in electrical applications (Trivented option for optimal air flow and cooling)
 Field replaceable 4-point chinstraps with multiple adjustment points for customized fit and comfort
 Premium moisture wicking headband with breathable foam and hook and loop attachment for easy field replacement.
 Patented "push-button" accessory attachment rail and universal clips for head lamps enables quick installation and removal, with no need for an additional carrier.

removal, with no need for an additional carrier

Low profile design, even with a visor or spectacles attached
Convenient rescue whistle integrated into the chin strap

buckle Matte finish HDPE shell

Standard reflective stickers

 Optional logo customisation in up to 3 locations
 Compatible with a wide range of H1 attachments including face shields, spectacles and V-Gard ear defenders
 Electrically insulating helmet meeting EN 397:2012
 Industrial safety helmets 440 V AC and EN 50365 Insulating helmets for use on low voltage installations 1000 V AC









Unit of Measure: Bx 10

Available in Colours:

**BEESWIFT** FOCUSED ON SAFETY

Product Code: MSA9100001

Unit of Measure: Bx 20

Available in Colours: Black MSA9100001



#### **CLEANABLE TERRI SWEATBAND**

To be used over sewn in PVC sweatband for fas-trac and push-key suspensions







#### 2-POINT TEXTILE CHIN STRAP

- Black and White textile polyester interweaved webbing
- Adjustable to ensure a good fit
  Used in combination with all MSA European helmets
  Pack of 20









Unit of Measure: Bx 20

Available in Colours: Black MSAB0259378



- Black elastic webbing
  Good flexibility with the ability to be worn on the top of the helmet when not in use
  Used in combination with all MSA European helmets









**Product Code** MSAGA90047

Unit of Measure: Bx 20

Available in Colours: Black MSAGA90047

#### V-GARD TEXTILE UNIVERSAL 4-POINT CHINSTRAP

- Compatible with all MSA V-Gard and ThermalGard safety helmets except the V-Gard H1
- Easy mounting directly on PushKey or Fas-Trac® III

- Adjusters for better size setting
   Compatible with helmet-mountedear defenders
   Very comfortable soft & narrower black strap OEKO-TEX®
- No metallic parts for a use in electrical applications









Unit of Measure:

Available in Colours:



Blue MSAGV151B



Orange MSAGV161OR Red MSAGV131RE



Yellow MSAGV121Y

#### V-GARD SAFETY HELMET

- This original MSA V-Gard helmet is the most popular model worldwide, used across various industrial applications, providing an economic and versatile helmet choice
- Reliable, UV stabilised HDPE non-vented
- Nematics of Stabilities and Stabilities and Wipeable PVC sewn in sweatband
   Standard slots to easily attached MSA visors
- and/or ear muffs
- 2 or 3-point chinstraps to be bought separately
  2- point chinstrap versions, MSAB0259378 &
- MSA9100001
- Available in a range of colours: White, Yellow, Red, Blue, Green and Orange
  Other suspensions including Fas-Trac III and
- helmet printing available upon request
- Conforms to the following standards:

   EN 397:2012 Safety industrial helmets
- Electrostatic-Ineris certified (testing according to EN ISO 80079-36:2016), suitable for use in ATEX environments hazardous zones 1,2, 20, 21 and
- EN 397 440 V AC and EN 50365 Insulating helmets for use on low voltage installations

MSA Reference: GV151-0000000-000 VGARD BLUE PK+PVC







#### V-GARD 500 VENTED SAFETY HELMET



Product Code: MSAGV4

Unit of Measure: Each

Available in Colours: Black MSAGV482BL



Blue MSAGV452B



Green MSAGV442G Hi Vis Orange MSAGV492HO



Hi Vis Yellow MSAGV4A2HY Orange MSAGV462OR



Red MSAGV432RE White MSAGV412W



Yellow MSAGV422Y

- UV Stabilised ABS, scratch resistant vented helmet
- Built-In rain gutter for outdoor operations
- Provides lateral crushing protection
   Fas-Trac III Suspension with wheel ratchet and wipeable PVC sewn in sweatband
- Standard slots to easily attach MSA visors and/or ear
- 2 or 3-point chinstraps to be bought separately
  2- point chinstrap versions, MSAB0259378 & MSA9100001
- Available in a range of colours: White, Yellow, Red, Blue, Green, Orange, Black, Hi Vis Orange and Hi Vis
- Non-vented, other suspension variations including Push-Key, badge holder and helmet printing available upon request

- Conforms to the following Standards
   EN 397:2012 Safety industrial helmets
   Electrostatic-Ineris certified (testing according to EN ISO 80079-36:2016), suitable for use in ATEX environments hazardous zones 1,2, 20, 21 and 22 In addition, Non-vented versions are certified to:
- EN 50365 Insulating helmets for use on low voltage installations

MSA Reference: GV482-0000000-000 VGARD 500 VENTED BLACK FTIII+PVC










Product Code: MSAGV469-001800J

Unit of Measure:

Available in Colours:



Orange MSAGV469-001800J



PREMIUM FORESTRY KIT WITH CHINGUARD

- Orange V-Gard 500 vented helmet with Fas-Trac® III suspension (Wheel ratchet and sweat-wicking foam sweatband)
  •Standard V-Gard frame
- V-Gard metal mesh visor
- V-Gard Hearing Protection Low (SNR 28dB)
   Neck Curtain PVC
- Retractable chin guard
- Robust frame to withstand chainsaw rebound
- •Unique retractable plates allow greater flexibility of head movement both up and down, as well as side to side

#### Visor benefits include:

- Reliable protection with excellent visibility and water run off Wide stainless-steel mesh with honeycomb design for enhanced visibility
- Visual Light Transmittance excellent at 74%!
- Brown shade to reduce light reflection
- •Market leading impact protection certified to EN 1731 F (45 m/s)
- Wide face coverage
- Unique retractable plates allow greater flexibility of head movement both up and down, as well as side to side
- Helmet certified to EN 397: 2012 (-30°C, LD)
   Visor certified to EN1731-F (protection against High-Speed
- Particles at 45 m/s)
- Ear defenders certified to EN 352-3:2002 and INERIS to EN ISO 80079-36: 2016 & CEI/TS 60079-32: 2017 for safe use in ATEX areas: •Dust: zones 20, 21, 22 (all zones) •Gas: zones 1 & 2 with gas group IIA (Propane)

MSA product reference: GV469-001800J-000









Product Code: MSAGV6

Unit of Measure: Each

Available in Colours:



Green MSAGV641G



Hi Vis Orange MSAGV691HO Hi Vis Yellow MSAGV6A1HY



Orange MSAGV661OR Red MSAGV631RE

White MSAGV611W

Yellow MSAGV621Y

#### V-GARD 200 VENTED SAFETY HELMET

- UV Stabilised ABS, scratch resistant vented helmet shell
- Lightweight
- Short peak for increased upward vision
- Limited rain gutter
- Provides lateral crushing protection
- Push-Key suspension with slide adjustment and wipeable PVC sewn in sweathand
- Standard slots to easily attach MSA visors and/or ear muffs
- 2 or 3-point chinstraps to be bought separately
  2- point chinstrap versions
- MSAB0259378 & MSA9100001
- Available in a range of colours: White, Yellow, Red, Blue, Green, Orange, Hi Vis Orange and Hi Vis Yellow
- Non-vented versions, other suspensions including Fas-Trac III and helmet printing available upon request
- · Conforms to the following Standards
- EN 397:2012 Safety industrial helmets Electrostatic-Ineris certified (testing according to EN ISO 80079-36:2016), Suitable for use in ATEX environments hazardous zones 1,2, 20, 21 and 22

In addition, Non-vented versions are

certified to:
• EN 50365 Insulating helmets for use on low voltage installations

MSA Reference: GV651-0000000-000 VGARD 200 V BLUE PK+PVC









Unit of Measure:

Available in Colours:

White MSAGV612W

#### V-GARD 200 VENTED FAS-TRAC SAFETY HELMET

- UV Stabilised ABS, scratch resistant vented helmet shell
- Lightweight
- Short peak for increased upward vision
- Limited rain gutter
- Provides lateral crushing protection
- Fas-Trac® III with wheel ratchet and wipeable PVC sewn in Sweatband
   Standard slots to easily attach MSA visors
- and/or ear muffs
- 2 or 3-point chinstraps to be bought separately
- 2- point chinstrap versions,
   MSAB0259378 & MSA9100001
   Available in a range of colours: White,
   Yellow, Red, Blue, Green, Orange, Hi Vis
   Orange and Hi Vis Yellow
- Non-vented versions, other suspensions including Push-Key and helmet printing available upon request

- Conforms to the following Standards
   EN 397:2012 Safety industrial helmets
   Electrostatic-Ineris certified (testing according to EN ISO 80079-36:2016), Suitable for use in ATEX environments hazardous zones 1,2, 20, 21 and 22

In addition, Non-vented versions are certified to:

 EN 50365 Insulating helmets for use on low voltage installations

MSA reference: GV612-0000000-000 VGARD 200 V WHITE FTIII+PVC







#### V-GARD 520 PEAKLESS SAFETY HELMET



Product Code: MSAGV9

Unit of Measure: Each

Available in Colours:



Blue MSAGV952B



Green MSAGV942G



Orange MSAGV962OR



Red MSAGV932RE White MSAGV912W



Black MSAGV982BL



· Other suspension variations including Push-Key,

 UV Stabilised ABS, scratch resistant non-vented No Peak for confined spaces and to ensure perfect

Provides lateral crushing protection
 Fas-Trac III suspension with wheel ratchet and

Standard slots to easily attach MSA visors and/or ear

2, 3 or 4-point chinstraps to be bought separately
Available in a range of colours: White, Yellow, Red, Blue, Green, Orange, Hi Vis Orange and Hi Vis Yellow

badge holder and helmet printing available upon request

upward vision when working at height Built-In rain gutter for outdoor operations

wipeable PVC sewn in sweatband

insulations · Electrostatic-Ineris certified (testing according to EN ISO 80079-36:2016), suitable for use in ATEX

MSA Reference: GV982-0000000-000 V-GARD 520 **BLACK FTIII+PVC** 

environments hazardous zones 1,2, 20, 21 and 22









Unit of Measure:

Available in Colours:



White MSAGVC1AW White/Grey MSAGVC1AWGY



#### V-GARD 930 VENTED HELMET C/W INTEGRATED SPEC

- Balanced, modern, low-profile vented helmet with integrated eye protection .6-point Fas-Trac® III ratchet suspension, integrated over spectacles with intelligent adjustment and innovative rubber seal. For use where top impact hazards to the head, UV and
- Made of ABS for strength and lateral crush protection (EN397 LD option)
   Modern, dynamic and sports styled shell
- Channel around perimeter of the helmet diverts rain and debris from user
- Ventilation holes placed for optimized airflow
- The over spectacles have a premium anti fog and anti scratch coating to help ensure good visibility is maintained
- · Non-vented versions, badge & lamp holders, logo customization and stickers available upon request Other colour helmet shells include Yellow, Red,
- Green, Blue and Orange
- Conforms to the following Standards: EN397:2012 Safety industrial helmets EN166:2001 personal eye equipment (2C-1,2 1 B K)
- UV filter with enhanced colour recognition
- 1,2 Clear or amber ocular
- 1 Optical class 1 for permanent usage B - Resistance to medium energy impact 120 m/s KN - Resistance to Scratches (K) and to Fogging of
- oculars (N)
- Non-vented versions are certified electrostatic-INERIS for use in ATEX/explosive environments and EN 50365:2002 Insulating helmets for use on low voltage installations
- MSA Reference: GVC1A-0000000-000







#### V-GARD 930 VENTED HELMET C/W INTEGRATED SPEC TINTED



**Product Code** MSAGVC1AWT

Unit of Measure: Each

Available in Colours:

White MSAGVC1AWT

- Balanced, modern, low-profile vented helmet with integrated eye protection .6-point Fas-Trac® III ratchet suspension, integrated over spectacles with intelligent adjustment and innovative rubber seal. For use where top impact hazards to the head, UV and particle hazards to the
- eye exist.Made of ABS for strength and lateral crush protection (EN397 LD option)
- Modern, dynamic and sports styled shell
- Channel around perimeter of the helmet diverts rain and debris from user
- Ventilation holes placed for optimized airflow
   The tinted over spectacles have a premium anti fog and anti scratch coating to help ensure good visibility is
- Non-vented versions, badge & lamp holders, logo customization and stickers available upon request
- Other colour helmet shells include Yellow, Red, Green, Blue and Orange
- Conforms to the following Standards: EN397:2012 Safety industrial helmets
- EN166:2001 personal eye equipment (2C-1,2 1 B K N)
- 2C UV filter with enhanced colour recognition
- 1,2 Clear or amber ocular
- 1 Optical class 1 for permanent usage
  B Resistance to medium energy impact 120 m/s
  KN Resistance to Scratches (K) and to Fogging of oculars
- Non-vented versions are certified electrostatic-INERIS for use in ATEX/explosive environments and EN 50365:2002 Insulating helmets for use on low voltage installations
- MSA Reference: GVC1A-000C000-000









Product Code: MSAGVF1A-80

Unit of Measure:

Available in Colours:



White MSAGVF1A-80AW



White/Red MSAGVF1A-80AWRE



#### V-GARD 950 ELECTRICIAN HELMET WHITE SET

Balanced lightweight electrician's safety helmet, non-vented, with 6-point Fas-Trac® III ratchet suspension and GS-ET-29 class 1 face shield certified for protection against arc flash. For use where top impact hazards to the head, chemical splash, Ultra-Violet radiation, molten metal splash or electric arc to the face exist.

- The helmet is made of ABS for strength and lateral crush protection (LD option)
- Modern, dynamic with sports styled shell
   Low profile (patented visor mechanism which minimises helmet shell size)
- Channel around perimeter of the helmet diverts rain and debris from user
- The face shield has premium anti-fog/anti-scratch coated visor fits over all corrective and safety glasses

  • 6-point Fas-Trac® III ratchet suspension with premium washable and
- replaceable sweatband
- Complete with 4-point chinstrap for better helmet retention
- Helmet delivered in a protective reusable storage bag
- Compatible with hearing protection
- Optional chin cup made with arc flash resistant materials, Arc flash ear flaps, badge & Lamp holders, logo customisation and stickers available upon
- Other colour helmet shells available Yellow, Red, Green, Blue and Orange

Conforms to the following Standards

- Anti-static assembly; certified electrostatic-INERIS for use in ATEX/ explosive environments
- Electrically insulating helmet meeting EN 397:2012 Industrial safety helmets 440 V AC and EN 50365 Insulating helmets for use on low voltage installations 1000 V AC
- EN166:2001 personal eye equipment 2C-1,2 1 3 B 8-1-0 9 KN
- GS-ET 29 Electric Arc, class 1, 4KA

MSA Reference: GVF1A-80A0000-000







#### V-GARD 950 CLASS 2 ELECTRICIAN HELMET SET



**Product Code** MSAGVF1A-C0AA

Unit of Measure: Each

Available in Colours:

White MSAGVF1A-C0AAW

The V-Gard 950 Class 2 safety helmet has been developed for electrical activities requiring demanding arc flash retetrical activities requiring derivating arc hash protection up to 7 kA. This balanced and lightweight unvented electrician 's safety
 Helmet made of ABS for strength and lateral crush protection (LD option)
 Modern, dynamic with sports styled shell

- 6-point Fas-Trac® III ratchet suspension with premium washable and replaceable sweatband
- Ratchet offers smooth rotation
- Balance and stability with a lower nape strap Low profile (patented visor mechanism which minimises helmet shell size)
- GS-ET-29 Class 2 (7kA) light blue integrated faceshield with light transmittance ≥ 75%, protecting against impact, chemical splash, UV radiation, molten metal splash and electric arc
- Protective foam at the top of the faceshield for an enhanced seal
- Premium anti-fog/anti-scratch coating faceshield fits over all corrective or safety glasses
   Reliable one-handed smooth movement, even gloved
- 2 faceshield positions (up or completely down)
- Unique extended ear and neck flaps fitted, ensuring protection against arc flash up to 7kA; 2 positions: working or stand-by
- Channel around perimeter of the helmet diverts rain and debris from user
- Complete with 4-point chinstrap for better helmet retention
- Protection against molten metal (MM option)
   Electrically insulating helmet meeting EN 397 440 V AC & EN 50365 1000 V AC
- Anti-static assembly; ELECTROSTATIC-INERIS certified for use in ATEX/explosive environments
   Helmet delivered in a protective reusable storage bag
   MSA Reference: GVF1A-C0AA00I-000







# **FOCUSED ON SAFETY**

Product Code: PF3000-H2SB11

Unit of Measure:

Available in Colours:



Black PF3000-H2SB11

#### PAPR WITH FACE SHIELD AND HARD HAT

- The PureFlo 3000 is a modular, lightweight PAPR that provides a lower total cost of ownership in light-to-medium duty environments. An all-in-one respirator optimised for maximum mobility, the PureFlo 3000 integrates head, face, eye, and hearing protection solutions for a range of light-to-medium duty environments. A breakthrough in head-borne weight, comfort, and durability, the PureFlo 3000 is designed to keep industrial workforces safe, while simultaneously enhancing productivity.

  No hoses or leads reduces snag hazards when working in tight
- No belt mounted blower unit required thereby improving user comfort, ideal for use with a range of protective workwear No requirement for face fit testing, can be used safely with Modern, industrial design - EN Approved
   LED low battery and airflow indicators
   Quick change P3 HEPA filter with optional pre-filter

- Assigned Protection Factor (APF) 40
- Compact, fast-charging Lithium Ion battery
- Optional hearing protection and communications











**Product Code** PF3000-H2WD11

Unit of Measure: Each

Available in Colours: Black PF3000-H2WD11

- The PureFlo 3000 (Welding) is a modular, lightweight PAPR that provides a lower total cost of ownership in light-to-
- An all-in-one respirator optimised for maximum mobility, the PureFlo 3000 (Welding) integrates head, face, eye, hearing protection and ADF lens for use in welding environments.
   A breakthrough in head-borne weight, comfort, and
- durability, the PureFlo 3000 is designed to keep industrial workforces safe, while simultaneously enhancing productivity. The auto-darkening welding filters are designed for Arc
- welding or cutting applications.

   The unit is suitable for all Arc welding processes such as MIG, MAG, TIG, SMAW, Plasma Arc and Carbon Arc.
- No hoses or leads reduces snag hazards when working in
- No belt mounted blower unit required thereby improving user comfort, ideal for use with a range of protective workwear
- No requirement for face fit testing, can be used safely with beards and/or prescription spectacles
- Pro ADF Deluxe (Variable shade 4-8/8-12)

- Modern, industrial design EN Approved
  LED low battery and airflow indicators
  Quick change P3 HEPA filter with optional pre-filter
- Assigned Protection Factor (APF) 40
- Compact, fast-charging Lithium Ion battery
- Optional hearing protection and communications

ADF NOT INCLUDED - MUST BE PURCHASED SEPARATELY













Product Code: **RB405** 

Available in Sizes: One Size

Unit of Measure: Each

Available in Colours: Navy Blue

Cat 1 - Minimal Risk

#### WINTER HELMET LINER

- Two Layers.100% cotton shell with fleece lining.
- Regular length.
  Colour: Shell Navy, Lining Red.
- 2 internal ear pockets for use with warmer pads.
- Hook and loop fastening chin strap











Product Code: UV9772042

Unit of Measure: Each

Available in Colours:

White UV9772042

The uvex pheos planet helmet is an exmple of the planet series product system. The helmet shell is made using up to 30% bioplastic and the headband is made using 50% degranulated helmet shells, which significantly reduces process-related waste during production. All individual packaging is made of regranulated material and the packaging is single-grade and can be returned to the recycling chain after use.

- Part of the planet series product system
- Helmet shell is made of up to 30% bioplastic
  50% of the material for the headband is made of
- ground helmet shells
- All individual packaging is made of regranulated material and has been taken from the recycling economy
- The user instructions are printed on 100%
- recycled paper
   Suspension harness with wheel ratchet system for variable width adjustment
- · Safety helmet with helmet torch slot on the front • Euroslot adapters on the side (30 mm) for
- attaching earmuffs and the uvex pheos visor system
- Meets EN 397 standard and additional requirements for very low temperatures (-30°C) and molten metal (MM) splash
- Suspension harness with wheel ratchet system for variable width adjustment
- Six-point textile band attachment ensures excellent fit and comfort
- Three adjustable air vents for maximum ventilation'


Size 52 to 61 cm EN 397, -30°, MM







#### Pictogram Key



Cat 1 - Minimal Risk

