

PES PRODUCTS & SUPPLIES CATALOCTE





Unit of Measure:

Available in Colours:



M-206 RESP FACESHIELD AND VISOR

- Lightweight, compact and well-balanced faceshield with a comfortable faceseal for dusts, spraying and chemical processing
- Highly versatile Integrated protection from a range of
- respiratory, face, bump cap, eye and hearing hazards.

 Increased control and comfort with the deflector which allows users to direct the airflow inside the headtop

 Easy To Maintain Spare parts and accessories are quick, easy and intuitive to replace
- Visor design combines excellent peripheral and downward vision with good optical clarity.

 • Coated Polycarbonate visor provides added chemical and scratch resistance.
- Easy To Maintain Spare parts and accessories are quick, easy and intuitive to replace

CE Approved EN 12941 TH2/TH3 EN 14594 3B EN 166:2001

Recommended Industry Automotive Construction Metal Production & Fabrication Transportation







TR-3600 PRE FILTER

3M Pre-filter TR-3600, for Versaflo TR-300 PAPR.

When installed inside the filter cover of a TR-300 PAPR, the TR-3600 pre-filter can extend the life of the HE filter by capturing large particles that would otherwise clog the HE filter.



Product Code: 3MTR3600

Unit of Measure: Each

Available in Colours:











Product Code: CNR23FUVNKIT-P3

Unit of Measure:

Available in Colours: Black/White CNR23FUVNKIT-P3

CONCEPT AIR FLIP UP VISOR KIT (P3)

The ConceptAir R23FUVNKIT/P3 Powered Respirator is an EN12942 TH2P certified system complete with Power Unit, Lightweight Visor Headpiece, Hose, Plastic Coated Belt, 1 x Battery, P3 HEPA Filter and Battery Charger.

The Powered Respirator is designed for protection against particulate hazards, including bacteria, virus and solid and liquid aerosols.


- Complete ready to use Respiratory Protection system with lightweight flip up Polycarbonate visor supplied in cardboard box.
- 200 litres of filtered air per minute
- Lightweight Li-ion battery, with a typical 8 hour usage before recharge
 Complete with a P3 particulate filter and 5 pre filters
- Approved to EN 12941 TH2P, visor approved to EN 166 1 B 3 9











· Can be changed quick and easily by







Product Code PF3000-02001

Unit of Measure: PK 5

Available in Colours:







Product Code: PF3000-03003

Unit of Measure: Each

Available in Colours: Black PF3000-03003

PF3000 RECHARGABLE BATTERY

- Replacement lithium-lon rechargeable battery for PF3000 range of PAPRs.
 Provides up to 8 hours of battery life.









• Replacement face seal for PF3000 clear visor version







Unit of Measure: Each

Available in Colours:

Black PF3000-03005





Product Code: PF3000-04004

Unit of Measure: PK 50

Available in Colours: Black PF3000-04004

PF3000 ODOUR NUISANCE PRE-FILTER

- Odour nuisance pre-filter for use with PF3000 range of PAPRs.
 Can be changed quick and easily by hand.











Can be changed quick and easily by hand.Helps to prolong life of P3 HEPA filter.



Unit of Measure: PK 50

Available in Colours:

White PF3000-04005









Product Code: PF3000-F3NA01

Unit of Measure:

Available in Colours:

White PF3000-F3NA01

PAPR WITH OVER HOOD

- The PureFlo 3000 with PAPR frame and reusable/disposable hood is a lightweight, all-in-one respirator optimised for maximum mobility and protection in laboratory, pharmaceutical and healthcare environments.
- A breakthrough in head-borne weight, comfort, and durability, the PureFlo 3000 is designed to keep industrial workforces safe, while simultaneously enhancing productivity.

No hoses or leads reduces snag hazards when working in tight spaces

- · No belt mounted blower unit required thereby improving user comfort, ideal for use with a range of protective workwear
- No requirement for face fit testing, can be used safely with beards and/or
- prescription spectacles

 Reusable/disposable hood to protect from chemicals, pathogens and viruses Modern, industrial design EN Approved LED low battery and airflow indicators
- Quick change P3 HEPA filter with optional pre-filter Assigned Protection Factor (APF) 40 Compact, fast-charging Lithium Ion battery Optional hearing protection and communications









- Replacement TH2P filters for use with Purelite Xstream PAPR.
- Can be changed quick and easily by hand.











Product Code: PL01171-1SP

Unit of Measure: Each

Available in Colours:

Black
PL01171-1SP

BEESWIFT FOCUSED ON SAFETY

Product Code: PL01172-14SP

Unit of Measure: Each

Available in Colours:

Black
PL01172-14SP

PURELIGHT XSTREAM 8HR BATTERY PACK

- Replacement rechargeable battery pack for Purelite Xstream PAPs.
- Provides up to 8 hours of battery life.







PURELITE XSTREAM BATTERY CHARGER

• Replacement battery charger for Purelite Xstream PAPR.









Product Code: PL03000-2

Unit of Measure:

Available in Colours:

Blue PL03000-2

PURELIGHT XSTREAM PAPR TH2P

- A self-contained lightweight Powered Air Supplied Visor system providing all in one protection against dust, fumes and particulates, combined with eye and face protection against liquid splashes.
- The integrated re-chargeable nickel metal hydride (NiMH) battery pack delivers a supply of clean air via a pair of particulate filters for up to 8 hours of continuous use.

 • 210 litres/minute airflow.
- Low flow warning at 150 litres/min.
- 8 hour battery.
- Air flow indicator pre-checks battery, filter performance and condition.
- Polycarbondate faceshield with nylon elasticated faceseal (tinted and clear faceshield overlays available)
 Lightweight 1.0kg with easily adjusted headband to fit a range of head sizes and for wear over protective clothing and hoods.













Product Code: 2FF2V

Unit of Measure: Bx 20

Available in Colours:

White 2FF2V

- · Vertical fold flat design.
- Comfortable face fit.
- Low breathing resistance.
- Conforms to EN149:2001 + A1:2009 FFP2 NR V

For Hazard Type: Toxic dusts, fumes and water-based mists. Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.

Alt Code: WSB550









Product Code: 3FF3V

Unit of Measure:

Available in Colours:



Cat 3 - High Risk

BEESWIFT **FOCUSED ON SAFETY**

Product Code

3M4251PLUS

Each

Unit of Measure:

Available in Colours: Blue 3M4251PLUS

FOLD FLAT P3 MASK WITH VALVE

- Maintenance free particulate respirator.
 Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
- Contour design ensures the compatibility of glasses / goggles and reduces fogging.
- Adjustable nosepiece ensures custom shape and increase the worker comfort and acceptance.
- Conforms to EN149:2001 + A1:2009 FFP3 NR V

For Hazard Type: Fine Toxic dusts, fumes and water-based

Example: Working with hardwood, glass fibres and plastic (non PVC), metalworking and welding.







3M 4251+ FFA1P2 R D HALF MASK

3M 4251+ Maintenance Free Gas/Vapour and Particulate Respirator

3M™ Maintenance Free Half Mask 4251+ is a simple and ready-to-use respirator with an integrated cartridge and filters. A newly enhanced valve assembly helps to reduce exhalation breathing resistance, and the close-fitting, non-silicone, textured face seal is soft and non-allergenic. Includes a resealable bag for hygienic storage and transportation.

- Effective and comfortable protection against organic vapour and hazardous
- A newly enhanced valve assembly helps to reduce exhalation breathing
- resistance for improved breathing comfort
 Lightweight, well-balanced, low profile design
 Integrated cartridge and filters mean it's ready to use and maintenance free
- Soft, close-fitting face seal made with textured, non-allergenic material
 Adjustable head cradle and easy to fasten neck straps
- Centrally-positioned exhalation valve helps reduce heat and moisture build-up in hot and humid conditions
- FFA1P2 R D protects against organic vapours, with a boiling point greater than 65 °C, up to 10 x Workplace Exposure Limit (WEL) or 1000 ppm (whichever is lower), and 10 x WEL for particulates
- Includes a resealable bag for hygienic storage and transportation
- EN 405:2001+A1:2009









Product Code: 3M4255PLUS

Unit of Measure:

Available in Colours: As Shown 3M4255PLUS

BEESWIFT **FOCUSED ON SAFETY**

Product Code

3M4277PLUS

Each

Unit of Measure:

Available in Colours: Blue 3M4277PLUS

3M 4255+ FFA2P3 R D HALF MASK

3M 4255+ Maintenance Free Gas/Vapour and Particulate Respirator

3M™ Maintenance Free Half Mask 4255+ is a simple and ready-to-use respirator with an integrated cartridge and filters. A newly enhanced valve assembly helps to reduce exhalation breathing resistance, and the close-fitting, non-silicone, textured face seal is soft and nonallergenic. Includes a resealable bag for hygienic storage and transportation.

- Effective and comfortable protection against organic vapour and hazardous particulates
- A newly enhanced valve assembly helps to reduce exhalation breathing resistance for improved breathing comfort
- Lightweight, well-balanced, low profile design
- Integrated cartridge and filters mean it's ready to use and maintenance free
- Soft, close-fitting face seal made with textured, non-allergenic material
- Adjustable head cradle and easy to fasten neck straps
- Centrally-positioned exhalation valve helps reduce heat and moisture build-up in hot and humid conditions
- or FFA2P3 R D protects against organic vapours with a boiling point greater than 65 °C, up to 10 x Workplace Exposure Limit (WEL) or 5000 ppm (whichever is lower), and 20 x WEL for particulates

 Includes a resealable bag for hygienic storage and transportation
- EN 405:2001+A1:2009







3M 4277+ FFABE1P3 RD HALF MASK

3M 4277+ Maintenance Free Organic/Inorganic Vapour, Acid Gases, and Combination Particulate Respirator

3M™ Maintenance Free Half Mask 4277+ is a simple and ready-to-use respirator with an integrated cartridge and filters. A newly enhanced valve assembly helps to reduce exhalation breathing resistance, and the close-fitting, non-silicone, textured face seal is soft and non-allergenic. Includes a

- resealable bag for hygienic storage and transportation.
 Effective and comfortable protection against organic vapour and hazardous. particulates
- A newly enhanced valve assembly helps to reduce exhalation breathing
- Lightweight, well-balanced, low profile design
 Integrated cartridge and filters mean it's ready to use and maintenance free
 Soft, close-fitting face seal made with textured, non-allergenic material
 Adjustable head cradle and easy to fasten neck straps

- Centrally-positioned exhalation valve helps reduce heat and moisture build-
- up in hot and humid conditions
 FFABE1P3 R D provides protection against organic vapours with a boiling point greater than 65 °C, inorganic vapours, and acid gases up to 10 x Workplace Exposure Limit (WEL) or 1000 ppm (whichever is lower), and 20 x WEL for particulates
- Includes a resealable bag for hygienic storage and transportation
- EN 405:2001+A1:2009









Product Code: 3M4279PLUS

Unit of Measure:

Available in Colours:

Blue 3M4279PLUS

BEESWIFT

FOCUSED ON SAFETY

Product Code:

Unit of Measure:

Available in Colours:

White 3M6035

3M6035

PK 20

3M 4279+ FFABEK1P3 RD HALF MASK

3M 4279+ Maintenance Free Organic Gas/Vapour and Combination Particulate Respirator

3M™ Maintenance Free Half Mask 4279+ is a simple and ready-to-use respirator with an integrated cartridge and filters. A newly enhanced valve assembly helps to reduce exhalation breathing resistance, and the closefitting, non-silicone, textured face seal is soft and non-allergenic. Includes a resealable bag for hygienic storage and transportation.

• Effective and comfortable protection against organic vapour and

hazardous particulates

• A newly enhanced valve assembly helps to reduce exhalation breathing resistance for improved breathing comfort

- Lightweight, well-balanced, low profile design
 Integrated cartridge and filters mean it's ready to use and maintenance free
- Soft, close-fitting face seal made with textured, non-allergenic material

Adjustable head cradle and easy to fasten neck straps

- Centrally-positioned exhalation valve helps reduce heat and moisture
- build-up in hot and humid conditions
 FFABEK1P3 R D provides protection against organic vapours with a boiling point greater than 65 °C, inorganic and acid gases and ammonia up to 10 x Workplace Exposure Limit (WEL) or 1000 ppm (whichever is lower), and 20 x WEL for particulates
- Includes a resealable bag for hygienic storage and transportation
- EN 405:2001+A1:2009







3M PARTICULATE FILTER 6035

3M Particulate Filter 6035 protects against solids and liquid particles P3R, where excess levels of particulates are present in the workplace atmosphere. Supplied with plastic cage for rough applications.

· Solid top design reduces chance of premature clogging

• Unique easy to check seal promotes

enhanced respirator fit

• High temperature cover protects filter media

from heat, sparks or physical damage.

Bayonet fitting ensures precise & safer locking

 Versatility: can be used on all 3M 6000, 3M 7000 & 3M 7500 Series Half Masks and Full Face Masks

Lightweight - 35g each (nominal)Low breathing resistance

 Tested and meets specifications to AS/NZS 1716:2003 Class P3 particulate filter when used with compatible 3M respirators.

• Re-usable

• FFP3 Filter

• EN143 : 2000 1 BOX = 20 FILTERS (NOT PAIRS)









Product Code: 3M6100S

Available in Sizes:

Unit of Measure: Each

Available in Colours:

BEESWIFT

FOCUSED ON SAFETY

Product Code:

Available in Sizes: S - L

Unit of Measure:

Available in Colours: Grey 3M6

3M6700S



Grey 3M6

3M 6000 SERIES HALF MASK

The 6000 Series Reusable Half Masks are economical, lowmaintenance, simple to handle and extremely lightweight.

- 6000 series half masks by 3M can also be used with 3M? Supplied Air Systems for your increased convenience and
- Head harness with cradle suspension for comfortable fit
 Lightweight elastomeric material for comfort during long
- · Low profile design minimises interference with field of
- Twin filter design provides lower breathing resistance.
- EN 140:1998

periods of work.







3M 6000 SERIES FULL FACE MASK

The extremely lightweight 6000 series full face masks feature a wide field of vision, and low maintenance design for maximum comfort and simplicity of use.

- Extremely lightweight 450gms (without filters)
 Wide field of vision
 Polycarbonate lens is impact resistant to EN166:B

- 3M Cool Flow Valve allows exhaled air to escape quickly and easily for improved wearer comfort
- Soft, hypo-allergenic elastomeric face piece
- Four strap suspension, easy to put on and take off
- Speech transmission zone
- Unique 3M bayonet filter fixing system
 Standard: EN136









Product Code: 3M9320PLUSGEN3

Unit of Measure:

Available in Colours:

White 3M9320PLUSGEN3

BEESWIFT **FOCUSED ON SAFETY**

Product Code

3M9322PLUSGEN3

Available in Colours:

White 3M9322PLUSGEN3

Unit of Measure: Bx 10

3M Aura 9320+GEN3 Flat-Fold Particulate Respirator

The third generation of the best-selling 3M Aura disposable respirator, featuring the original 3-panel, flat-fold design. Our disposable respirator is made using 3M Advanced Electret (filter) Media (AEM), a high-performance material that's been engineered for easy, unrestricted breathing. The 3M Safe Guard Product Authentication Process gives you the confidence to know the product you're wearing is a genuine, 3M-manufactured product.

3M 9320+GEN3 AURA FFP2 MASK

- Original 3-panel, flat-fold design fits a wide range of face shapes and sizes
- Innovative tabs on the upper and lower panels simplify positioning and adjustment

 Braided headbands are colour-coded (blue for FFP2) for
- quick and easy identification
- Sculpted upper panel conforms to the nose and contours of the face for an effective seal
- Embossed upper panel reduces eyewear fogging
- Easy to store away with flat-fold design and individual
- wrapping
 FFP2 (APF 10) breathing protection against hazardous work environments










3M 9322+GEN3 AURA FFP2V MASK



The third generation of the best-selling 3M Aura disposable respirator, featuring the original 3-panel, flat-fold design. Our disposable respirator is made using 3M Advanced Electret (filter) Media (AEM), a high-performance material that's been engineered for easy, unrestricted breathing. It features the 3M Cool Flow Comfort Valve which opens more easily and for longer than the original 3M Cool Flow Valve, reducing heat build-up by allowing a higher percentage of warm, exhaled air to escape.

The 3M Safe Guard Product Authentication Process gives you the confidence to know the product you're wearing is a genuine, 3M-manufactured product.

- Original 3-panel, flat-fold design fits a wide range of face shapes and sizes

 New 3M Cool Flow Comfort Valve allows a greater
- percentage of warm, exhaled air to escape, helping to increase your comfort
- Innovative tabs on the upper and lower panels simplify positioning and adjustment
- Braided headbands are colour-coded (blue for FFP2) for quick and easy identification
- Sculpted upper panel conforms to the nose and contours of the face for an effective seal
- Embossed upper panel reduces eyewear fogging
- Easy to store away with flat-fold design and individual
- FFP2 (APF 10) breathing protection against hazardous work environments













Product Code: 3M9330PLUSGEN3

Unit of Measure:

Available in Colours:

White 3M9330PLUSGEN3

BEESWIFT **FOCUSED ON SAFETY**

Product Code 3M9332PLUSGEN3

Unit of Measure:

Available in Colours: White 3M9332PLUSGEN3

Bx 10

3M 9330+GEN3 AURA FFP3 MASK

3M Aura 9330+GEN3 Flat-Fold Particulate Respirator

The third generation of the best-selling 3M Aura disposable respirator, featuring the original 3-panel, flat-fold design. Our disposable respirator is made using 3M Advanced Electret (filter) Media (AEM), a high-performance material that's been engineered for easy, unrestricted breathing. The 3M Safe Guard Product Authentication Process gives you the confidence to know the product you're wearing is a genuine, 3M-manufactured product.

- Original 3-panel, flat-fold design fits a wide range of face shapes and sizes
- Innovative tabs on the upper and lower panels simplify positioning and adjustment

 Braided headbands are colour-coded (red for FFP3) for
- quick and easy identification
- Sculpted upper panel conforms to the nose and contours of the face for an effective seal
- Embossed upper panel reduces eyewear fogging
- Easy to store away with flat-fold design and individual
- wrapping
 FFP3 (APF 20) breathing protection against hazardous work environments











3M 9332+GEN3 AURA FFP3V MASK



The third generation of the best-selling 3M Aura disposable respirator, featuring the original 3-panel, flat-fold design.
Our disposable respirator is made using 3M Advanced
Electret (filter) Media (AEM), a high-performance material
that's been engineered for easy, unrestricted breathing.
It features the 3M Cool Flow Comfort Valve which opens more easily and for longer than the original 3M Cool Flow Valve, reducing heat build-up by allowing a higher percentage of warm, exhaled air to escape.
The 3M Safe Guard Product Authentication Process gives you the confidence to know the product you're wearing is a

genuine, 3M-manufactured product.

- Original 3-panel, flat-fold design fits a wide range of face shapes and sizes
- New 3M Cool Flow Comfort Valve allows a greater percentage of warm, exhaled air to escape, helping to Innovative tabs on the upper and lower panels simplify
- positioning and adjustment

 Braided headbands are colour-coded (red for FFP3) for
- quick and easy identification
- Sculpted upper panel conforms to the nose and contours of the face for an effective seal
- Embossed upper panel reduces eyewear fogging
- Easy to store away with flat-fold design and individual wrapping
 • FFP3 (APF 20) breathing protection against hazardous
- work environments













Unit of Measure:

Available in Colours: Black 3MBT30

BEESWIFT

FOCUSED ON SAFETY

Product Code:

Unit of Measure:

Available in Colours: White 3MD3125

3MD3125

PK 20

BT-30 LENGTH ADJUSTING TUBE

3M Versaflo BT-30 Length Adjusting Breathing Tube







3M D3125 SECURE CLICK P2 R FILTER

3M™ Secure Click™ Particulate Filter P2 R D3125 is CE approved for environments containing certain particles.

- New dual flow cartridges and filters allow for easier breathing
- Protects against particulates
 Quick, simple connection. Simply align the connections and push until you hear a click

 • Use with 3M™ Secure Click™ Reusable Respirators 800
- Series
- · Swept-back design allows an enhanced field of view and comfort
- Use for protection in hazardous environments
- CE approved
- 1 BOX = 20 FILTERS (NOT PAIRS)











Unit of Measure: PK 20

Available in Colours:

White 3MD3128

3M D3128 SECURE CLICK P2 R FILTER

3M™ Secure Click™ Particulate Filter P2 R D3128 is CE approved for environments containing certain particles. Our filter can also be used for nuisance level organic vapour relief and for ozone protection up to 10 x WEL.

- New dual flow cartridges and filters allow for easier breathing
- Protects against particulates with nuisance level organic vapour/acid gas relief

 Protection against ozone up to 10 x Workplace Exposure
- Limit
- Quick, simple connection. Simply align the connections and push until you hear a click

 • Use with 3M™ Secure Click™ Reusable Respirators 800
- Series · Swept-back design allows an enhanced field of view and
- Use for protection in hazardous environments
- CE approved
- 1 BOX = 20 FILTERS (NOT PAIRS)











BEESWIFT FOCUSED ON SAFETY

Product Code: 3MD3135

Unit of Measure: PK 20

Available in Colours:

White 3MD3135

3M D3135 SECURE CLICK P3 R FILTER

3M™ Secure Click™ Particulate Filter P3 R D3135 is our CE approved filter for environments containing certain

- New dual flow cartridges and filters allow for easier
- breathing
 Protects against particulates
- Quick, simple connection. Simply align the connections
- and push until you hear a click

 Use with 3M™ Secure Click™ Reusable Respirators 800 Series
- · Swept-back design allows an enhanced field of view and comfort
- Use for protection in hazardous environments
- CE approved
- 1 BOX = 20 FILTERS (NOT PAIRS)











Unit of Measure: PK 20

Available in Colours:

White 3MD3138

3M D3138 SECURE CLICK P3 R FILTER

3M™ Secure Click™ Particulate Filter P3 R D3138 is CE approved for environments containing certain particles. Our filter can also be used for nuisance level organic vapour relief and for ozone protection up to 10 x WEL.

- New dual flow cartridges and filters allow for easier breathing
- Protects against particulates with nuisance level organic vapour/acid gas relief
 Protection against ozone up to 10 x Workplace Exposure
- Protection against ozone up to 10 x Workplace Exposure Limit
- Quick, simple connection. Simply align the connections and push until you hear a click
 Use with 3M[™] Secure Click[™] Reusable Respirators 800
- Use with 3M[™] Secure Click[™] Reusable Respirators 800 Series
- Swept-back design allows an enhanced field of view and comfort
- Use for protection in hazardous environments
- CE approved
- 1 BOX = 20 FILTERS (NOT PAIRS)











BEESWIFT

FOCUSED ON SAFETY

Product Code: 3MD701

Unit of Measure: PK 10

Available in Colours:

Clear 3MD701

3M D701 SECURE CLICK FILTER RETAINER

3M™ Secure Click™ Filter Retainer

- • Designed to hold 3M™ Secure Click™ Particulate Filters D7925 and D7935
- Component works with 3M[™] Secure Click[™] Respirator 800 Series and 3M[™] Secure Click[™] Cartridges D8000 Series
- CE approved









Unit of Measure:

Available in Colours:

White 3MD7925

3M D7925 SECURE CLICK P2 R PARTICULATE FILTER

3M™ Secure Click™ Replaceable Particulate Filter P2 R D7925 is CE approved for environments containing certain solid and liquid particles. Use our filters with 3M™
Secure Click™ Respirators 800 Series, 3M™
Secure Click™ Cartridges D8000 Series and
3M™ Filter Retainer D701

- Protects against particulatesLightweight filter that combines protection with comfort
- Offer low breathing resistance and good balance when connected to your mask and are designed to optimise your field of vision.
- Used with 3M™ Secure-Click™ gas and vapour filters that can be clicked into place quickly and easily and they can be used with 3M™ Secure Click™ Reusable Respirator
- Use for protection in hazardous environments
- CE approved
- 1 BOX = 40 FILTERS (NOT PAIRS)







3M D7935 SECURE CLICK P3 R PARTICULATE FILTER



Product Code: 3MD7935

Unit of Measure: PK 40

Available in Colours:

White 3MD7935

3M™ Secure Click™ Replaceable Particulate Filter P3 R D7935 is CE approved for environments containing certain solid and liquid particles. Use our filters with 3M™ Secure Click™ Respirators 800 Series, 3M™ Secure Click™ Cartridges D8000 Series and 3M™ Filter Retainer D701

- Protects against particulatesLightweight filter that combines protection with comfort
- P3 R particulate filter for use in combination with a 3M™ Gas and Vapour filter, D8000 Series
- Offer low breathing resistance and good balance when connected to your mask and are designed to optimise your field of vision.

 • Used with 3M™ Secure-Click™ gas and vapour filters that can be clicked into place quickly and easily and they can be used with 3M™ Secure Click™ Reusable Respirator
- Use for protection in hazardous environments
- CE approved
- 1 BOX = 40 FILTERS (NOT PAIRS)











Unit of Measure:

Available in Colours:

Black 3MD8051

BEESWIFT

FOCUSED ON SAFETY

Product Code:

Unit of Measure:

Available in Colours:

Black 3MD8055

3MD8055

PK 8

3M D8051 SECURE CLICK A1 FILTER DUAL FLOW

3M™ Secure Click™ Cartridge A1 D8051 is CE approved against certain organic vapours with a boiling point above 65 °C. Use our cartridge with 3M™ Secure Click™ Reusable Respirators 800 Series. New dual flow cartridges and filters allow for easier breathing.

- New dual flow cartridges and filters allow for Protects against certain organic vapours with a
- boiling point above 65 °C
- Quick, simple connection. Simply align the connections and push until you hear a click
 Use with 3M™ Secure Click™ Reusable Respirators 800 Series
- Can also be used in combination with 3M[™] Secure-Click[™] Particulate Filters D7900 Series, with a 3M™ D701 Filter Retainer
- Swept-back design allows an enhanced field of view and compatibility with welding and grinding
- CE approved
- 1 BOX = 8 FILTERS (NOT PAIRS)









3M D8055 SECURE CLICK A2 FILTER DUAL FLOW

3M™ Secure Click™ Cartridge A2 D8055 is CE approved against certain organic vapours with a boiling point above 65 °C. Use our cartridges with 3M™ Secure Click™ Reusable Respirators 800 Series. New dual flow cartridges and filters allow for easier breathing.

- · New dual flow cartridges and filters allow for easier breathing
- Protects against certain organic vapours with a
- bolling point above 65 °C

 Quick, simple connection. Simply align the connections and push until you hear a click

 Use with 3M™ Secure Click™ Reusable
- Respirators 800 Series
- Can also be used in combination with 3M™
 Secure-Click™ Particulate Filters D7900 Series,
 with a 3M™ D701 Filter Retainer
 Swept-back design allows an enhanced field of
 view and compatibility with welding and grinding
- CE approved
- 1 BOX = 8 FILTERS (NOT PAIRS)









Unit of Measure:

Available in Colours:

Black 3MD8059

3M D8059 SECURE CLICK ABEK1 FILTER DUAL FLOW

3M™ Secure Click™ Cartridge A1B1E1K1 D8059 is CE approved against certain organic vapours with a boiling point above 65 °C, inorganic gases, acid gases, and ammonia. Use our cartridges with 3M™ Secure Click™ Reusable Respirators 800 Series. New dual flow cartridges and filters allow for easier breathing.

- · New dual flow cartridges and filters allow for easier breathing
 • Protects against certain gases and vapours
- Quick, simple connection. Simply align the connections and push until you hear a click

 • Use with 3M™ Secure Click™ Reusable Respirators 800
- Series
- o Can also be used in combination with 3M™ Secure-Click™ Particulate Filters D7900 Series, with a 3M™ D701 Filter Retainer
- · Swept-back design allows an enhanced field of view and compatibility with welding and grinding shields.
- CE approved
- 1 BOX = 8 FILTERS (NOT PAIRS)







Product Code: 3MD8094

Unit of Measure: PK 8

Available in Colours: Black 3MD8094

3M D8094 SECURE CLICK ABEK1P3 R FILTER DUAL FLOW

3M™ Secure Click™ Cartridge A1B1E1K1P3 R D8094 is CE approved against certain organic vapours with a boiling point above 65 °C, inorganic gases, acid gases and ammonia, as well as particulates. It also offers protection against formaldehyde up to 10 ppm. Use our cartridge with 3M™ Secure Click™ Reusable Respirators 800 Series. New dual flow cartridges and filters allow for easier breathing.

- New dual flow cartridges and filters allow for easier breathing
- Protects against gases, vapours, and particulate hazards
- · Quick, simple connection. Simply align the connections and push until you hear a click

 • Use with 3M™ Secure Click™ Reusable Respirators
- 800 Series
- Swept-back design allows an enhanced field of view and compatibility with welding and grinding shields.
- CE approved
- 1 BOX = 8 FILTERS (NOT PAIRS)









Unit of Measure: PK 8

Available in Colours:

Black 3MD8095

3M D8095 SECURE CLICK A2P3 R FILTER DUAL FLOW

3M™ Secure Click™ Cartridge A2P3 R D8095 is CE approved against certain organic vapours with a boiling point greater than 65 °C, and particulates. Use our cartridge with 3M™ Secure Click™ Reusable Respirators 800 Series. New dual flow cartridges and filters allow for easier breathing.

- New dual flow cartridges and filters allow for easier
- breathing
 Protects against organic gases, vapours with a boiling point above 65 °C and particulates
- Quick, simple connection. Simply align the connections and push until you hear a click
 Use with 3M™ Secure Click™ Reusable Respirators
- 800 Series
- · Swept-back design allows an enhanced field of view and compatibility with welding and grinding shields.
- CE approved
- 1 BOX = 8 FILTERS (NOT PAIRS)









Product Code: 3MD9035

Unit of Measure: PK 20

Available in Colours:



3M D9035 SECURE CLICK HARD CASE P3 R FILTER







FOCUSED ON SAFETY Product Code:

3MD9038

Unit of Measure:

Available in Colours: Black 3MD9038

3M D9038 SECURE CLICK HARD CASE P3 R HF FILTER









BEESWIFT FOCUSED ON SAFETY

Product Code: 3MHF801

Available in Sizes: SMALL

Unit of Measure:

Available in Colours: Black 3MHF801

3M HF-801 SECURE CLICK HALF MASK

3M™ Secure Click™ Reusable Half Face Mask HF-800 Series is available as two versions, HF-800 and HF-800SD. The HF-800SD versions have a speaking diaphragm. Both versions are available in three sizes.

3M™ Secure Click™ HF 800 Series Half Mask Reusable Respirator helps protect against particulates and a wide variety of gases and vapours when used with approved 3M™ Secure Click™ cartridges and filters

- Greater breathability and comfort provided by the world's first quad flow cartridge system
- Push button seal check helps bolster confidence that the respirator is properly sealed to the face
- Speaking diaphragm is designed to help provide easier communication while you work
- · Confidence that filters and cartridges are installed properly provided by all new Secure Click™ connection
- Low profile half mask design offers a wide field of view and compatibility with certain welding and grinding shields

 Over-moulded design for easy assembly/
- disassembly
- Advanced silicone material for increased comfort and greater durability

EN 140:1998









Product Code: 3MHF801SD

Unit of Measure:

Available in Colours:



Black 3MHF801SD

BEESWIFT

FOCUSED ON SAFETY

Product Code:

Available in Sizes: MEDIUM

Unit of Measure:

Available in Colours: Black 3MHF802

3MHF802

3M HF-801SD SECURE CLICK SPEAKING DIAPHRAGM HALF

3M™ Secure Click™ Reusable Half Face Mask HF-800 Series is available as two versions, HF-800 and HF-800SD. The HF-800SD versions have a speaking diaphragm. Both versions are available in three sizes.

3M™ Secure Click™ HF 800 Series Half Mask Reusable Respirator helps protect against particulates and a wide variety of gases and vapours when used with approved 3M™ Secure Click™ cartridges and filters

- Greater breathability and comfort provided by the world's first quad flow cartridge system
- Push button seal check helps bolster confidence that the respirator is properly sealed to the face
- · Speaking diaphragm is designed to help provide easier communication while you work
- Confidence that filters and cartridges are installed properly provided by all new Secure Click™ connection
- Low profile half mask design offers a wide field of view and compatibility with certain welding and grinding shields
- Over-moulded design for easy assembly/ disassembly
- Advanced silicone material for increased comfort and greater durability


EN 140:1998







3M HF-801 SECURE CLICK HALF MASK



3M™ Secure Click™ HF 800 Series Half Mask Reusable Respirator helps protect against particulates and a wide variety of gases and vapours when used with approved 3M™ Secure Click™ cartridges and filters

- Greater breathability and comfort provided by the world's first quad flow cartridge system
- Push button seal check helps bolster confidence that the respirator is properly sealed to the face
- Speaking diaphragm is designed to help provide easier communication while you . work
- · Confidence that filters and cartridges are installed properly provided by all new Secure Click™ connection
- Low profile half mask design offers a wide field of view and compatibility with certain welding and grinding shields

 Over-moulded design for easy assembly/
- disassembly
- Advanced silicone material for increased comfort and greater durability

FN 140·1998









Product Code: 3MHF802SD

Available in Sizes: MEDIUM

Unit of Measure: Each

Available in Colours:

BEESWIFT

FOCUSED ON SAFETY

Product Code:

Available in Sizes: LARGE

Unit of Measure:

Available in Colours:

Black
3MHF803

3MHF803

Black 3MHF802SD

3M HF-801SD SECURE CLICK SPEAKING DIAPHRAGM HALF MASK

3M™ Secure Click™ Reusable Half Face Mask HF-800 Series is available as two versions, HF-800 and HF-800SD. The HF-800SD versions have a speaking diaphragm. Both versions are available in three sizes.

3M™ Secure Click™ HF 800 Series Half Mask Reusable Respirator helps protect against particulates and a wide variety of gases and vapours when used with approved 3M™ Secure Click™ cartridges and filters

- Greater breathability and comfort provided by the world's first quad flow cartridge system
- Push button seal check helps bolster confidence that the respirator is properly sealed to the face
- Speaking diaphragm is designed to help provide easier communication while you work
- Confidence that filters and cartridges are installed properly provided by all new Secure Click™ connection
- Low profile half mask design offers a wide field of view and compatibility with certain welding and grinding shields
- Over-moulded design for easy assembly/ disassembly
- Advanced silicone material for increased comfort and greater durability


EN 140:1998







3M HF-803 SECURE CLICK HALF MASK LARGE



3M™ Secure Click™ HF 800 Series Half Mask Reusable Respirator helps protect against particulates and a wide variety of gases and vapours when used with approved 3M™ Secure Click™ cartridges and filters

- Greater breathability and comfort provided by the world's first quad flow cartridge system
- Push button seal check helps bolster confidence that the respirator is properly sealed to the face
- Speaking diaphragm is designed to help provide easier communication while you work
- Confidence that filters and cartridges are installed properly provided by all new Secure Click™ connection
- Low profile half mask design offers a wide field of view and compatibility with certain welding and grinding shields
 Over-moulded design for easy assembly/
- Over-moulded design for easy assembly disassembly
- Advanced silicone material for increased comfort and greater durability

EN 140:1998









Product Code: 3MHF803SD

Available in Sizes:

Unit of Measure: Each

Available in Colours: Black 3MHF803SD

BEESWIFT

FOCUSED ON SAFETY

Product Code: 3MM306

Unit of Measure:

Available in Colours:

Black 3MM306

Each

3M HF-801SD SECURE CLICK SPEAKING DIAPHRAGM HALF

3M™ Secure Click™ Reusable Half Face Mask HF-800 Series is available as two versions, HF-800 and HF-800SD. The HF-800SD versions have a speaking diaphragm. Both versions are available in three sizes.

3M™ Secure Click™ HF 800 Series Half Mask Reusable Respirator helps protect against particulates and a wide variety of gases and vapours when used with approved 3M™ Secure Click™ cartridges and filters

- Greater breathability and comfort provided by the world's first quad flow cartridge system
- Push button seal check helps bolster confidence that the respirator is properly sealed to the face
- · Speaking diaphragm is designed to help provide easier communication while you work
- Confidence that filters and cartridges are installed properly provided by all new Secure Click™ connection
- Low profile half mask design offers a wide field of view and compatibility with certain welding and grinding shields
- Over-moulded design for easy assembly/ disassembly
- Advanced silicone material for increased comfort and greater durability

EN 140:1998







M-306 VERSAFLO HELMET GP SEAL



· GP face seal.

The all-new 3M Versaflo M-Series features lightweight, compact and well-balanced helmets that offer protection from a range of respiratory, impact and splash hazards.

Integrated Protection for Multiple Hazards

- Provides protection from specific respiratory, head and eye hazards
 Offerings for hearing protection (H31P3AF 300 available separately)

Modern, Well Balanced Design

- Lightweight with excellent balance
- Fully-adjustable head suspension
- A deflector allows users to direct the airflow inside the headtop for increased control and comfort

Straightforward Care and Maintenance

• Spare parts and accessories are quick, easy and intuitive to replace

- Visor design combines excellent peripheral and downward vision with good optical clarity
- Lens provide chemical and scratch resistance

Protection

- Respiratory Assigned Protection Factor of 20 when used with
- · Features a flame resistant faceseal for applications with hot particles
- Impact EN166: B Medium Energy Impact Protection









Unit of Measure:

Available in Colours:

BEESWIFT

FOCUSED ON SAFETY

Product Code:

Available in Sizes: S/M - M/L

Unit of Measure:

Available in Colours: White 3MS133

3MS133

Black 3MM307

M-307 RESP PROTECTIVE HELMET

3M Versaflo M-Series Headtops

• FR face seal.

The all-new 3M Versaflo M-Series features lightweight, compact and well-balanced helmets that offer protection from a range of respiratory, impact and splash hazards.

Integrated Protection for Multiple Hazards

- Provides protection from specific respiratory, head and eye hazards
 Offerings for hearing protection (H31P3AF 300 available separately)

Modern, Well Balanced Design

- Lightweight with excellent balance
- Fully-adjustable head suspension
 A deflector allows users to direct the airflow inside the headtop for increased control and comfort

Straightforward Care and Maintenance

Spare parts and accessories are quick, easy and intuitive to replace

New Visor

- Visor design combines excellent peripheral and downward vision with good optical clarity

 Lens provide chemical and scratch resistance

Protection

- Respiratory Assigned Protection Factor of 20 when used with TR-300
- Features a flame resistant faceseal for applications with hot particles
- Impact EN166: B Medium Energy Impact Protection







S133S VERSAFLO HEADTOP

Manufactured using a general purpose, cost effective fabric, the S-133 Head Cover is the entry-level head cover for powered air respiratory protection

- Head cover with integrated head suspension providing head and face coverage
 Provides eye and face protection to EN166 liquid
- splash and low energy impact (grade F) the same classification for impact resistance as safety spectacles
- Excellent field of view
- Ready to use out of the box
- Excellent field of view, particularly downwards.

When used in conjunction with 3M Powered and Supplied Air Systems the 3M S-133 offers and assigned protection (APF•) of:
Jupiter APF = 40
TR300 APF = 40
V500 APF = 40

Assigned Protection Factor (APF)









Unit of Measure:

Available in Colours:

White 3MS657

S657 VERSAFLO HEADTOP

Similar to the S-655, the 3M S-657 Hood uses a double shroud design for its respiratory seal; wearers can select on their seal design based on personal preference. The wearer should tuck the inner shroud into a shirt or protective coverall, which allows excess air to be channelled over the body for additional

The 3M S-657 Hood offers head, face, neck and shoulder coverage as well as providing eye and face protection to EN166 - liquid splash and low energy impact (grade F) the same classification for impact resistance as safety spectacles! Manufactured using a general purpose, fabric, the S-657 is a cost effective, practical powered air solution.

When used in conjunction with 3M Powered and Supplied Air Systems the S-657

offers an assigned protection factor (APF•) of: • Jupiter APF= 40

- Dustmaster APF= 10
- TR-300 APF = 40 V-500 APF= 40

Assigned Protection Factor (APF) as detailed in HSE HSG53.









Product Code 3MTR341UK

Unit of Measure: Each

Available in Colours:



TR-341UK SINGLE STATION CHARGE

The TR-341 Battery Charger Kit is a complete single station battery charger for the TR-300 PAPR. It consists of a TR-941N Power Supply and a TR-340 Cradle.









Product Code: 501

Unit of Measure:

Available in Colours:

3M 501 FILTER RETAINER

3M 5000 Series Filter Retainer (501)

The 3M 501 Filter retainer is used to keep the 5911, 5925 and 5935 filters in place at the front of the respirator.

Can be used with 3M 5000 Series filters to add particulate protection to the gas and vapour filters.









Product Code:

Available in Sizes: S - L

Unit of Measure:

Available in Colours:



6501QL REUSABLE HALF MASK

The 3M 6500 Series Reusable Half Mask has been designed with tough & dirty work environments in mind. It delivers comfort durability & stability with a firm, lightly textured silicone faceseal and strong body construction.

- Quick to remove & refit.
 Comfortable in tought environments.
 Built to last.
- Works well with other PPE.
- Four point adjustment head harness.









Product Code: 7502

Unit of Measure:

Available in Colours:

BEESWIFT NLINE

Product Code: BB3000A1

Unit of Measure:

Available in Colours: Grey BB3000A1

Cat 3 - High Risk

Each



3M 7502 MED SILICONE HALF MASK

This half facepiece was designed with the wearer in mind. Its soft sealing surface, along with a uniquely designed, 3M Cool Flow Exhalation Valve, enhances wearer comfort and face fit. It's made from a durable silicone and can be used with any of the 3M Filters and Cartridges, Series 2000, 5000, 6000 and 7093.

Features and Benefits

- New cool flow exhalation valve designed to help make breathing easier; also helps to reduce heat and moisture build up in
- Durable and heat resistant, made from soft resilient silicone and heatresistant.
- New soft seal design; advanced silicone material provides a softer feel the face.
- Unique adjustments design helps to reduce tension and pressure points on the face providing unsurpassed comfort and helps reduce ring around the nose.
- Dual-mode head harness design adjust easily allowing user the option of wearing the respirator in either the traditional, or drop down mode.







A1 FILTERS (PAIR)

A1 Filters for BB3000 Respirator Range

Filters organic vapour solvents such as White Spirit Toluene or Carbon Tetrachloride (CCI4)









A1P2 FILTERS (PAIR)

A1P2 Filters for BB3000 Respirator Range


- Organic Vapour solvents such as White Spirit Toluene or Carbon Tetrachloride (CCl4).
 Fine Toxic Dust, Water and Oil based Mists/Aerosols.











 Inorganic gases and vapours, Sulphur Dioxide and other acidic gases and vapours as well as against ammonia and organic ammonia derivatives.

• Filter type and Class : ABEK1







Cat 3 - High Risk





P3R FILTERS (PAIR)

- P3 Filters for BB3000 RespiratorsEN143:2007

Filters Fine Toxic Dust, Fumes, Water and Oil based Mists/









PRE FILTER (5 PAIR PACK)

Pre Filters for BB3000 Respirators











BB3000 CARTRIDGE RETAINER (PR)

Cartridge Retainers for BB3000 Respirators









BB3020

Unit of Measure: Each

Available in Colours:



Grey BB3020

Cat 3 - High Risk

TWIN FILTER A1P2 READY MASK C/W FILTERS

- Pre-assembled ready mask c/w A1P2 filters
- Face piece produced from soft non-allergic TPE material
- Provides excellent fit to aid with protection
 Low profile design offers improved field of vision
- Soft adjustable strap ensures a perfect fit to a wide range of contours
- Can be fitted with A1, ABEK and P3 filter cartridges
- · Gas filters can be fitted with replaceable pre-filters and retainer adapters.

- Provided filters protect against:

 Organic Vapour Solvents such as White Spirit Toluene or Carbon Tetrachloride (CCI4)
- Particulate Fine Toxic Dust, Water and Oil based Mists/
- Half Mask Conforms to EN140:1998
- Filters Conform to EN14387:2001









Product Code:

Unit of Measure:

Available in Colours:



Grey BB3030

Cat 3 - High Risk

TWIN FILTER ABEK READY MASK C/W FILTERS

- Pre-assembled ready mask c/w ABEK filters
 Face piece produced from soft non-allergic TPE material
 Provides excellent fit to aid with protection
- Low profile design offers improved field of vision
- Soft adjustable straps ensures a perfect fit to a wide range of contours

 Can be fitted with A1, ABEK and P3 filter cartridges.

 Gas filters can be fitted with replaceable pre-filters and
- retainer adapters. Provided filters for protection against organic gases and vapours with boiling point >65c inorganic gases and
- vapours sulphur dioxide ammonia and organic ammonia derivatives.

 Half Mask Conforms to EN140:1998
 Filters Conform to EN14387:2001







P2 FOLD-FLAT VALVED MASK



NLINE

Product Code: BBFFP2V

Unit of Measure: Bx 20

Available in Colours:



Cat 3 - High Risk



B-Brand P2 Mask

- · Vertical fold flat design.
- Latex free synthetic rubber head strap.
- Comfortable face fit.
- · Low breathing resistance.
- Conforms to EN149:2001 + A1:2009 FFP2 NR

For Hazard Type: Toxic dusts, fumes and water-based mists. Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.









Product Code: BBFFP3V

Unit of Measure: Bx 20

Available in Colours:



Cat 3 - High Risk

B-Brand P3 Mask

FOLD FLAT P3 MASK VALVED

- Maintenance free particulate respirator.
 Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
- Latex free synthetic rubber head strap.
- Contour design ensures the compatibility of glasses /
- goggles and reduces fogging.

 Soft close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance.
- Soft inner face-seal ring
- Conforms to EN149:2001 + A1:2009 FFP3 NR

For Hazard Type: Fine Toxic dusts, fumes and waterbased mists.

Example: Working with hardwood, glass fibres and plastic (non PVC), metalworking and welding.











Product Code BBMMP2CVDN

Unit of Measure: Bx 10

Available in Colours:



Cat 3 - High Risk



B-Brand P2 Mask



For Hazard Type: Toxic dusts, fumes and water-based mists. Example: Working with hardwood, glass fibres and plastic (non PVC) and some

• EN149:2001+A1:2009 FFP2 NR D

Soft foam nose seal for added comfort.

Adjustable clip strap for simple and quick

Dolomite clogging tested, gives better breathing resistance and for a longer time

All carbon (charcoal) helps absorb smell

· Premium mask for the more demanding

Easy breathe exhale valve.

· Mesh shell for more durability and resists collapsing.

metalwork.

release.

period.

and odours.

applications.









BBMMP2VDN

Available in Sizes: ONE SIZE

Unit of Measure: Bx 10

Available in Colours:

White BBMMP2VDN

B-Brand P2 Mask

P2 VENTED MESH CUP MASK

- Soft foam nose seal for added comfort.
- Mesh shell for more durability and resists collapsing.
 Adjustable clip strap for simple and quick release.
- Dolomite clogging tested, gives better breathing resistance and for a longer time period.
- Easy breathe exhale valve.
- EN149:2001+A1:2009 FFP2 NR D

For Hazard Type: Toxic dusts, fumes and water-based

Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.







P3 VENTED MESH CUP MASK



- Mesh shell for more durability and resists collapsing.
 Adjustable clip strap for simple and quick release.
 Dolomite clogging tested, gives better breathing resistance and for a longer time period.
 Easy breathe exhale valve.

- EN149:2001+A1:2009 FFP3 NR D

For Hazard Type: Toxic dusts, fumes and water-based

Example: Working with hardwood, glass fibres and plastic (non PVC), metalwork and welding.









B-Brand P3 Mask





BBP1

Unit of Measure: Bx 20

Available in Colours:



B-Brand P1 Mask



- · Collapse resistant double shell construction made to withstand hot and humid conditions.
- Embossed fringe seal avoids fluffy open layers around
- Latex free synthetic rubber head strap.
 Contour design ensures the compatibility of glasses /
- goggles and reduces fogging.

 Soft nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance.
- Conforms to EN149:2001 +A1:2009 FFP1 NR


For Hazard Type: Toxic dusts. Example: Working with plastic (non PVC) and some







P1 VALVED MASK



 Embossed fringe seal avoids fluffy open layers around the edges.

Latex free synthetic rubber head strap.
 Contour design ensures the compatibility of glasses / goggles and reduces fogging.
 Soft nose foam and adjustable nosepiece ensure custom

shape and increase the worker comfort and acceptance.

• Conforms to EN149:2001 +A1:2009 FFP1 NR

For Hazard Type: Toxic dusts.

Example: Working with plastic (non PVC) and some











BBP2CVN

Available in Sizes: ONE SIZE

Unit of Measure: Bx 10

Available in Colours:



B-Brand P2 Mask

P2 VALVED CHARCOAL MASK

- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
 Embossed fringe seal avoids fluffy open layers around the edges.
 Latex free synthetic rubber head strap.

- Contour design ensures the compatibility of glasses / goggles and reduces fogging.
- Soft close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance.
- Conforms to EN149:2001 + A1:2009 FFP2 NR

For Hazard Type: Toxic dusts, fumes and water-based mists.

Example: Working with hardwood, glass fibres and plastic (non PVC) and some











BEESWIFT NLINE

Product Code: BBP2N

Available in Sizes: ONE SIZE

Unit of Measure: Bx 20

Available in Colours:



B-Brand P2 Mask

- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
- Embossed fringe seal avoids fluffy open layers around the edges.

- Latex free synthetic rubber head strap.
 Contour design ensures the compatibility of glasses / goggles and reduces fogging.
 Soft close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance.
- Conforms to EN149:2001 + A1:2009 FFP2 NR

For Hazard Type: Toxic dusts, fumes and water-based mists.

Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.









Product Code: BBP2VN

Available in Sizes: ONE SIZE

Unit of Measure: Bx 10

Available in Colours:

White BBP2VN

B-Brand P2 Mask

P2 VALVED MASK

- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
- Embossed fringe seal avoids fluffy open layers around the edges.
- Latex free synthetic rubber head strap.
- Contour design ensures the compatibility of glasses / goggles and reduces fogging.
 Soft close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance.
- Conforms to EN149:2001 + A1:2009 FFP2 NR

For Hazard Type: Toxic dusts, fumes and waterbased mists.


Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.











- High quality construction.Dolomite clogging tested, gives better breathing resistance and for a longer time period.
- Comfortable face fit.
- · Easy breathe exhale valve.
- Conforms to EN149:2001 + A1:2009 FFP3 NR D

For Hazard Type: Toxic dusts, fumes and water-based mists.

Example: Working with hardwood, glass fibres and plastic (non PVC), metalwork

and welding
The moulded polythene nose bridge
creates a stronger seal when compared
with metal nose crimps, leading to
consistently superior fit-test results







B-Brand P3 Mask





Product Code: BBP3VN

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:

White BBP3VN

B-Brand P3 Mask

BBP3 MASK VALVED

Unique "Big Eye" design provides very low breathing resistance due to the increased filtration area.

• Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.

• Embossed fringe seal avoids fluffy open layers around the edges.

Adjustable head strap ensures the best

 * Adjustation from the distribution of th improved fit.

 Adjustable nosepiece ensures increased worker comfort and acceptance.

• Protection level FFP3 with exhalation

Conforms to EN149:2001 + A1:2009 FFP3 NR

· Excellent face fit test results.

For Hazard Type: Toxic dusts, fumes and water-based mists.


Example: Working with hardwood, glass fibres and plastic (non PVC), metalwork and welding.







DISPOSABLE PROTECTIVE FACE MASK BOX 2000



complete with non woven filter for combined three layered construction

Earloop fastenings
50 masks to a pack, 40 packs to a carton, MOQ: 1 carton(2000 face masks)

Minimal risk

The CM1740 disposable protective face mask is a minimal risk face mask designed to give basic protection from coughs, sneezes and touching your face.







Unit of Measure:

Available in Colours:

Blue/White CM1740CT



Product Code: CM1745CT

Available in Sizes: ONE SIZE

Unit of Measure: Bx 2th

Available in Colours:

Blue CM1745CT

TYPE II 3PLY SURGICAL MASK

- Meets EN14683:2019 Type II
 Type II Surgical Facemasks have three ply construction, manufactured from high quality, soft polypropylene materials for enhanced breathability and protection.
- The mask is ideal for extended procedures due to its high comfort and easy breathability.

 • A full-width nose piece guarantees a
- proper fit.
- Mask provides protection from light and moderate fluid.
- Face masks are regulated under the Medical Devices Directives 93/42 EEC as Class 1 Medical Device.
- · Precautions: These masks are not designed to provide respiratory protection.

 Store in a cool dry place out of direct
- Supplied 50 masks to a pack, 40 packs to an outer case
- MOQ 1 case = 2000 masks







Product Code: CM1750

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:



COTTON FACE MASK

COVID-19 Exceptional Trade - Community

- Reusable cotton face mask
- Nose support integrated in the upper part (nasal clip for easy adjustment)
 Washable at 60 degrees up to 25 washes
- Minimal risk use only

EN 14683: 2019

Bacterial filtration efficiency 87% (Level 3)

The test results confirm that the mask is in compliance with the technical requirements of breathability and bacterial filtration efficiency specified for community masks in the context of COVID-19: Level 3 - Community Mask Size (adult/child): Adult Washes: 25

•**Masks classed as Level 3 are not medical devices and therefore must not be used by heath care professionals.









Available in Sizes: ONE SIZE

Unit of Measure: Bx 50

Available in Colours:

Blue CM1790

TYPE 11R 3PLY SURGICAL MASK

- •For use in all medical, hospital and working environments
- Dual non woven inner and outer layers, complete with non woven filter for combined three layered construction
- Earloop fastenings
 50 masks to a pack, 40 packs to a carton, MOQ: 1 Carton(2000 face masks)
 Class 1 Medical Device, meeting the essential requirements of the MDD
- Tested and complaint to BS EN 14683 :
- 2019, Type IIR
 Filtration > 98%, with added fluid
- resistance Individually packed for added protection







CM1790CT

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:



TYPE 11R 3PLY SURGICAL MASK

- •For use in all medical, hospital and working environments
- Dual non woven inner and outer layers, Dual non woven inner and outer layers, complete with non woven filter for combined three layered construction
 Earloop fastenings
 50 masks to a pack, 40 packs to a carton, MOQ: 1 Carton(2000 face masks)
 Class 1 Medical Device, meeting the passantial requirements of the MDD

- essential requirements of the MDD
- Tested and complaint to BS EN 14683 : 2019, Type IIR
 Filtration > 98%, with added fluid
- resistance
- · Individually packed for added protection







Unit of Measure: Bx 50

Available in Colours:



Blue CM2120

TYPE 11R 3PLY SURGICAL MASK

- •For use in all medical, hospital and working environments
- Dual non woven inner and outer layers, complete with non woven filter for combined three layered construction
- Earloop fastenings
 50 masks to a pack, 40 packs to a carton, MOQ: 1 Carton(2000 face masks)
 Class 1 Medical Device, meeting the essential requirements of the MDD
- Tested and complaint to BS EN 14683 :
- 2019, Type IIR
 Filtration > 98%, with added fluid resistance
- Individually packed for added protection







Product Code CNR23CHFUVKIT-P3

Unit of Measure: Each

Available in Colours: Black/White CNR23CHFUVKIT-P3

CONCEPTAIR HELMET & FLIP UP VISOR KIT P3

- Complete respiratory protection system with head and face protection all in one box
- 180 litres of filtered air per minute

- Lightweight Li-ion batteries, with a typical 8 hour usage before recharge
 Complete with a P3 particulate filter and 5 pre-filters
 Approved to EN 12941 TH2P, Helmet approved to EN 397,
 Visor approved to EN 166 1 B 3 9









Product Code: HW1013205

Unit of Measure: PK 30

Available in Colours:

White HW1013205

HONEYWELL SUPERONE 3205 FFP2

Economic, Simple and effective.

- unique design and shape: limited number of references.
- pre-formed shell: rigid half-mask: the mask shape is maintained throughout use, for increased comfort.
- internal volume: facilitated communication, no pressure on the face for increased comfort.
- inner layer, ultra-light and ultra-soft: soft and pleasant touch to the skin to avoid irritation and increase comfort, easy breathing for greater acceptance over time.
- upper preformed section near the nasal outline: quick and easy adjustment, highly effective and safe, fits all faces.
- moving nasal element: compatible with goggles, excellent field of vision.
- •NR = Non reusable





Honeywell

HONEYWELL SUPERONE FFP2

BEESWIFT FOCUSED ON SAFETY

Product Code: HW1013206

Unit of Measure: Bx 20

Available in Colours:

White HW1013206 Economic, Simple and effective. FFP2.

- Unique design and shape: limited number of references.
- Pre-formed shell: rigid half-mask: the mask shape is maintained throughout use, for increased comfort.
 Internal volume: facilitated communication, no
- pressure on the face for increased comfort.
- Inner layer, ultra-light and ultra-soft: soft and pleasant touch to the skin to avoid irritation and increase comfort, easy breathing for greater acceptance over time.
 Upper preformed section near the nasal outline: quick
- Upper preformed section near the nasal outline: quick and easy adjustment, highly effective and safe, fits all faces.
- Moving nasal element: compatible with goggles,
 weellant field of vision.
- excellent field of vision.

 High-performance exhalation valve: low exhalation resistance, mask inside cooler for enhanced comfort and acceptance over time.
- Protected valve membrane on the front: minimal risk of damage and leakage for increased safety.
- •NR = Non reusable •*D = tested using Dolomite









Product Code: HW1031593

Unit of Measure:

Available in Colours:

White HW1031593

BEESWIFT

FOCUSED ON SAFETY

Product Code:

Unit of Measure: Bx 20

Available in Colours:

White HW1031594

HW1031594

HONEYWELL 2211 FFP2

Respiratory folding masks in a Single bag. FFP2V.

- Exhalation valve for optimum comfort
- Folded mask fo optimum storage space


- Low-profile shape: perfect vision.
 Wraparound shape: large filter surface and increased comfort.
 No staples: no risk of irritation.
 Coloured nose-bridge: easy adjustment and instant identification of the level of protection.
- Willtech seal: hypoallergenic, anti-perspirant, better comfort.
- Individual reusable bag: protects the mask before use and during breaks.
- No pvc, Silicone, latex and Staples: greener.
- •NR = Non reusable •*D = tested using Dolomite





Honeywell

HONEYWELL 2311 FFP3



- · Exhalation valve for optimum comfort

- Folded mask for optimum storage space
 Low-profile shape: perfect vision.
 Wraparound shape: large filter surface and increased comfort.
- No staples: no risk of irritation.
- Coloured nose-bridge: easy adjustment and instant identification of the level of protection.
- Willtech seal: hypoallergenic, anti-perspirant, better comfort.
 Individual reusable bag: protects the mask before use and during breaks.
 No pvc, Silicone, latex and Staples: greener.
- •NR = Non reusable •*D = tested using Dolomite







FOCUSED ON SAFETY

Product Code: HW1032501

Unit of Measure:

Available in Colours:

White HW1032501

HONEYWELL SUPERONE FFP3

- Economic, Simple and effective.FFP3
- Unique design and shape: limited number of references.
- Pre-formed shell: rigid half-mask: the mask shape is maintained throughout use, for increased comfort.
- Internal volume: facilitated communication, no pressure on the face for increased comfort.
- Inner layer, ultra-light and ultra-soft: soft and pleasant touch to the skin to avoid irritation and increase comfort, easy breathing for greater acceptance over time.
- Upper preformed section near the nasal outline: quick and easy adjustment, highly effective and safe, fits all faces.
- Moving nasal element: compatible with goggles, excellent field of vision.
- NR = Non reusable





Honeywell

H901EN FOLD FLAT PARTICULATE RESPIRATOR FFP2 NR



Product Code HWDF100H901FFP2

Unit of Measure: PK 50

Available in Colours:

White HWDF100H901FFP2

- H901EN particulate filter is CE-certified respirator
- It features FFP2 level, larger size, soft nose foam, and advanced filter media to help ensure good air permeability
 Comfort and secure seal. It provides users with a good solution for safe and comfortable particles protection
 Prevent both oil and non-oil particles and the filtering efficiency exceeds 94%

- The nose clip is made of high-strength plastic composite metal, and its bending resistance capacity is enhanced significantly compared with the metal nose clip
 The advanced sealing material is used for
- the nose pad, characterized by high fitness, softness and comfort; it can relieve the pressure on the nose bridge and make you
- feel more comfortable
 The elastic headband can help to relieve the pressure from the head; and it is
- suitable for long hours of use

 The big size offers much breathing space inside, more comfort
- NR = Non reusable







Unit of Measure:

Available in Colours:

BEESWIFT

FOCUSED ON SAFETY

Product Code:

Unit of Measure:

Available in Colours:

White M3408

M3408

Bx 5

White M3308

MOLDEX 3308 MASK FFP2VRD

The real reusable FFP with a washable full face seal and secure fit comparable to a half mask!

- AirWave® Pleated Filter for comfortable breathing and fatigue-free
- Longer use time, less consumption
 Comfortable full-face seal made of washable TPE material which is gentle on the skin
- Length-adjustable loop strap with clip for quick, simple and safe on
- ProValve: Built-in valve, reduces condensation from exhaled air
- 3D Full Face Seal: Much like a rubber half mask improves fit, and provides optimum wearing comfort.

 • DuraMesh®: strong and durable structure, keeps the mask in shape

 • ActivForm®: no nose clip needed

- Low Breathing Resistance: Pleated filter technology reduces inhalation resistance by up to 50% whilst maintaining filtration performance

FFP2 protection against hazardous fine dusts, water and oil based mists/aerosols, biological agents of risk Group 2. Tested and certified to EN 149:2001+A1:2009





MOLDEX

MOLDEX 3408 MASK FFP3VRD

The real reusable FFP with a washable full face seal and secure fit comparable to a half mask!

- AirWave® Pleated Filter for comfortable breathing and fatigue-free work
- Longer use time, less consumption
 Comfortable full-face seal made of washable TPE material which is gentle on the skin
- Length-adjustable loop strap with clip for quick, simple and safe on and off
- ProValve: Built-in valve, reduces condensation from exhaled air
- 3D Full Face Seal: Much like a rubber half mask improves fit, and provides optimum wearing comfort.
 DuraMesh®: strong and durable structure, keeps the mask in shape
- ActivForm®: no nose clip needed
- Low Breathing Resistance: Pleated filter technology reduces inhalation resistance by up to 50% whilst maintaining filtration performance

FFP3 protection against harmful and carcinogenic dusts, water and oil based mists/aerosols, biological agents of risk Group 2 and 3, CMRsubstances.

Tested and certified to EN 149:2001+A1:2009









Unit of Measure:

Available in Colours:



Grey M5120

MOLDEX 5120 HALF MASK FFA1P2RD

- Lightweight.One size fits all.
- Packaged in a resealable bag.
- Pleated Filter Technology.
- Large filter surface for reduced breathing resistance and increased service life.
- Quick and simple fit check.
 Low profile design for excellent field of vision.
 Compatible with other safety equipment.

EN405:2001 + A1:2009





MOLDEX

MOLDEX 5230 HALF MASK FFA2P3RD



Product Code: M5230

Unit of Measure: Each

Available in Colours:



Grey M5230

- · Lightweight.
- One size fits all.

- Packaged in a resealable bag.
 Pleated Filter Technology.
 Large filter surface for reduced breathing resistance and increased service
- Quick and simple fit check.
- · Low profile design for excellent field of vision.
- Compatible with other safety equipment.

FFA2P3

EN405:2001 + A1:2009









Unit of Measure:

Available in Colours:



Grey M5330

MOLDEX 5330 HALF MASK ABE1P3 R

- Ultra compact half maskMaintenance free and ready for use
- Wide field of vision
- · Unrestricted freedom of movement
- Lightweight and comfortable
- Flex Fit: automatically adjusts to different face shapes
 Pleated Filter Technology: low breathing resistance, high durability

FFA1B1E1P3 R D EN 405:2009





MOLDEX

MOLDEX 5430 HALF MASK ABEK1P3R



Product Code: M5430

Unit of Measure: Each

Available in Colours:



FFABEK1P3 EN405:2001 + A1:2009

- · Lightweight.
- One size fits all.

- Packaged in a resealable bag.
 Pleated Filter Technology.
 Large filter surface for reduced breathing resistance and increased service
- Quick and simple fit check.
- Low profile design for excellent field of vision.
- Compatible with other safety equipment.











Unit of Measure:

Available in Colours:



MOLDEX 5984 RESPIRATOR ABEK1P3

Lightweight maintenance free half mask with replaceable particulate filters.

The 5000 Series Half Masks have integral gas filters, making the mask disposable and exempt from the maintenance requirements of COSHH if disposed of within one month or when breakthrough occurs (whichever comes first).

When particulate filters get clogged they can be replaced for prolonged use of the mask.

The low profile design offers excellent field of vision and allows the mask to be worn with additional PPE like safety glasses.

FFABEK1 P3 R D size M/L. Organic, inorganic [Bp>650C], acid, & ammonia gases, P3 particulates

EN405:2001.





MOLDEX

MOLDEX 7001 MASK BODY SIZE SMALL



Product Code: M7001

Available in Sizes: S-L

Unit of Measure:

Available in Colours:

Grey M7001

- Extremely lightweight, the mask body is made from hypoallergenic material which is gentle on the skin.
 The low profile design offers excellent field of vision.
- I ne low profile design offers excellent field of vision.
 Easy accessible components for cleaning and maintenance.
- Use with Moldex EASYLOCK Filters system that requires no additional clips or holders.
- Size small
- Mask body only filters sold separately









Available in Sizes: S-L

Unit of Measure: Each

Available in Colours:



MOLDEX 7002 MASK BODY SIZE MEDIUM

- Extremely lightweight, the mask body is made from hypoallergenic material which is gentle on the skin.
 The low profile design offers excellent field of vision.
- Easy accessible components for cleaning and mainténance.
- Use with Moldex EASYLOCK Filters system that requires no additional clips or holders.

 • Size Medium
- Mask body only filters sold separately





MOLDEX

maintenance.

MOLDEX 7003 MASK BODY SIZE LARGE



Product Code: M7003

Available in Sizes: S-L

Unit of Measure:

Available in Colours:



requires no additional clips or holders. Size large Mask body only - filters sold separately

 Extremely lightweight, the mask body is made from hypoallergenic material which is gentle on the skin.

Use with Moldex EASYLOCK Filters system that









Available in Sizes: S-L

Unit of Measure: Each

Available in Colours:

Black M7004

MOLDEX 7004 SILICONE HALF MASK SIZE SMALL

- Remains soft & stable in shape even at extreme temperatures
- Lightweight
 Mask body is gentle on the skin
 Easy to clean and maintain
- Low profile design for excellent field of vision
- Use with Moldex EASYLOCK filter system that requires no additional clips or holders
 All filter combinations possible
 Mask body only available in three sizes
 1 unit per box
 Tested and contified to EN14404000

- Tested and certified to EN 140:1998





MOLDEX

MOLDEX 7005 SILICONE HALF MASK SIZE MEDIUM



Product Code: M7005

Available in Sizes: S-L

Unit of Measure:

Available in Colours:

Black M7005

- Remains soft & stable in shape even at extreme temperatures
- Lightweight
- Mask body is gentle on the skin
- Easy to clean and maintain
- · Low profile design for excellent field of vision
- Use with Moldex EASYLOCK filter system that requires no additional clips or holders
- All filter combinations possible
- Mask body only available in three sizes
- 1 unit per boxTested and certified to EN 140:1998









Available in Sizes: S-L

Unit of Measure: Each

Available in Colours:

Black M7006

MOLDEX 7006 SILICONE HALF MASK SIZE LARGE

- Remains soft & stable in shape even at extreme temperatures
- Lightweight
 Mask body is gentle on the skin
 Easy to clean and maintain
- Low profile design for excellent field of vision
- Use with Moldex EASYLOCK filter system that requires no additional clips or holders
 All filter combinations possible
 Mask body only available in three sizes
 1 unit per box
 Tested and contified to EN14404000

- Tested and certified to EN 140:1998





MOLDEX

MOLDEX 7122 A1P2 HALF MASK



Product Code: M7122

Available in Sizes: M

Unit of Measure:

Available in Colours:

Grey M7122

- Extremely lightweight, the mask body is made from hypoallergenic material which is gentle on the skin.

 The low profile design offers excellent
- field of vision.
- Easy accessible components for cleaning and maintenance.
- Use with Moldex EASYLOCK Filters system that requires no additional clips or holders.
- Size Medium, complete with A2 P3 filters.
 A2 organic gas [Bp>65oC], 5000ppm. P3 protection against harmful and carcinogenic dusts, fumes and water/oil based mists/ aerosols 10 x WEL









Available in Sizes:

Unit of Measure: Each

Available in Colours:



MOLDEX 7232 A3P3 HALF MASK

- Extremely lightweight, the mask body is made from hypoallergenic material which is gentle on the skin.
- The low profile design offers excellent field of vision.
- Easy accessible components for cleaning and maintenance.
- Use with Moldex EASYLOCK Filters system that requires no additional clips or holders.
 Size Medium, complete with A2 P3 filters.
- A2 organic gas [Bp>65oC], 5000ppm. P3 protection against harmful and carcinogenic dusts, fumes and water/oil based mists/ aerosols 10 x WEL





MOLDEX

MOLDEX 7432 ABEK1P3 HALF MASK



Product Code: M7432

Available in Sizes:

Unit of Measure:

Available in Colours:



- Extremely lightweight, the mask body is made from hypoallergenic material which is gentle on the skin.
 The low profile design offers excellent field of vision.
- Easy accessible components for cleaning and maintenance.
- Use with Moldex EASYLOCK Filters system that requires no additional clips or holders.
 Size Medium, complete with ABEK1 P3 filters
- Size Medium, complete with ABEK1 P3 filters
 ABEK1 for protection against organic, inorganic, ammonia and acid gases [Bp>65°C].
- P3 protection against harmful and carcinogenic dusts, fumes and water/oil based mists/aerosols 10 x









Available in Sizes: S-L

Unit of Measure: Each

Available in Colours:

Black M9001

MOLDEX 9001 FULL FACE MASK SMALL

Extremely lightweight with excellent periphery vision. The lens is made from scratch resistant polycarbonate and is easy to clean thanks to the hydrophobic coating. Use with Moldex EASYLOCK Filter system that require no additional clips or holders. Class 2, size small Mask body only - filters sold separately





MOLDEX

MOLDEX 9002 FULL FACE MASK MEDIUM

Extremely lightweight with excellent periphery vision.

BEESWIFT
FOCUSED ON SAFETY
Product Code:

Product Code: M9002


Available in Sizes: S-L

Unit of Measure:

Available in Colours:

. E

Black M9002









Available in Sizes: S-L

Unit of Measure: Each

Available in Colours:

Black M9003

MOLDEX 9003 FULL FACE MASK LARGE

Extremely lightweight with excellent periphery vision. The lens is made from scratch resistant polycarbonate and is easy to clean thanks to the hydrophobic coating. Use with Moldex EASYLOCK Filter system that require no additional clips or holders. Class 2, size large Mask body only - filters sold separately





MOLDEX

MOLDEX 9432 ABEK1P3 FULL FACE KIT



M9432

Unit of Measure: Each

Available in Colours:

Black M9432

Pre-assembled Full Face Mask, size medium with ABEK1 P3 R

ABEK1 for protection against organic, inorganic, ammonia and acid gases [Bp>65°C]. P3 protection against harmful and carcinogenic dusts, fumes and water/oil based mists/aerosols 10 x WEL

Packaged in an aluminium bag for increased expiry date.

Extremely lightweight with excellent periphery vision.

The lens is made from scratch resistant polycarbonate and is easy to clean thanks to the hydrophobic coating.









Unit of Measure:

Available in Colours:

White MOL2360

MOLDEX 2360 MASK FFP1 NR D

This dual purpose mask is ideally suited to most industrial applications.

The ActivForm® seal automatically adjusts to different face shapes without the need for a nose clip.

The loop strap allows easy application and the ${\tt DuraMesh@}$ shell increases shape retention and durability.

Durable and comfortable.

FFP1 NR D non-valved

EN149:2001 + A1:2009





MOLDEX

MOLDEX 3105 MASK FFP2V NRD M/L



Product Code: MOL3105

Unit of Measure: Bx 10

Available in Colours:

White MOL3105

- · Suited to most industrial applications this general purpose mask is strong and
- The ActivForm® seal automatically adjusts to different face shapes and The Activities and automatically adjusts to different face single movements, reducing the need for multiple mask sizes.
 Strap and clip, hang the mask around the neck during breaks.
 Blue clip suitable for the food industry.
 Nose seal increases fit and comfort.

- DuraMesh® for optimum shape retention and durability.
- ActivForm® seal automatically adjusts to different face shapes.
- Ventex®-valve reduces moisture and heat.
- EN149:2001 + A1:2009









Product Code: WSBA2P3

Available in Sizes: ONE SIZE

Unit of Measure: Pair

Available in Colours:

Black WSBA2P3

A2P3 FILTER (PAIR)

A2P3 Filters for WSB half mask Respirator Range

Filters organic gases and vapours, dust and toxic particulates and solid or liquid aerosols.









ABEKP3 FILTER (P3) (PAIRS)

- For protection against organic gases and vapours with a boiling point > 65 deg c.
 Inorganic gases and vapours, Sulphur Dioxide and other acidic gases and vapours as well as against ammonia and organic ammonia derivatives.
- Filter type and Class : ABEKP3







Product Code WSBABEKP3

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours: Black WSBABEKP3





Product Code: WSBKITA2P3

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

Blue WSBKITA2P3

HALF MASK & A2P3 FILTER KIT

MASK

- Face piece produced from soft non-allergic TPE material
- Provides excellent fit to aid with protection
- Low profile design offers improved field of vision
- Soft adjustable strap ensures a perfect fit to wide range of contours

- FILTER
 A2P3 Filters for WSB half mask
- Respirator Range
 Filters organic gases and vapours, dust and toxic particulates and solid or liquid
- EN 14387:2004+A1:2008











BEESWIFT FOCUSED ON SAFETY

Product Code WSBKITABEKP3

Unit of Measure: Each

Available in Colours:



MASK

- Face piece produced from soft non-allergic TPE material
 Provides excellent fit to aid with protection
- Low profile design offers improved field of vision
- Soft adjustable strap ensures a perfect fit to wide range of contours

FILTER

- For protection against organic gases and vapours with a boiling point > 65 deg c.
 Inorganic gases and vapours, Sulphur Dioxide and other acidic gases and vapours as well as against ammonia and organic ammonia derivatives.
- EN 14387:2004+A1:2008













Product Code: WSBKITP3

Unit of Measure: Each

Available in Colours:



Blue WSBKITP3

HALF MASK & P3 FILTER KIT

- MASK
 Face piece produced from soft non-allergic TPE material
- Provides excellent fit to aid with protection
 Low profile design offers improved field of
- Soft adjustable strap ensures a perfect fit to wide range of contours

 Class P3 particulate filters are used for protection against highly toxic or highly irritant particulates









P3 FILTER (PAIR)

• Class P3 particulate filters are used for protection against highly toxic or highly irritant particulates







Unit of Measure: Pair

Available in Colours:









Unit of Measure:

Available in Colours:

White 3MFT30

3M FT30 FIT TEST KIT

- Qualitative fit test kit including hood, collar, 2 nebulisers, bitter tasting sensitivity solution, bitter tasting fit test solution and laminated user instructions.
- FT-30 uses a test solution of denatonium benzoate to produce a very bitter tasting spray
 Spare hoods, nebulisers and solutions are also available
- Spare hoods, nebulisers and solutions are available for the fit test kits.









Product Code: M0503

Unit of Measure: Each

Available in Colours:



BITREX SENSITIVE SOLUTION CSE6

Contains 6 x 2.5ml ampoules of Bitrex Sensitivity Solution.









Unit of Measure:

Available in Colours:

Yellow M0504

Contains 6 x 2.5ml ampoules of Bitrex Test Solution.

BITREX FIT TEST SOLUTION CSE6





MOLDEX

BITREX FIT TESTING KIT



- 6 x 2.5ml Bitrex Sensitivity Solution 6 x 2.5ml Bitrex Test Solution 2 x Nebulisers

- 1 x Fit test instruction CD

Each kit is suitable for carrying out multiple tests and come packaged in their own sturdy case, all kits come with a FREE Fit Test CD, to help employers understand more about Fit Testing, the requirements and how to carry out tests.

Make sure that the respirator itself is suited for the wearers particular face shape.

Make sure that the respirator is fitted correctly to get a tight seal and ensure safety against hazards in the workplace.

Important to remember it is the suitability of the respirator that is being tested

Respirators sold separately









BEESWIFT FOCUSED ON SAFETY

Unit of Measure: Each

Available in Colours: Yellow M103

Pictogram Key



Cat 3 - High Risk



B-Brand P1 Mask



B-Brand P2 Mask



B-Brand P3 Mask

