


POWER TOOL ACCESSORIES

- | | | | | | |
|----------------|---------------------------|----------------|---------------------------------|----------------|--------------------------|
| 424-429 | Drill Bits | 451-454 | Woodworking Accessories | 466-467 | Abrasives |
| 430-431 | SDS+ Bits and Accessories | 455-456 | Cutting and Grinding Discs | 467 | Flap Discs & Strip Discs |
| 432-433 | Power Tool Accessories | 457 | Grinding Wheels | 468 | Chucks |
| 433-435 | Bit Sets | 457-458 | Wire Brushes | 469 | Power Tool Accessories |
| 436-438 | Hole Saws | 458-459 | Backing Pads & Grinding Points | 470-471 | Oscillating Blades |
| 438-440 | Hole Saw Pilot Drill | 459-460 | Polishing Accessories | 472 | Electrical Accessories |
| 440 | Hole Saws Pilot Kits | 461-462 | Sanding Discs | 473 | Extension Reels |
| 441 | Auger Bits | 463-464 | Sanding Belts | 474 | 230V 16A Accessories |
| 442-443 | Flat Wood Bits | 464-465 | Sanding Sheets | 475 | 110V Accessories |
| 444-446 | T.C.T Saw Blades | 466 | Drums, Sanding Sleeves & Sheets | | |
| 447-448 | Diamond Blades | 466 | Flap Wheels | | |
| 449-450 | Jigsaw Blades | | | | |

DRILL BITS & SDS+ BITS & ACCESSORIES

Pages 424-431



POWER TOOL ACCESSORIES & BIT SETS

Pages 432-436



HOLE SAWS AND PILOT DRILLS

Pages 436-440



AUGER AND WOOD BITS

Pages 441-443



SAW, DIAMOND AND JIGSAW BLADES

Pages 444-450




WOODWORKING AND ROUTER BITS

Pages 451-454



CUTTING, GRINDING DISCS & WHEELS

Pages 455-456




WIRE BRUSHES, BACKING PADS

Pages 457-459




GRINDING, POLISHING AND SANDING

Pages 459-466



ABRASIVES & CHUCKS

Pages 466-468



POWER TOOL & OSCILLATING ACCESSORIES

Pages 469-471



ELECTRICAL ACCESSORIES 230V & 110V

Pages 472-476





1 Assorted Metric Hss Drill Bit Merchandiser (183 Piece)

Expert Quality, heavy duty merchandiser of assorted metric HSS drill bits in plastic hang - up boxes. Supplied with stock and hangers. Carton packed.

Contents:

- 10 x 1.5mm drill bits Stock No. 38608
- 10 x 2.0mm drill bits Stock No. 38609
- 10 x 2.5mm drill bits Stock No. 38610
- 10 x 3.0mm drill bits Stock No. 38611
- 10 x 3.5mm drill bits Stock No. 38615
- 10 x 4.0mm drill bits Stock No. 38616
- 10 x 4.5mm drill bits Stock No. 38620
- 10 x 5.0mm drill bits Stock No. 38621
- 10 x 5.5mm drill bits Stock No. 38622
- 10 x 6.0mm drill bits Stock No. 38623
- 8 x 6.5mm drill bits Stock No. 38624
- 8 x 7.0mm drill bits Stock No. 38639
- 8 x 7.5mm drill bits Stock No. 38646
- 8 x 8.0mm drill bits Stock No. 38647
- 8 x 8.5mm drill bits Stock No. 38648
- 8 x 9.0mm drill bits Stock No. 38650
- 7 x 10mm drill bits Stock No. 38655
- 7 x 11mm drill bits Stock No. 38658
- 7 x 12mm drill bits Stock No. 38670
- 7 x 12.5mm drill bits Stock No. 38671
- 7 x 13mm drill bits Stock No. 38684



Stock No.	Part No.
64038	*DBD/HSS

2 Assorted Metric Hss Cobalt Drill Bit Merchandiser (130 Piece)

Expert Quality, heavy duty merchandiser of assorted metric HSS COB alt drill bits in plastic hang - up boxes. Supplied with stock and hangers. Carton packed.

Contents:

- 8 x 2.0mm drill bits Stock No. 39091
- 8 x 2.5mm drill bits Stock No. 39092
- 8 x 3.0mm drill bits Stock No. 39093
- 8 x 3.5mm drill bits Stock No. 39116
- 8 x 4.0mm drill bits Stock No. 39133
- 8 x 4.5mm drill bits Stock No. 39154
- 8 x 5.0mm drill bits Stock No. 39222
- 8 x 5.5mm drill bits Stock No. 39227
- 8 x 6.0mm drill bits Stock No. 39229
- 6 x 6.5mm drill bits Stock No. 39230
- 6 x 7.0mm drill bits Stock No. 39231
- 6 x 7.5mm drill bits Stock No. 39233
- 6 x 8.0mm drill bits Stock No. 39234
- 6 x 8.5mm drill bits Stock No. 39236
- 4 x 9.0mm drill bits Stock No. 39237
- 4 x 9.5mm drill bits Stock No. 39239
- 4 x 10mm drill bits Stock No. 39240
- 4 x 11mm drill bits Stock No. 39248
- 4 x 12mm drill bits Stock No. 39251
- 4 x 12.5mm drill bits Stock No. 39256
- 4 x 13mm drill bits Stock No. 39257



Stock No.	Part No.
64044	*DBD/HSSC

3 Assorted Metric Hss Titanium Drill Bit Merchandiser (179 Piece)

Merchandiser of assorted metric HSS Titanium drill bits in plastic hang - up boxes. Supplied with stock and hangers. Carton packed.

Contents:

- 10 x 2.0mm drill bits Stock No. 38826
- 10 x 2.5mm drill bits Stock No. 38827
- 10 x 3.0mm drill bits Stock No. 38828
- 10 x 3.5mm drill bits Stock No. 38830
- 10 x 4.0mm drill bits Stock No. 38831
- 10 x 4.5mm drill bits Stock No. 38832
- 10 x 5.0mm drill bits Stock No. 38833
- 10 x 5.5mm drill bits Stock No. 38835
- 10 x 6.0mm drill bits Stock No. 38836
- 8 x 6.5mm drill bits Stock No. 38837
- 8 x 7.0mm drill bits Stock No. 38838
- 8 x 7.5mm drill bits Stock No. 38839
- 8 x 8.0mm drill bits Stock No. 38840
- 8 x 8.5mm drill bits Stock No. 38841
- 8 x 9.0mm drill bits Stock No. 38842
- 7 x 9.5mm drill bits Stock No. 38843
- 7 x 10mm drill bits Stock No. 38844
- 7 x 11mm drill bits Stock No. 38847
- 7 x 12mm drill bits Stock No. 38851
- 7 x 12.5mm drill bits Stock No. 38858
- 7 x 13mm drill bits Stock No. 38863



Stock No.	Part No.
64039	*DBD/HSST

DID YOU KNOW?

These sturdy metal merchandisers are designed to encourage point of sale purchasing. They are supplied with either metric HSS drills, metric SDS+ masonry drills, metric HSS titanium drills, metric HSS cobalt drills, metric masonry drills or metric auger bits and flat wood bits.

They are engineered to be either freestanding or used on a peg or metal slat toolbar.

PRODUCT LOCATOR

See pages 429, 430 and 442 for more merchandisers in this range.



DID YOU KNOW?

Our cobalt drills are ideal for drilling hard materials such as stainless steel. The addition of 5% cobalt to HSS drill bits increases its strength, and the use of cutting oil during use further enhances its resistance and increases longevity.



1 Metric HSS Cobalt Drill Bits

Expert Quality, metric-sized high speed steel drills (with 5% cobalt). The addition of cobalt to HSS prevents wear for longer life. Display packed.

Stock No.	Part No.	Size
39085	H30PB	1.0mm
39088	H30PB	1.5mm
39091	H30PB	2.0mm
39092	H30PB	2.5mm
39093	H30PB	3.0mm
39098	H30PB	3.2mm
39116	H30PB	3.5mm
39133	H30PB	4.0mm
39154	H30PB	4.5mm
39222	H30PB	5.0mm
39227	H30PB	5.5mm
39229	H30PB	6.0mm
39230	H30PB	6.5mm
39231	H30PB	7.0mm
39232	H30PB	7.2mm
39233	H30PB	7.5mm
39234	H30PB	8.0mm
39235	H30PB	8.3mm
39236	H30PB	8.5mm
39237	H30PB	9.0mm
39238	H30PB	9.3mm
39239	H30PB	9.5mm
39240	H30PB	10.0mm
39242	H30PB	10.3mm
39247	H30PB	10.5mm
39248	H30PB	11.0mm
39249	H30PB	11.3mm
39250	H30PB	11.5mm
39251	H30PB	12.0mm
39252	H30PB	12.4mm
39256	H30PB	12.5mm
39257	H30PB	13.0mm



2 Metric HSS Drill Bits (Pack of 10 or 5)

Expert Quality, HSS drill bits, manufactured to DIN338 and ISO235/1 specifications. Display packed.

Stock No.	Part No.	Size	Drill per pack
38705	H29MC	0.5mm	10
38708	H29MC	1.0mm	10
38709	H29MC	1.5mm	10
38710	H29MC	2.0mm	10
38715	H29MC	2.5mm	10
38719	H29MC	3.0mm	10
38789	H29MC	3.2mm	10
38799	H29MC	3.3mm	10
38802	H29MC	3.5mm	10
38804	H29MC	4.0mm	10
38805	H29MC	4.5mm	10
38806	H29MC	5.0mm	10
38807	H29MC	5.5mm	10
38808	H29MC	6.0mm	10
38809	H29MC	6.5mm	10
38811	H29MC	7.0mm	10
38812	H29MC	7.5mm	10
38813	H29MC	8.0mm	10
38814	H29MC	8.5mm	10
38815	H29MC	9.0mm	10
38816	H29MC	9.5mm	10
38817	H29MC	10.0mm	10
38818	H29MC	10.5mm	5
38819	H29MC	11.0mm	5
38821	H29MC	12.0mm	5
38822	H29MC	12.5mm	5
38823	H29MC	13.0mm	5



3 Metric HSS Drill Bits

Expert Quality, HSS drill bits, manufactured to DIN338 and ISO235/1 specifications. Display packed.

Stock No.	Part No.	Size
38606	H29MPB	0.5mm
38607	H29MPB	1.0mm
38608	H29MPB	1.5mm
38609	H29MPB	2.0mm
38610	H29MPB	2.5mm
38611	H29MPB	3.0mm
38612	H29MPB	3.2mm
38613	H29MPB	3.3mm
38615	H29MPB	3.5mm
38616	H29MPB	4.0mm
38620	H29MPB	4.5mm
38621	H29MPB	5.0mm
38622	H29MPB	5.5mm
38623	H29MPB	6.0mm
38624	H29MPB	6.5mm
38639	H29MPB	7.0mm
38647	H29MPB	8.0mm
38648	H29MPB	8.5mm
38650	H29MPB	9.0mm
38651	H29MPB	9.5mm
38655	H29MPB	10.0mm
38657	H29MPB	10.5mm
38658	H29MPB	11.0mm
38659	H29MPB	11.5mm
38670	H29MPB	12.0mm
38671	H29MPB	12.5mm
38684	H29MPB	13.0mm



4 Metric HSS Long Series Drill Bits

Manufactured to DIN 340 and ISO 494 Specifications
Expert Quality, long series HSS drill bits, manufactured to DIN 340 ISO 494 specifications. Display packed.

Stock No.	Part No.	Size	Length
38889	H29MC/L	1.0mm	56mm
38899	H29MC/L	1.5mm	70mm
38902	H29MC/L	2.0mm	85mm
38912	H29MC/L	2.5mm	100mm
38921	H29MC/L	3.0mm	100mm
38924	H29MC/L	3.2mm	100mm
38990	H29MC/L	3.5mm	100mm
39001	H29MC/L	4.0mm	119mm
39003	H29MC/L	4.5mm	126mm
39008	H29MC/L	5.0mm	132mm
39034	H29MC/L	5.5mm	139mm
39035	H29MC/L	6.0mm	139mm
39036	H29MC/L	6.5mm	148mm
39044	H29MC/L	7.0mm	156mm
39052	H29MC/L	7.5mm	157mm
39053	H29MC/L	8.0mm	165mm
39059	H29MC/L	8.5mm	165mm
39060	H29MC/L	9.0mm	170mm
39067	H29MC/L	9.5mm	175mm
39068	H29MC/L	10.0mm	184mm
39071	H29MC/L	10.5mm	184mm
39073	H29MC/L	11.0mm	195mm
39074	H29MC/L	11.5mm	195mm
39079	H29MC/L	12.5mm	200mm
39083	H29MC/L	13.0mm	205mm

5 Metric HSS Titanium Coated Drill Bits

Manufactured to DIN 338 and ISO 235/1 Specifications
Metric-sized high speed steel bits with Titanium added providing extra strength and durability. Display packed.

Stock No.	Part No.	Size
38824	TH29MC	1.0mm
38825	TH29MC	1.5mm
38826	TH29MC	2.0mm
38827	TH29MC	2.5mm
38828	TH29MC	3.0mm
38829	TH29MC	3.2mm
38830	TH29MC	3.5mm
38831	TH29MC	4.0mm
38832	TH29MC	4.5mm
38833	TH29MC	5.0mm
38835	TH29MC	5.5mm
38836	TH29MC	6.0mm
38837	TH29MC	6.5mm
38838	TH29MC	7.0mm
38839	TH29MC	7.5mm
38840	TH29MC	8.0mm
38841	TH29MC	8.5mm
38842	TH29MC	9.0mm
38843	TH29MC	9.5mm
38844	TH29MC	10.0mm
38845	TH29MC	10.5mm
38847	TH29MC	11.0mm
38848	TH29MC	11.5mm
38851	TH29MC	12.0mm
38858	TH29MC	12.5mm
38863	TH29MC	13.0mm



1

Imperial HSS Drill Bits

Manufactured to DIN 338 and ISO 235/1 Specifications
Expert Quality, high speed steel twist drills. Display packed.



Stock No.	Part No.	Diameter	Length	Drills per card
53041	H29PS/B	1/16"	1-7/8" (47.62mm)	1
53042	H29PS/B	3/32"	2-1/4" (57.15mm)	1
53043	H29PS/B	7/64"	2-5/8" (66.67mm)	1
53044	H29PS/B	1/8"	2-3/4" (69.85mm)	1
53049	H29PS/B	9/64"	2-7/8" (73.02mm)	1
53050	H29PS/B	5/32"	3-1/8" (79.37mm)	1
53051	H29PS/B	3/16"	3-1/2" (88.90mm)	1
53059	H29PS/B	7/32"	3-3/4" (95.25mm)	1
53060	H29PS/B	1/4"	4" (101.60mm)	1
53062	H29PS/B	17/64"	4-1/8" (104.77mm)	1
53063	H29PS/B	9/32"	4-1/4" (107.95mm)	1
53064	H29PS/B	5/16"	4-1/2" (114.30mm)	1
53065	H29PS/B	3/8"	5" (127.00mm)	1
53068	H29PS/B	7/16"	5-1/2" (139.70mm)	1

DID YOU KNOW?



Whether you're using metric or imperial, titanium or cobalt, you can be sure that all Draper Expert drills are manufactured to the international standards of DIN 338 and ISO 235-1.

When it matters most, the DIN 338 and ISO 235-1 standards guarantee results.

2

Metric HSS Drill Set (7 Piece)

Manufactured to DIN 338 and ISO 235/1 Specifications

Expert Quality, high speed steel drills. Packed in plastic storage case.

Contents:

7 x Drill bits: 1.5, 2.0, 3.0, 4.0, 5.0, 5.5, 6.0mm

Stock No.	Part No.
24899	DS7MA



3

Metric HSS Drill Set (10 Piece)

High speed steel drill bits with chemical black finish. Packed in plastic storage case.

Contents:

10 x Drill bits: 1.0, 2.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10mm

Stock No.	Part No.
24905	DS10MB

4

Metric HSS Drill Set (13 Piece)

Manufactured to DIN 338 and ISO 235/1 Specifications

Expert Quality, high speed steel drills. Packed in plastic storage case.

Contents:

13 x Drill bits: 1.5, 2.0, 2.5, 3.0, 3.2, 3.5, 4.0, 4.2, 4.5, 5.0, 5.5, 6.0, 6.5mm

Stock No.	Part No.
24900	DS13MA



5

Metric HSS Drill Set (19 Piece)

High speed steel drill bits with chemical black finish. Packed in plastic storage case.

Contents:

19 x Drill bits: 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10mm

Stock No.	Part No.
24906	DS19MB



6

Metric Titanium Nitride Coated HSS Drill Bit Set (15 Piece)

High speed steel drills coated with titanium nitride for longer life. Display packed in soft grip plastic case.

Contents:

15 x Drill bits: 1.5 (x 2), 2.0 (x 2), 2.5 (x 2), 3.0, 3.2, 3.5, 4.0, 4.5, 5.0, 6.0, 8.0, 10mm

Stock No.	Part No.
18549	EBS15HSS



7

Metric HSS Titanium Coated Drill Set (19 Piece)

High speed steel drill bits with titanium finish. Packed in plastic storage case.

Contents:

18 x Drill bits: 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10mm

Stock No.	Part No.
24907	DS19TB





1 Drill Grinding Attachment

Used in conjunction with a standard bench grinder, the attachment gives fast and accurate sharpening of HSS twist drills from 3mm - 19mm or 1/8 - 3/4" diameters. The diecast body has pre-set notches at 41° (countersink), 49°, 59°, 68° and 88° which cover most tip angle requirements.

Stock No.	Part No.
44351	1180C



2 Metric HSS Twist Drill Set (25 Piece)

Manufactured to DIN 338 and ISO235/1 Specifications

Expert Quality, high speed steel drills. Supplied in heavy gauge steel case. Display packed.

Contents:
25 x Drill bits: 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10.0, 10.5, 11.0, 11.5, 12.0, 12.5, 13.0mm

Stock No.	Part No.
25928	25HSS/E



3 Metric Wood Drill Bits

Expert Quality, manufactured from hardened and correctly tempered carbon steel. Suitable for use with hand and power drills. Packed one or two drill bits per hang up card.

Stock No.	Part No.	Size	Drills per card
41790	WBBPB	3.0mm	2
41791	WBBPB	4.0mm	2
41793	WBBPB	5.0mm	1
41794	WBBPB	6.0mm	1
41795	WBBPB	7.0mm	1
41796	WBBPB	8.0mm	1
41797	WBBPB	10.0mm	1
41798	WBBPB	12.0mm	1



4 Metric Wood Drill Set (7 Piece)

Expert Quality, medium carbon steel hardened and tempered with a blacked finish. For use with hand and power tools. Packed in plastic storage case.

Contents:
7 x Drill bits: 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 10mm

Stock No.	Part No.
24902	DS7WA



5 Tile and Glass Drilling Set (8 Piece)

Expert Quality, for use on glass mirrors, floor tiles and quarry tiles. Display packed.

Contents:
3, 4, 5, 6, 7, 8, 9 and 10mm
Must only be used with variable speed power drills

Stock No.	Part No.
48221	TGDSET




6 Tile and Glass Drill Bits

For use on glass mirrors, floor tiles and quarry tiles. Display packed.

Contents:
7 x FDD1.25 - 7A
Must only be used with variable speed power drills

Stock No.	Part No.	Size
31498	TGD	3mm
31503	TGD	4mm
31507	TGD	5mm
31508	TGD	6mm
31509	TGD	7mm
31510	TGD	8mm
31517	TGD	9mm
31529	TGD	10mm



7 Taper Cutter, 4 - 24mm

Manufactured from selected tool steel. Suitable for use with power drills on thin mild steel, nonferrous metals and car bodies. Display packed.

Stock No.	Part No.
13428	4303



8 Step Drill Bit, 4 - 30mm

Step drill bit with 2mm increments perfect for drilling into steel, brass, copper, aluminium, wood and plastics. Manufactured from good quality high-speed steel, correctly hardened for a longer life. Drill steps marked at graduations: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30mm. Display packed.

Stock No.	Part No.
53871	SD4-30



9 Step Drill Bit 4-20mm

Step drill bit with 2mm increments perfect for drilling into steel, brass, copper, aluminium, wood and plastics. Manufactured from good quality high-speed steel, correctly hardened for a longer life. Drill steps marked at graduations: 4, 6, 8, 10, 12, 14, 16, 18, 20mm. Display packed.

Stock No.	Part No.
71220	PTASDB

10 Plug Cutting Set (4 Piece)

Cuts wooden plugs to fill and cover recessed fixing holes. Use with hard and soft woods only. Cutters have 6mm shank. Display packed.

Contents:
4 x cutters: 1/4, 3/8, 1/2, 5/8"
NB: These cutters should not be used for drilling holes

Stock No.	Part No.
87806	4PC



1


Drill Bit and Accessory Kit (41 piece)

A varied and universally useful drill bit and accessory set. Supplied with 41 pieces suitable for a host of tasks. Perfect for both power tools and hand tools, and Supplied in a robust plastic carry case.

Contents:

- 11x HSS drill bits 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 6, 6.5mm
- 4x masonry drill bits 4, 5, 6, 8
- 4x wood drill bits 4, 5, 6, 8
- 1x Countersink bit
- 1x Magnetic bit holder 60mm
- 2x Plain Slot 25mm screwdriver bits: 4, 6
- 4x Cross Slot 25mm screwdriver bits: No.1, No.2 (x2), No.3
- 4x PZ Type 25mm screwdriver bits: No.1, No.2 (x2), No.3
- 6x Draper TX - STAR 25mm screwdriver bits: T10, T15, T20, T25, T27, T30
- 4x nut driver 6, 8, 10, 13

Stock No.	Part No.
80980	DBS/41



2

Drill and Accessory Kit (75 Piece)

Comprehensive 75pcs drill and bit set, packed in a robust storage case.

Contents:

- 11 x HSS drill bits: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6mm
- 4 x Masonry drill bits: 4, 5, 6, 8mm
- 5 x Wood drill bits: 3, 4, 5, 6, 8mm
- 6 x Nut drivers: 4, 5, 6, 7, 8, 10mm
- 2 x Flat wood bits: 16, 22mm
- 1 x Magnetic bit holder
- 1 x Counter sink
- 1 x Gauge
- 7 x Plain slot: 3, 4, 5.5, 6, 6, 7mm
- 6 x Cross slot: No.0, No.1, No.2 (x3), No.3
- 6 x PZ Type: PZ0, PZ1, PZ2, PZ2, PZ2, PZ3
- 7 x TX: Star®: T10, T15, T20, T25, T27, T30, T40
- 6 x Hex: 2, 2.5, 3, 4, 5, 6mm
- 4 x Plain slot: 4, 5, 6, 6mm
- 4 x Cross slot: No.1, No.2 (x2), No.3
- 4 x PZ Type: PZ1, PZ2, PZ2, PZ3

Stock No.	Part No.
66090	DBS75/LE



3

Drill Bit and Accessory Kit (101 Piece)

A varied and universally useful drill bit and accessory set. Supplied with 101 pieces suitable for a host of tasks. Perfect for both power tools and hand tools, and supplied in a robust plastic carry case.

Contents:

- 15 x HSS drill bits 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 8
- 6 x masonry drill bits 3, 4, 5, 6, 8, 10
- 6 x wood drill bits 3, 4, 5, 6, 8, 10
- 3 x flat wood bits 16, 18, 22
- 1 x Countersink bit
- 1 x Magnetic bits holder 60mm
- 9 x nut driver 4, 5, 5.5, 6, 7, 8, 9, 10, 12
- 4 x drill stopper 5, 6, 8, 10,
- 3 x Plain Slot 25mm screwdriver bits: 4, 5, 6
- 9 x Cross Slot 25mm screwdriver bits: 1 x No.0, 2 x No.1, 4 x No.2, 2 x No.3
- 8 x PZ Type 25mm screwdriver bits: 2 x No.1, 4 x No.2, 2 x No.3
- 12 x Draper TX - STAR 25mm screwdriver bits: 2 x T10, 2 x T15, 2 x T20, 2 x T25, 2 x T27, 2 x T30
- 12 x Hex 25mm screwdriver bits: 2 x 2, 2 x 2.5, 2 x 3, 2 x 4, 2 x 5, 2 x 6
- 4 x Square 25mm screwdriver bits: 0, 1, 2, 3
- 3 x Plain Slot 50mm screwdriver bits: 4, 5, 6
- 2 x Cross Slot 50mm screwdriver bits: No.2, No.3
- 2 x PZ Type 50mm screwdriver bits: No.2, No.3
- 1 x Hex key 2.5mm

Stock No.	Part No.
80991	DBS/101





1 Metric Masonry Drill Set (5 Piece)


Manufactured to ISO 5468 Specifications

Tungsten carbide tipped drill bits. Suitable for use with impact or power drills. Packed in plastic storage case.

Contents:

5 x Drill bits: 4.0, 5.0, 6.0, 8.0, 10.0mm

Stock No.	Part No.
24909	DS5MSB



2 Metric Masonry Drill Set (8 Piece)

Manufactured to ISO 5468 Specifications

Expert Quality, tungsten carbide tipped straight shank drill bits. Suitable for use with impact or power drills. Packed in plastic storage case.

Contents:

8 x Drill bits: 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.0mm

Stock No.	Part No.
24903	DS8MSA



3 Masonry Drill Bit Set (15 Piece)

Tungsten steel straight shank drills. Display packed in soft grip plastic case.

Contents:

6 x Masonry drill bits: 3.0 x 3, 4.0 x 3, 5.0 x 3, 6.0 x 2, 8.0 x 2, 10 x 2 mm

Stock No.	Part No.
18550	EBS15MAS



4 Metric Combined HSS and Masonry Drill Bit Set (17 Piece)

12 titanium nitride coated high speed steel straight shank drills and five tungsten steel masonry drills in handy set. Display packed in soft grip plastic case.

Contents:

12 x Titanium nitride coated HSS drills: 1.5, 2.0, 2.5, 3.0, 3.2, 3.5, 4.0, 4.5, 4.8, 5.0, 5.5, 6.0mm
5 x Masonry drills: 3.0, 5.0, 6.0, 8.0, 10mm

Stock No.	Part No.
18551	EBS17COM



6 Metric Masonry Drill Bits

Manufactured to ISO 5468 Specifications

Expert Quality, tungsten carbide tipped straight shank drills with milled flute. Suitable for use with power drills. Display packed.

Stock No.	Part No.	Diameter	Length	Drills per card
39259	MD12PB	4mm	75mm	1
39260	MD12PB	4mm	85mm	1
39263	MD12PB	5mm	85mm	1
39264	MD12PB	5mm	150mm	1
39268	MD12PB	5.5mm	85mm	1
39443	MD12PB	5.5mm	150mm	1
39643	MD12PB	6mm	100mm	1
39651	MD12PB	6mm	150mm	1
39766	MD12PB	6.5mm	100mm	1
40084	MD12PB	6.5mm	150mm	1
40088	MD12PB	7mm	100mm	1
40091	MD12PB	7mm	150mm	1
40107	MD12PB	8mm	120mm	1
40395	MD12PB	8mm	150mm	1
40617	MD12PB	8mm	200mm	1
40671	MD12PB	8mm	400mm	1
40714	MD12PB	10mm	120mm	1
40793	MD12PB	10mm	150mm	1
40798	MD12PB	10mm	200mm	1
40799	MD12PB	10mm	400mm	1
40809	MD12PB	12mm	150mm	1
40810	MD12PB	12mm	200mm	1
40811	MD12PB	12mm	400mm	1
40812	MD12PB	13mm	200mm	1
40813	MD12PB	14mm	150mm	1
40814	MD12PB	14mm	200mm	1
40815	MD12PB	14mm	400mm	1
40816	MD12PB	15mm	150mm	1
40817	MD12PB	16mm	150mm	1
40818	MD12PB	16mm	200mm	1
40819	MD12PB	16mm	400mm	1
40820	MD12PB	20mm	400mm	1
40821	MD12PB	22mm	400mm	1
40822	MD12PB	25mm	400mm	1

5 Metric Masonry Drill Bit Merchandiser (130 Piece)

Expert Quality, heavy duty merchandiser of assorted metric masonry drill bits in plastic hang - up boxes. Supplied with stock and hangers. Carton packed.

Contents:

8 x 4.0mm 75mm drill bits Stock No. 39259
8 x 4.5mm 85mm drill bits Stock No. 39260
8 x 5.0mm 85mm drill bits Stock No. 39263
8 x 5.5mm 85mm drill bits Stock No. 39268
8 x 5.5mm 150mm drill bits Stock No. 39443
8 x 6.0mm 150mm drill bits Stock No. 39651
8 x 6.5mm 100mm drill bits Stock No. 39766
8 x 6.5mm 150mm drill bits Stock No. 40084
8 x 7.0mm 100mm drill bits Stock No. 40088
8 x 7.0mm 150mm drill bits Stock No. 40091
8 x 8mm 150mm drill bits Stock No. 40395
8 x 8mm 200mm drill bits Stock No. 40617
3 x 8mm 400mm drill bits Stock No. 40671
6 x 10mm 150mm drill bits Stock No. 40793
6 x 10mm 200mm drill bits Stock No. 40798
6 x 12mm 150mm drill bits Stock No. 40809
3 x 12mm 400mm drill bits Stock No. 40811
6 x 13mm 200mm drill bits Stock No. 40812
6 x 14mm 200mm drill bits Stock No. 40814
6 x 16mm 200mm drill bits Stock No. 40818
3 x 20mm 400mm drill bits Stock No. 40820

Stock No.	Part No.
64045	*DBD/MAS



1

Metric SDS+ Drill Bit Merchandiser (137 Piece)

Expert Quality, heavy duty merchandiser of assorted metric SDS+ drill bits in plastic hang-up boxes. Supplied with stock and hangers. Carton packed.

Contents:

8 x 5.0mm 100mm SDS+ drill bits Stock No. 40825
 8 x 5.0mm 160mm SDS+ drill bits Stock No. 40826
 8 x 5.5mm 110mm SDS+ drill bits Stock No. 40827
 8 x 5.5mm 160mm SDS+ drill bits Stock No. 40828
 8 x 6.0mm 160mm SDS+ drill bits Stock No. 40831
 8 x 6.5mm 110mm SDS+ drill bits Stock No. 40833
 8 x 6.5mm 160mm SDS+ drill bits Stock No. 40834
 8 x 7.0mm 160mm SDS+ drill bits Stock No. 40836
 8 x 8.0mm 160mm SDS+ drill bits Stock No. 40838
 8 x 8.0mm 260mm SDS+ drill bits Stock No. 40839
 7 x 10mm 160mm SDS+ drill bits Stock No. 40843
 7 x 10mm 210mm SDS+ drill bits Stock No. 40844
 7 x 10mm 450mm SDS+ drill bits Stock No. 40919
 4 x 12mm 150mm SDS+ drill bits Stock No. 40920
 4 x 12mm 260mm SDS+ drill bits Stock No. 41065
 4 x 12mm 450mm SDS+ drill bits Stock No. 41113
 4 x 14mm 450mm SDS+ drill bits Stock No. 41273
 3 x 16mm 200mm SDS+ drill bits Stock No. 41291
 3 x 16mm 450mm SDS+ drill bits Stock No. 41296
 3 x 20mm 450mm SDS+ drill bits Stock No. 41303

Stock No.	Part No.
64049	*DBD/SDS



2

Metric SDS+ Masonry Drill Bits

Manufactured to ISO 5468 Specifications

Expert Quality, tungsten carbide tipped straight shank drills with milled flute. Suitable for use with power drills. Manufactured to ISO 5468 specifications. Display packed.

Stock No.	Part No.	Size	Length
40823	DSDS/PB	4mm	110mm
40824	DSDS/PB	4.5mm	110mm
40825	DSDS/PB	5mm	110mm
40826	DSDS/PB	5mm	160mm
40827	DSDS/PB	5.5mm	110mm
40828	DSDS/PB	5.5mm	160mm
40829	DSDS/PB	5.5mm	210mm
40830	DSDS/PB	6mm	110mm
40831	DSDS/PB	6mm	160mm
40832	DSDS/PB	6mm	210mm
40833	DSDS/PB	6.5mm	110mm
40834	DSDS/PB	6.5mm	160mm
81068	DSDS/PB	6.5mm	210mm
40835	DSDS/PB	7mm	110mm
40836	DSDS/PB	7mm	160mm
40837	DSDS/PB	7mm	210mm
40838	DSDS/PB	8mm	160mm
40839	DSDS/PB	8mm	210mm
40840	DSDS/PB	8mm	260mm
40841	DSDS/PB	8mm	300mm
40842	DSDS/PB	8mm	460mm
40843	DSDS/PB	10mm	160mm
40844	DSDS/PB	10mm	210mm
40845	DSDS/PB	10mm	260mm
40848	DSDS/PB	10mm	300mm
40919	DSDS/PB	10mm	450mm
40920	DSDS/PB	12mm	150mm
40947	DSDS/PB	12mm	210mm
41065	DSDS/PB	12mm	260mm
41112	DSDS/PB	12mm	300mm
41113	DSDS/PB	12mm	450mm
41219	DSDS/PB	12mm	1000mm
41220	DSDS/PB	14mm	160mm
41251	DSDS/PB	14mm	300mm
41273	DSDS/PB	14mm	450mm
41289	DSDS/PB	16mm	160mm
41291	DSDS/PB	16mm	200mm
41294	DSDS/PB	16mm	260mm
41296	DSDS/PB	16mm	450mm
41299	DSDS/PB	16mm	1000mm
41300	DSDS/PB	18mm	450mm
41302	DSDS/PB	19mm	1000mm
41303	DSDS/PB	20mm	450mm
41363	DSDS/PB	24mm	1000mm
41473	DSDS/PB	25mm	450mm



3

Metric SDS+ Masonry Drill Set (5 Piece)

Expert Quality, heat treated tungsten carbide tip to withstand extreme heat generation and ensure longer life. For use in concrete, brick and other similar materials. Packed in plastic storage case.

Contents:

1 x 5.0 x 110mm drill bit
 1 x 6.0 x 110mm drill bit
 1 x 7.0 x 160mm drill bit
 1 x 8.0 x 160mm drill bit
 1 x 10.0 x 160mm drill bit

Stock No.	Part No.
24904	DSDS5A



6

SDS+ Point Chisel

For use with SDS+ hammer drills. Packed on storage hanger.

Stock No.	Part No.
77143	APT6PA



4

SDS+ Chisel Set (3 Piece)

Expert Quality, for use with machine with SDS+ system. Carbon steel hardened and tempered. Packed in plastic hang up wallet. Display packed.

Contents:

1 x 220mm x 20mm flat chisel
 1 x 220mm x 40mm flat chisel
 1 x 220mm point chisel

Stock No.	Part No.
40405	SDS/3



5

SDS+ Flat Chisels

For use with SDS+ hammer drills. Packed on storage hanger.

Stock No.	Part No.	Blade Width
77142	APT5PA	20mm
77145	APT8PA	40mm



7

SDS+ Groove/Gouge Chisel

For use with SDS+ hammer drills. Packed on storage hanger.

Stock No.	Part No.
77144	APT7PA



1
30 x 410mm 29mm Hexagon Shank Chisels

Suitable for use in the Draper 1600W 15kg breaker, stock number 83352. Made from good quality steel that's been correctly hardened and tempered. Sold loose.

Stock No.	Part No.	Description
84739	ABR15P	Spare Pointed Chisel
84740	ABR15F	Spare Flat Chisel



2
SDS Chuck Adaptor

Adapts an SDS drill to take a standard 1/2" chuck. Compatible with SDS and SDS+ drills.

Warning: Adaptor must not be used with the drill in hammer mode.

Stock No.	Part No.
69049	APT73




3
Diamond Core Bits

Manufactured from good quality steel with sintered diamond segment. For cutting holes for pipe and conduit. Thread 1/2" BSP. Carton packed.

Warning: If these bits are used in an SDS+ hammer drill, it must have an electronic safety clutch and only be used in rotary mode.


Stock No.	Part No.	Size
43709	DCB/B	28 x 300mm
43710	DCB/B	38 x 150mm
43711	DCB/B	52 x 150mm
43712	DCB/B	78 x 150mm
43713	DCB/B	107 x 150mm
43714	DCB/B	117 x 150mm
43715	DCB/B	127 x 150mm
43716	DCB/B	152 x 150mm



4
Extension Arbor for Diamond Core Bits, 200mm

For use with Draper Diamond Core Bits. 1/2" BSP male and female threads. Carton packed.

Stock No.	Part No.
43706	DCBEXT/B



5
SDS+ Arbor for Diamond Core Bits, 240mm


1/2" BSP male thread. Display packed in plastic wallet.

Stock No.	Part No.
43707	DCBSDS/B

DID YOU KNOW?

DIAMOND CORE DRILLING SAFETY

When using our diamond core bits in an SDS+ hammer drill, it is essential that the drill has a safety clutch, and it must only be used in rotary mode. This will avoid "kick back" should the core bit jam during use.



6
Hex. Arbor for Diamond Core Bits, 240mm

1/2" BSP male thread. Display packed in plastic wallet.

Stock No.	Part No.
43708	DCBHEX/B



7
T.C.T. Tapered Guide Drill for Diamond Core Bits

Morse taper No. 1. Display packed in plastic wallet.


Stock No.	Part No.	Size
40928	DCB8200/B	12 x 225mm



8
12 x 200mm Guide Rod for Diamond Core Bits

Morse taper No. 1. Display packed in plastic wallet.

Stock No.	Part No.
40929	DCBGR/B



9
Drift for Diamond Core Bits

For extracting masonry bits from arbors. Display packed in plastic wallet.

Stock No.	Part No.
40930	DCBDRIFT/B





1
Hinge Hole Cutter, 35mm

Manufactured from hardened and tempered tool steel. Display packed.

Stock No.	Part No.
14037	4766



2
Hole Cutter for Wood or Plastic, 40 - 120mm

Combination shank for hand brace or power drill. Speed range 200 rpm when cutting holes above 90mm diameter increasing to 800rpm for 40mm diameter holes. The cutter has an easy to use adjustment nut, graduated beam and hardened pilot point. For wood and plastics, maximum cutting depth 30mm. Display packed.

Stock No.	Part No.
31950	4302B



3
HSS Rosehead Countersink Bits

Heavy duty countersink bit, made from high speed steel hardened and tempered to 55HRC for longer life. The 90° head incorporates five cutting edges and an 8mm diameter shank. Suitable for use with hand or power drills on hard or softwood, metals and plastics.

Stock No.	Part No.	Diameter	Length
19234	HS12	13mm	50mm
19235	HS16	16mm	50mm



4
Countersink Bit, 13mm

General purpose bit for use on wood or plastics. Suitable for use with hand or power drills. Shank diameter 6mm. Display packed.

Stock No.	Part No.
92526	DB2



5
Countersink Bits

Manufactured from special tool steel, hardened and tempered to 55HRC for long life. The 90° head incorporates a single finely ground fast cutting edge. Shank 6mm diameter. Suitable for use with hand or power drills on hard or softwood and plastics. Display packed.

Stock No.	Part No.	Diameter	Length
10572	CS12	12mm	50mm
10573	CS16	16mm	50mm



6
1/4" Hex. Bit Adaptor x 1/4" Sq. Dr.

Manufactured from chrome vanadium steel hardened, tempered with shot blast finish. Spring loaded ball bearing for secure socket holding. Display packed.

Stock No.	Part No.	Length
22182	B46	50mm



7
Magnetic Bit Holders

1/4" male x 1/4" female magnetic bit holder for use in power drills and driver handles. Shaft (male hexagon) from chrome vanadium steel hardened and tempered with the bit holder (female hexagon) cold forged from stainless steel. Display packed.

Stock No.	Part No.	Length
82407	MH/B	60mm
82408	MH150/B	150mm
82409	MH300/B	300mm



8
Quick Release Bit Holders

1/4" hex. male x 1/4" female with quick release for use in power drills and driver handles. Carbon steel shaft (male hexagon) hardened and tempered (male hexagon) with the bit holder (female hexagon) from stainless steel. 'Quick release' collet allows bits to be expelled quickly and efficiently. Display packed.

Stock No.	Part No.	Length
82410	MH/QR/60/B	60mm
82411	MH/QR/150/B	150mm



1
1/4" Hex. Socket Drive Adaptor Set, 1 x 1/4" Sq. Dr., 1 x 3/8" Sq. Dr.

Designed for use in conjunction with any 1/4" hexagon drive unit, i.e. hand, electric or air screwdrivers, to drive 1/4" and 3/8" square drive sockets. Comprises 1/4" hexagon x 1/4" square and 1/4" hexagon x 3/8" square adaptors. Manufactured from chrome vanadium steel hardened, tempered and chrome plated. Each square driver end incorporates a spring-loaded retaining ball for secure socket holding. Display packed.

Stock No.	Part No.
50087	BCS



2
Socket Adaptor Set, 1/4" Hex. x 1/4", 3/8" & 1/2" Sq. Dr. (3 Piece)

Designed for use in conjunction with any 1/4" hexagon drive unit, i.e. hand, electric or air screwdrivers, to drive 1/4", 3/8" and 1/2" square drive sockets. Comprises 1/4" hexagon x 1/4" square, 1/4" hexagon x 3/8" square and a 1/4" hex x 1/2" square adaptors. Manufactured from chrome vanadium steel hardened, tempered and chrome plated. Each square driver end incorporates a spring-loaded retaining ball for secure socket holding. Display packed.

Stock No.	Part No.
00005	BCS/3



3
Bit Holding Sockets

Expert Quality, insert bit holders with spring clip and ball bearing for secure bit retention. Forged from chrome vanadium steel hardened and tempered with a mirror chrome finish. Display packed.

Stock No.	Part No.	Sq. Dr.	Bit Size
85125	B-BHA	1/4"	1/4"
16809	D-BH/B	3/8"	1/4"
16810	H-BH/B	1/2"	5/16"
16811	H-BH/C	1/2"	10mm




4
Screwdriver and Magnetic Bit Set (8 Piece)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Supplied in a convenient storage case which opens up for easy access to the bits. Magnetic bit holder made from zinc alloy steel with chrome plated finish. Display packed.

Contents:

- 1 x magnetic bit holder
- 2 x Plain slot bits: 4.0, 6.0mm
- 2 x Cross slot bits: No.1, No.2
- 3 x PZ TYPE bits: No.1, No.2, No.3

Stock No.	Part No.
82391	MBH8




5
Screwdriver and Magnetic Bit Holder Set (13 Piece)

25mm 1/4" bits manufactured from chrome vanadium steel hardened and tempered with a sand blasted finish. Supplied in a convenient storage case which opens up for easy access to the bits. Magnetic bit holder made from zinc alloy steel with chrome plated finish. Display packed.

Contents:

- 1x Magnetic bit holder
- 4x Plain slot bits: 3, 4, 5, 6mm
- 4x Cross slot bits: No.0, No.1, No.2, No.3
- 4x PZ Type bits: No.1, No.2 (x2), No.3

Stock No.	Part No.
82392	MBH13



6
Screwdriver and Magnetic Bit Holder Set (19 Piece)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Supplied in a convenient storage case which opens up for easy access to the bits. Magnetic bit holder made from zinc alloy steel hardened and tempered with chrome plated finish. Display packed.

Contents:

- 1x Magnetic bit holder
- 4x Plain slot bits: 3, 4.5, 5.5 and 6.0mm
- 3x PZ Type bits: No.1, No.2, No.3
- 4x Hex bits: 3, 4, 5, d 6mm
- 7x Draper TX - STAR® bits: T10, T15, T20, T25, T27, T30, T40

Stock No.	Part No.
82393	MBH19



7
Screwdriver and Magnetic Bit Holder Set (33 Piece)

25mm long 1/4" bits manufactured from chrome vanadium steel hardened and tempered with a shot blast finish. Bit holder manufactured from zinc alloy steel with chrome plated finish. Supplied in storage case. Display packed.

Contents:

- 1 x magnetic bit holder
- 8 x Plain slot bits: 3.5 mm (x 3), 5.5mm (x 3), 6.0mm (x 2)
- 19 x PZ TYPE bits: No.1 (x 5), No.2 (x 10), No.3 (x 4)
- 2 x Draper TX - STAR® bits: T10, T20
- 3 x Hexagonal bits: 4, 5, 6mm

Stock No.	Part No.
82386	MBH33/B

8
Magnetic Bit Holder Set (43 Piece)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a sand blasted finish. Bit holder manufactured from zinc alloy steel with chrome plated finish. Supplied in a heavy duty plastic storage case with plastic inlay to hold the bits securely. Display packed

Contents:

- 1 x Magnetic bit holder
- 11 x Plain slot bits: 3mm (x 2), 4mm (x 2), 5mm (x 2), 6mm (x 3), 7mm (x 2)
- 9 x Cross slot bits: No.0 (x 2), No.1 (x 2), No.2 (x 3), No.3 (x 2)
- 9 x PZ Type bits: No.0 (x 2), No.1 (x 2), No.2 (x 3), No.3 (x 2)
- 5 x Hex bits: 2, 3, 4, 5, 6mm
- 8 x Draper TX - STAR® bits: T8, T10, T15, T20, T25, T27, T30, T40

Stock No.	Part No.
82394	MBH43





1
Coloured Screwdriver Bit Set (8 Piece)

Expert Quality, 25mm 1/4" bits manufactured from S2 steel, which is hardened and tempered with a satin chrome finish, attached with a plastic coloured ring for easy identification. Supplied in a convenient storage case, which opens up for easy access to the bits. Bit holder with quick release collet allows bits to be expelled quickly and efficiently. Display packed.

- Contents:**
 1 x Quick release bit holder
 2 x Plain slot bits: 4, 6mm
 2 x Cross slot bits: No.1, No.2
 3 x PZ Type bits: No.1, No.2, No.3

Stock No.	Part No.
82400	CMBH8



2
Coloured Screwdriver Bit Set With Magnetic Holder (13 Piece)

Expert Quality, 25mm 1/4" bits manufactured from S2 steel, which is hardened and tempered with a satin chrome finish, attached with a plastic coloured ring for easy identification. Supplied in a convenient storage case, which opens up for easy access to the bits. Bit holder with quick release collet which allows bits to be expelled quickly and efficiently. Display packed.

- Contents:**
 1 x Magnetic bit holder
 4 x Plain slot bits: 3, 4, 5, 6mm
 4 x Cross slot bits: No.0, No.1, No.2, No.3
 4 x PZ Type bits: No.1, No.2 (x2), No.3

Stock No.	Part No.
82401	CMBH13



3
Coloured Screwdriver Bit Set (19 Piece)

Expert Quality, 25mm 1/4" bits manufactured from S2 steel, which is hardened and tempered with a satin chrome finish, attached with a plastic coloured ring for easy identification. Supplied in a convenient storage case, which opens up for easy access to the bits. Bit holder with quick release collet allows bits to be expelled quickly and efficiently. Display packed.

- Contents:**
 1 x Magnetic bit holder
 4 x Plain slot bits: 3, 4.5, 5.5, 6mm
 3 x PZ Type bits: No.1, No.2, No.3
 4 x Hex bits: 3, 4, 5, 6mm
 7 x Draper TX - STAR® bits: T10, T15, T20, T25, T27, T30, T40

Stock No.	Part No.
82402	CMBH19



4
Coloured Screwdriver Bit Set (60 Piece)

Expert Quality, 25mm and 50mm 1/4" bits manufactured from S2 steel, which is hardened and tempered with a satin chrome finish, attached with a plastic coloured ring for easy identification. Bit holder with quick release collet which allows bits to be expelled quickly and efficiently. Supplied in a heavy duty storage case with plastic inlay to hold bits securely. Display packed.

- Contents:** 1 x Magnetic bit holder • 12 x Plain slot bits: 3 (x2), 4 (x2), 5 (x2), 5.5 (x2), 6 (x2), 7mm (x2) • 9 x Cross slot bits: No.0 (x2), No.1 (x2), No.2 (x3), No.3 (x2) • 13 x PZ type bits: No.0 (x3), No.1 (x3), No.2 (x4), No.3 (x3) • 10 x Draper TX - STAR® bits: T8, T9, T10, T15, T20, T25, T27, T30, T35, T40 • 10 x Hex bits: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 7, 8mm • 2 x 50mm Plain slot bits: 4mm, 6mm • 3 x 50mm PZ type bits: No.1, No.2, No.3

Stock No.	Part No.
82405	CMBH60



5
Security Bit Set (33 Piece)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Bit holder manufactured from zinc alloy steel with a chrome plated finish. Supplied in a storage case. Display packed.

- Contents:** 1 x Magnetic bit holder • 3 x Torq bits: 6, 8, 10 • 4 x Spanner bits: No. 4, 6, 8, 10 • 4 x Tri - winged bits: No.1, 2, 3, 4 • 6 x Metric hexagonal security bits: 2, 2.5, 3, 4, 5, 6mm • 6 x Imperial hexagonal security bits: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" • 9 Draper TX - STAR® security: T8T, T10T, T15T, T20T, T25T, T27T, T30T, T35T, T40T

Stock No.	Part No.
82406	SEC33/B

6
Security Screwdriver Bit Set (43 Piece)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Bit holder manufactured from zinc alloy steel with a chrome plated finish. Supplied in a heavy duty plastic case with plastic inlay to hold bits securely. Display packed.

- Contents:** 1 x Magnetic bit holder • 4 x Cross slot: No.0, No.1, No.2, No.3 • 6 x PZ type: No.0, No.1, No.2 (x2), No.3 (x2) • 3 x Torq: 6, 8, 10 • 4 x Spanner: 4, 6, 8, 10 • 4 x Tri - wing: 1, 2, 3, 4mm • 6 x Security hex: 2, 2.5, 3, 4, 5, 6mm • 6 x Security hex: 5/32, 9/64, 1/8, 7/64, 3/32, 5/64 • 9 x Draper TX - STAR® security: T8T, T10T, T15T, T20T, T25T, T27T, T30T, T35T, T40T

Stock No.	Part No.
82397	SEC43



7
Security Screwdriver Bit and Driver Set (45 Piece)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Supplied with a 1/4" soft grip driver. Supplied in a heavy duty storage case with plastic inlay to hold bits securely. Display packed.

- Contents:** 1 x Magnetic soft grip driver • 3 x Tri wing: 1, 2, 3 • 4 x Spanner: 4, 6, 8, 10 • 5 x Spline: M4, M5, M6, M8, M10 • 4 x Square: S0, S1, S2, S3 • 6 x Metric security hex: 2, 2.5, 3, 4, 5, 6mm • 6 x Imperial security hex: 5/32, 9/64, 1/8, 7/64, 3/32, 5/64" • 7 x Draper TX - STAR®: T5, T6, T7, T8, T10, T15, T20 • 9 x Draper TX - STAR® security: T8T, T9T, T10T, T15T, T20T, T25T, T27T, T30T, T40T

Stock No.	Part No.
82399	MBH45





1 Insert Bit Set (37 Piece)

Comprehensive bit set for use with hand and power tools. Display packed in soft grip plastic case.

Contents:

6 x 1/4" plain slot insert bits size: 4 - 7mm x 25mm long
 3 x 1/4" cross slot insert bits: No.1 - 3 x 25mm long
 3 x 1/4" PZ TYPE insert bits: No.1 - 3 x 25mm long
 7 x 1/4" Draper TX - STAR® insert bits: T10 - T40 x 25mm long
 5 x 1/4" hexagon insert bits size: 3 - 6mm x 25mm long
 2 x 1/4" plain slot insert bits size: 5.5 and 7.0mm x 50mm long
 3 x 1/4" cross slot insert bits: No.1 - 3 x 50mm long
 3 x 1/4" PZ TYPE insert bits: No.1 - 3 x 50mm long
 4 x nut driving bits size: 5 - 10mm
 1 x bit holder

Stock No.	Part No.
18561	EBS37



2 Bit Holder Set (127 Piece)

Expert Quality, comprehensive set of 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Bit holder with quick release collet allows bits to be expelled quickly and efficiently. Supplied in a heavy duty storage case with plastic inlay to hold bits securely. Display packed.

Contents:

1 x Plain slot 150mm long bits: 6mm • 2 x Cross slot 150mm long bits: No.2, No.3 • 2 x PZ Type 150mm long bits: No.2, No.3 • 1 x Plain slot 75mm long bits: 5mm • 4 x Cross slot 75mm long bits: No.1, No.2 (x2), No.3 • 4 x PZ Type 75mm long bits: No.1, No.2 (x2), No.3 • 1 x Plain slot 50mm long bits: 4.5mm • 2 x Cross slot 50mm long bits: No.2 (x2) • 2 x PZ Type 50mm long bits: No.2 (x2) • 15 x Plain slot 25mm long bits: 3, 4, 4.5 (x3), 5 (x3), 5.5 (x3), 6, 6.5, 7, 8 • 8 x Cross slot 25mm long bits: No.0, No.1, No.2 (x5), No.3 • 9 x PZ Type 25mm long bits: No.0, No.1, No.2 (x5), No.3 (x2) • 9 x Draper TX - STAR® 25mm long bits: T8, T10, T15, T20, T25, T27, T30, T40, T45 • 7 x Draper TX - STAR® security 25mm long bits: T8T, T10T, T15T, T20T, T25T, T30T, T40 • 7 x Metric Hex 25mm long bits: 1.5, 2, 2.5, 4, 5, 6, 7mm • 9 x Imperial Hex 25mm long bits: 1/16, 5/64, 3/32, 7/64, 1/8, 5/32, 3/16, 7/32, 1/4 • 4 x Square 25mm long bits: S0, S1, S2, S3 • 14 x Tamper Hex 25mm long bits: 2 (x2), 2.5 (x2), 3 (x2), 4 (x2), 5 (x2), 6mm (x4) • 3 x Draper TX - STAR® 25mm long bits: T6, T8, T10 • 3 x Butterfly 25mm long bits: C1, C2, C3 • 3 x Splines 25mm long bits: 5, 6, 8 • 4 x Wing 25mm long bits: 4, 6, 8, 10 • 4 x Tri Wing 25mm long bits: 1, 2, 3, 4 • 1 x Hook Bit • 1 x 25mm 1/4" square to 1/4" hex drive adaptor • 1 x 50mm 1/4" square to 1/4" hex drive adaptor • 1 x 60mm 1/4" hex magnetic bit holder • 1 x 60mm 1/4" quick change bit holder • 1 x 80mm SDS plus quick change bit holder • 1 x 1/4" square female to 1/4" female socket

Stock No.	Part No.
82398	SEC127



3 PZ TYPE Impact Bits, 1/4" Hex., No.2 x 25mm (25 Piece)

Expert Quality, PZ2 x 25mm impact screwdriver bits. Manufactured from S2 steel which is correctly hardened and tempered. Designed for use with impact drivers. Supplied in a clear plastic storage case. Display packed.

Stock No.	Part No.
11677	IBPZ2/25



4 No. 2 PZ x 50mm Type Impact Bits (10 Piece)

Expert Quality, PZ2 x 50mm impact screwdriver bits. Manufactured from S2 steel which is correctly hardened and tempered. Designed for use with impact drivers. Supplied in a clear plastic storage case. Display packed.

Stock No.	Part No.
11674	IBPZ2/50



5 Impact Screwdriver Bit Set (26 Piece)

Expert Quality 1/4" hex impact screwdriver bit set, manufactured from S2 steel, correctly hardened and tempered with a phosphate finish. Designed for use with impact drivers. Supplied in a plastic case with soft grip detail.

Contents: 1x 60mm Magnetic Bit Holder • 1x 65mm 1/4" hex x 1/4" Sq. Dr. adaptor • 2x Plain Slot 25mm screwdriver bits: 5, 6mm • 2x Cross Slot 25mm screwdriver bits: No.1, No.2 • 2x TX Star 25mm screwdriver bits: T20, T25 • 1x Square 25mm screwdriver bits: S1 • 1x Plain Slot 50mm screwdriver bits: 6mm • 2x Cross Slot 50mm screwdriver bits: No.1, No.2 • 3x PZ Type 50mm screwdriver bits: No.1, No.2, No.3 • 2x TX Star 50mm screwdriver bits: T20, T25 • 3x Square 50mm screwdriver bits: S2 (x2), S3 • 3x Cross Slot 75mm screwdriver bits: No.2 (x3) • 2x PZ Type 55mm screwdriver bits: No.2 (x2) • 3x Magnetic nut-drivers: 6, 8, 10mm

Stock No.	Part No.
05732	IMBH26



6 Impact Screwdriver Bit Set (32 Piece)

Expert Quality 1/4" hex impact screwdriver bit set, manufactured from S2 steel, correctly hardened and tempered with a phosphate finish. Designed for use with impact drivers. Supplied in a plastic case with soft grip detail.

Contents: 1 x 60mm Magnetic Bit Holder • 1 x 25mm Socket Adaptor • 4 x Plain slot bits: 3, 4, 5, 6mm • 8 x Cross slot bits: No.1 (x2), No.2 (x4), No.3 (x2) • 8 x PZ Type bits: No.1 (x2), No.2 (x4), No.3 (x2) • 3 x Hex bits: 4, 5, 6mm • 7 x TX Star bits: T10, T15, T20, T25, T27, T30, T40

Stock No.	Part No.
05724	IMBH32



1 HSS Bi-metal Holesaw Blades

High-speed variable pitch bi-metal hole saws ideal for cutting perfectly round and accurate holes in metals, plastics and wood up to a depth of 35mm (1.3/8"). They offer a hardened M3 steel cutting edge that is welded to a tough alloy steel body, making them very durable and hardwearing. The construction reduces the risk of shattering. The holesaws have four side slots for removal of slug, as well as a female threaded spindle for fixing to a 9.5mm arbor. It can be easily attached to power drills for a fast, clean, heavy-duty cutting action in stubborn materials. When metal cutting it is advisable to use a lubricant to prolong the service life of the hole saw, such as Stock No. 76109 - Metal Cutting Lubricant (400ml).

To complete the holesaw assembly a holesaw arbor is required.

Stock No.	Part No.	Diameter
34742	HSP	14mm
41067	HSP	16mm
41068	HSP	17mm
41069	HSP	19mm
41070	HSP	20mm
34744	HSP	21mm
41071	HSP	22mm
34746	HSP	24mm
41072	HSP	25mm
34755	HSP	27mm
41073	HSP	29mm
34756	HSP	30mm
41074	HSP	32mm
34757	HSP	33mm
41075	HSP	35mm
34758	HSP	37mm
41076	HSP	38mm
34759	HSP	40mm
41077	HSP	41mm
41078	HSP	43mm
41079	HSP	44mm
34760	HSP	46mm
41080	HSP	48mm
41081	HSP	51mm
34761	HSP	52mm
41082	HSP	54mm
34762	HSP	56mm
41083	HSP	57mm
99309	HSP	59mm
41084	HSP	60mm
41085	HSP	64mm
34765	HSP	65mm
41086	HSP	67mm
99310	HSP	68mm
41087	HSP	70mm
34766	HSP	73mm
41088	HSP	76mm
34767	HSP	79mm
41089	HSP	80mm
34768	HSP	83mm
34769	HSP	86mm
41090	HSP	89mm
41091	HSP	92mm
41092	HSP	95mm
34770	HSP	98mm
41093	HSP	102mm
41094	HSP	105mm
34771	HSP	108mm
34772	HSP	111mm
41095	HSP	114mm
34773	HSP	121mm
41144	HSP	127mm
34774	HSP	133mm
34775	HSP	140mm
41145	HSP	152mm
34776	HSP/T	160mm
34777	HSP	168mm
34778	HSP	177mm
34780	HSP	210mm



2 Cobalt Hole Saws

Expert Quality, cobalt variable pitch hole saw manufactured from quality steel with 8% cobalt content for durability. Suitable for cutting steel, brass, bronze, cast iron, aluminium, wood and plastics. Maximum cutting depth 35mm. Display packed.

To complete the holesaw assembly a holesaw arbor is required.

Stock No.	Part No.	Diameter
34782	CHSP	16mm
34783	CHSP	20mm
34784	CHSP	22mm
34785	CHSP	25mm
34786	CHSP	32mm
34788	CHSP	35mm
34789	CHSP	38mm
34790	CHSP	40mm
34791	CHSP	44mm
34792	CHSP	51mm
34793	CHSP	54mm
34794	CHSP	57mm
34795	CHSP	60mm
34796	CHSP	64mm
34797	CHSP	65mm
34798	CHSP	67mm
34799	CHSP	70mm
34800	CHSP	73mm
34801	CHSP	76mm
34802	CHSP	79mm
34804	CHSP	80mm
34805	CHSP	83mm
34806	CHSP	86mm
34807	CHSP	89mm
34808	CHSP	95mm
34809	CHSP	102mm
34812	CHSP	111mm
34813	CHSP	114mm
34814	CHSP	127mm
34815	CHSP	152mm



3 Bi-Metal Hole Saws with Integrated Arbor

Expert Quality, bi - metal with 8% COB alt added for extra strength. 1/4" hex shank and 10mm depth collar with integrated sprung arbor for quick waste release. Manufactured from high quality steel helping to prolong the cutting edge. For use on sheet steel, stainless steel and non ferrous metals. Display packed.

Stock No.	Part No.	Diameter
71969	HHSP	14mm
71971	HHSP	16mm
71972	HHSP	18mm
34983	HHSP	19mm
71974	HHSP	20mm
34984	HHSP	22mm
34985	HHSP	25mm
34986	HHSP	29mm
71982	HHSP	30mm
34987	HHSP	32mm
34988	HHSP	35mm
34989	HHSP	38mm



4 Tungsten Carbide Grit Hole Saws

Expert Quality, tungsten carbide grit hole saws perfect for electricians, plumbers and for general use. Ideal when drilling masonry, tiles, aerated blocks etc. Manufactured from high quality steel with a welded tungsten carbide grit rim. Maximum cutting depth 35mm. Display packed.

To complete the holesaw assembly a holesaw arbor is required.

Stock No.	Part No.	Diameter
34865	TCGHSP	19mm
34866	TCGHSP	20mm
34867	TCGHSP	22mm
34868	TCGHSP	25mm
34869	TCGHSP	29mm
34870	TCGHSP	32mm
34881	TCGHSP	35mm
34892	TCGHSP	38mm
34893	TCGHSP	40mm
34915	TCGHSP	41mm
34932	TCGHSP	44mm
34940	TCGHSP	48mm
34943	TCGHSP	51mm
34950	TCGHSP	60mm
34951	TCGHSP	64mm
34952	TCGHSP	70mm
34953	TCGHSP	76mm
34954	TCGHSP	83mm
34961	TCGHSP	86mm
34965	TCGHSP	95mm
34967	TCGHSP	102mm
34969	TCGHSP	114mm
34970	TCGHSP	121mm



5 Metal Cutting Lubricant, 400ml

For cutting threads using taps and dies as well as drilling, reaming and machining in steels and aluminium. Can also be used to preserve tips on TCT circular saws and router bits. CFC free. Sold loose.

Available in singles - order multiples of 12 to get a free countertop display

Stock No.	Part No.
76109	ARE-CTA

D20

MULTI-TOOL BATTERY SYSTEM

**EFFICIENT
RUNTIME
MORE
POWER
LONGER
LIFE**



BRUSHLESS TECHNOLOGY

D20 FOR EVERY TASK

Whether it's drilling, sanding or cutting branches down, there is a D20 power tool equipped for the challenge.

BRUSHLESS MOTORS

Efficient run-time, power and performance.

PACKS A PUNCH

Powerful 20V cordless power tools offering plenty of torque.

WHY YOU SHOULD INVEST IN THE D20 INTERCHANGEABLE BATTERY SYSTEM

The D20 series provides the versatility needed to get any job done. It is an ever-expanding range of cordless power tools that are all powered by the same 20V Lithium-ion battery and charger. Whatever the task – there is a D20 power tool equipped for the challenge.

COMFORTABLE TO USE

The ergonomic soft grip makes D20 great to handle and use for long periods.

FAST OR SLOW?

Responsive variable speed control for adjusting the motor speed according to the task.

GUIDING LIGHT

The LED worklight is ultra-bright and it stays on for several seconds after you turn-off.

KNOW YOUR CHARGE

There are easy-to-read charge level LED indicators on every D20 battery.

CHOICE OF BATTERIES & CHARGERS

There are four D20 batteries (2.0, 3.0, 4.0 and 5.0Ah) and standard, fast, twin and in-car chargers to choose from.

OVER 50 TOOLS AND GROWING

SEE THE D20 RANGE ON PAGES 391-393



1
Electrician's Hole Saw Kit (12 Piece)

This electrician's heavy-duty hole saw kit features a range of accessories and variable pitch bi-metal hole saws, suitable for cutting steel, brass, bronze, cast iron, aluminium, wood and plastics. Manufactured from high-quality steel with a M3 steel cutting edge for fast clean cutting action, with a maximum cutting depth of 35mm. Each hole saw has four side vents for the efficient removal of waste and features two connection threads for fixing to an arbor. Supplied inside a sturdy blow moulded storage case.

- Contents:**
 1 x Hex key
 1 x Adaptor
 1 x Simple arbor
 2 x Pilot drills
 1 x Locking arbor
 6 x Hole saws

Stock No.	Part No.
99325	HSE/12



2
Plumber's Hole Saw Kit (13 Piece)

This plumber's heavy-duty hole saw kit features a range of accessories and variable pitch bi-metal hole saws, suitable for cutting steel, brass, bronze, cast iron, aluminium, wood and plastics. Manufactured from high-quality steel with a M3 steel cutting edge for fast clean cutting action, with a maximum cutting depth of 35mm. Each hole saw has four side vents for the efficient removal of waste and features two connection threads for fixing to an arbor. Supplied inside a sturdy blow moulded storage case.

- Contents:**
 1 x Hex key
 1 x Adaptor
 1 x Simple arbor
 2 x Pilot drills
 1 x Locking arbor
 7 x Hole saws

Stock No.	Part No.
99326	HSP/13



3
Simple Arbor with HSS Pilot Drill

Expert Quality, 1/4" triangular shank arbor for use with holesaws up to 30mm. Supplied with 1/4" HSS pilot drill. Display carton.

Stock No.	Part No.
56401	HSA



4
Hex. Shank Holesaw Arbor with HSS Pilot Drill

Expert Quality, for use with 14-30mm diameter holesaws. Supplied with 1/4" HSS pilot drill. Display carton.

Stock No.	Part No.	Arbor Profile	Fits Holesaws
52982	HSA1	5/16"	14-30mm
56387	HSA3	7/16"	14-30mm



5
Locking Hex. Shank Holesaw Arbor with HSS Pilot Drill for Holesaws 32 - 210mm, 7/16" Thread

Expert Quality, for use with 32-210mm diameter holesaws. Arbor shank 7/16" with "quick release and lock mechanism". Supplied with 1/4" HSS pilot drill. Display carton.

Stock No.	Part No.
52983	HSA2



6
Quick Release Hex. Shank Holesaw Arbor with HSS Pilot Drill for Holesaws 32 - 210mm, 7/16" Thread

Expert Quality, for use with 32-210mm diameter holesaws. Arbor shank 7/16" with "quick release mechanism". Supplied with 1/4" HSS pilot drill. Display carton.

Stock No.	Part No.
56402	HSA4



1
Simple Arbor with SDS+ Shank and HSS Pilot Drill for 14 - 30mm Holesaws, 5/16" Thread

Expert Quality, for use with 14-30mm diameter holesaws. Supplied with 1/4" HSS pilot drill. Display carton.

Stock No.	Part No.
52984	HSA/SDS+



2
Quick Release SDS+ Arbor with HSS Pilot Drill for Holesaws 32 - 150mm

Expert Quality, for use with 32-210mm diameter holesaws. Supplied with 1/4" HSS pilot drill. Display carton.

Stock No.	Part No.
52992	HSA/SDS+



3
Shaft Holesaw Arbor Extension, 320mm, 7/16" Hex.

For use with Stock No. 52983, 56387 and 56402 7/16" hexagonal shank Holesaw Arbors to extend the arbor. Display carton.

Stock No.	Part No.
52997	HS-A/EXT



4
Holesaw Arbor Adaptor, 32 - 150mm

For use with Holesaw Arbors Stock Nos. 52982, 56387 and 56401 to adapt to larger holesaw sizes 32-150mm. Packed in polybag.

Stock No.	Part No.
56388	HS/ADAP.



5
Spare HSS Holesaw Pilot Drill for HSA HSA2 and HSA3 Arbors, 6.35 x 102mm

Expert Quality, for use with Holesaw Arbors Stock Nos. 56401, 52983, 56387, and 56402. Size: 1/4" - 6.3mm diameter x 102mm long. Display packed.

Stock No.	Part No.
53055	HS/PD1



6
Spare HSS Holesaw Pilot Drill for HSA1 and HSA/SDS, 6.35 x 81mm

Expert Quality, for use with Holesaw Arbors Stock Nos. 52982 and 52992. Size: 1/4" - 6.3mm diameter x 81mm long. Display packed.

Stock No.	Part No.
53056	HS/PD2



7
Carbide Grit Hole Saw Arbors

Expert Quality, for use with carbide grit holesaws. For hole saw sizes 14 - 150mm, fitted with tungsten carbide tipped 1/4" pilot drill. Display packed.

Stock No.	Part No.	Arbor Profile	Fits Holesaws
35343	HSA6	5/16"	14-30mm
35345	HSA7	7/16"	32-150mm



1
1/4" Masonry Pilot Drill

Expert Quality, for use with holesaw arbors Nos 35343 and 35345. Size 1/4" - 6.35 diameter x 81mm long. Display packed.

Stock No.	Part No.
35347	HS/PD3

3
Holesaw Kit for Downlights (9 Piece)

Comprises sizes suitable for cutting holes for downlight installation in wood or plastic. High carbon steel blades with induction hardened teeth. Display packed.

Contents:
6 x Holesaw blades: 51, 60, 64, 70, 75, 86mm
1 x Arbor with HSS pilot drill
1 x Hexagon key

Stock No.	Part No.
89716	DLHSK



2
Carbon Steel Holesaw Kit for Wood and Plastics, 32 - 64mm (7 Piece)

Suitable for cutting holes in wood or plastics. High carbon steel blades with induction hardened teeth. Display packed.

Contents:
6 x Holesaw blades: 32, 38, 44, 51, 57, 64mm
1 x Aluminium mandrel holder
1 x HSS pilot drill

Stock No.	Part No.
18053	HS6



4
Holesaw Kit (12 Piece)

Expert Quality, heavy duty variable pitch bi - metal holesaws for cutting wood, steel, brass, bronze, cast iron, Aluminium and plastics. Manufactured from high quality steel with M3 steel cutting edge for fast clean heavy duty cutting action. Maximum cutting depth 35mm. Packed in carrying case. Display carton.

Contents:
9 x Holesaw blades: 20, 22, 29, 35, 38, 44, 51, 57, 64mm
1 x 5/16" locking hexagonal shank holesaw arbor with HSS pilot drill
1 x 7/16" locking hexagonal shank holesaw arbor with HSS pilot drill
1 x 4mm hexagon key

Stock No.	Part No.
56385	HS/12





1 4 Fluted Auger Bits, 165mm

Expert Quality, revolutionary auger bits, manufactured with four razor sharp carbon steel cutting edges. Their unique design helps the bits pull themselves through the material when drilling, making tasks effortless whilst delivering perfect holes every time. All sizes have a strong 6.35mm hex shank. Display packed.

Stock No.	Part No.	Diameter	Length
35087	AB4F	10mm	165mm
35090	AB4F	12mm	165mm
35093	AB4F	13mm	165mm
35096	AB4F	16mm	165mm
35102	AB4F	18mm	165mm
35111	AB4F	19mm	165mm
35120	AB4F	20mm	165mm
35123	AB4F	22mm	165mm
35128	AB4F	25mm	165mm
35135	AB4F	32mm	165mm



2 4 Fluted Auger Bit Set, 165mm (3 Piece)

Expert Quality, revolutionary auger bits, manufactured with four razor sharp carbon steel cutting edges. Their unique design helps the bits pull themselves through the material when drilling, making tasks effortless whilst delivering perfect holes every time. All sizes have a strong 6.35mm hex shank. Display packed.

Contents:
3 x Auger bits: 16, 20, 25mm

Stock No.	Part No.
54634	AB4F/B



3 Standard Pattern Auger Bits

Expert Quality, with combination type shank for power and hand tools on all wood types. Precision machined for perfect concentricity from medium carbon steel and fully hardened. Unique flute spiral has an accurately ground and honed cutting edge on its entire length. Spur tip ensures accurate and positive drilling starts. All sizes have a strong 6mm shank. Display packed.

Stock No.	Part No.	Diameter	Length
76032	AB2B	6mm	150mm
76033	AB2B	8mm	150mm
76034	AB2B	10mm	150mm
76035	AB2B	12mm	175mm
76036	AB2B	13mm	200mm
76037	AB2B	16mm	200mm
76038	AB2B	19mm	210mm
76039	AB2B	22mm	210mm
76040	AB2B	25mm	210mm
76041	AB2B	32mm	210mm



4 Long Pattern Auger Bits (Display Packed)

Expert Quality, with combination type shank for power and hand tools on all wood types. Precision machined for perfect concentricity from medium carbon steel and fully hardened. Unique flute spiral has an accurately ground and honed cutting edge on its entire length. Spur tip ensures accurate and positive drilling starts. Display packed.

Stock No.	Part No.	Diameter	Length
76023	AB1B	13mm	285mm
76024	AB1B	19mm	330mm
76025	AB1B	22mm	330mm
76026	AB1B	25mm	330mm



5 Extra Long Pattern Auger Bits

Expert Quality, extra long, with combination type shank for power and hand tools on all wood types. Precision machined for perfect concentricity from medium carbon steel and fully hardened. Unique flute spiral has an accurately ground and honed cutting edge on its entire length. Spur tip ensures accurate and positive drilling starts. Packed in hang up wallet.

Stock No.	Part No.	Diameter	Length
40467	AB4XL	8mm	600mm
40468	AB4XL	12mm	600mm
40469	AB4XL	16mm	600mm
42604	AB4XL	19mm	400mm
40470	AB4XL	24mm	600mm



6 SDS+ Auger Bits, 230mm

Expert Quality, with SDS+ type shank for power tools on all wood types. Precision machined for perfect concentricity from medium carbon steel and fully hardened. Unique flute spiral has an accurately ground and honed cutting edge on its entire length. Spur tip ensures accurate and positive drilling starts. Packed in hang up plastic tube.

Stock No.	Part No.	Diameter	Length
16672	AB-SDS	6mm	230mm
16835	AB-SDS	8mm	230mm
17003	AB-SDS	10mm	230mm
17039	AB-SDS	13mm	230mm
17076	AB-SDS	16mm	230mm
17345	AB-SDS	19mm	230mm
17391	AB-SDS	22mm	230mm
17399	AB-SDS	25mm	230mm
17640	AB-SDS	32mm	230mm





1 Metric Auger and Flat Wood Bit Merchandiser (123 Piece)

Expert Quality, heavy duty merchandiser of assorted metric masonry drill bits in plastic hang - up boxes. Supplied with stock and hangers. Carton packed.

Contents:

- 4 x 13mm 165mm fluted auger bits Stock No. 35093
- 4 x 16mm 165mm fluted auger bits Stock No. 35096
- 4 x 20mm 165mm fluted auger bits Stock No. 35120
- 4 x 25mm 165mm fluted auger bits Stock No. 35128
- 3 x 32mm 165mm fluted auger bits Stock No. 35135
- 8 x 10mm quick release flat wood bits Stock No. 36230
- 8 x 13mm quick release flat wood bits Stock No. 36231
- 8 x 16mm quick release flat wood bits Stock No. 36232
- 8 x 19mm quick release flat wood bits Stock No. 36241
- 8 x 22mm quick release flat wood bits Stock No. 36242
- 8 x 25mm quick release flat wood bits Stock No. 36243
- 8 x 32mm quick release flat wood bits Stock No. 36302
- 8 x 13mm carbon steel flat wood bits Stock No. 41505
- 8 x 16mm carbon steel flat wood bits Stock No. 41508
- 8 x 20mm carbon steel flat wood bits Stock No. 41552
- 8 x 22mm carbon steel flat wood bits Stock No. 41590
- 8 x 25mm carbon steel flat wood bits Stock No. 41784
- 8 x 32mm carbon steel flat wood bits Stock No. 41787

Stock No.	Part No.
64050	*DBD/WOOD



4 Extra Long Flat Wood Bits, 400mm

High carbon steel hardened and tempered. Shank diameter 6mm. For use with power drills. Display packed in plastic hang up wallets.

Stock No.	Part No.	Diameter
89996	FB100AXL	13mm
89997	FB100AXL	16mm
89998	FB100AXL	19mm
90000	FB100AXL	22mm
90001	FB100AXL	25mm



2 Metric Flat Wood Bits

Expert Quality, flat wood bits with a precision ground central point and enhanced design cutting edge spurs, which deliver greater waste removal compared with standard flat wood bits. Made from high quality carbon steel that's correctly hardened and tempered. Each cutting edge is expertly ground and finished for maximum performance. Ideal for use with combi drills, drill drivers and impact drivers. All sizes have a strong 6mm shank.

Stock No.	Part No.	Diameter
54523	FB102	6mm
54551	FB102	8mm
17427	FB102	10mm
03155	FB102	12mm
17428	FB102	13mm
54555	FB102	14mm
70414	FB102	15mm
17429	FB102	16mm
17542	FB102	18mm
17430	FB102	19mm
17432	FB102	20mm
17433	FB102	22mm
54556	FB102	24mm
17434	FB102	25mm
63687	FB102	28mm
54557	FB102	30mm
17435	FB102	32mm
54558	FB102	35mm
63697	FB102	38mm



3 Metric Flat Wood Bits

Flat wood drill bits manufactured from hardened and tempered carbon steel. Display packed.

Stock No.	Part No.	Diameter
41475	FB100PB	6mm
41477	FB100PB	8mm
41504	FB100PB	10mm
41505	FB100PB	13mm
41507	FB100PB	14mm
41508	FB100PB	16mm
41511	FB100PB	18mm
41529	FB100PB	19mm
41552	FB100PB	20mm
41590	FB100PB	22mm
41597	FB100PB	24mm
41784	FB100PB	25mm
41785	FB100PB	28mm
41786	FB100PB	30mm
41787	FB100PB	32mm
41788	FB100PB	35mm
41789	FB100PB	38mm



5 Extra Long 405mm Flat Wood Bits

Expert Quality, extra long flat wood bits with precision ground central point and enhanced design cutting edge spurs for delivering greater waste removal when compared against standard flat wood bits. Cutting edges are expertly ground and finished for maximum performance and the strong 405mm by 6mm shank is made from correctly hardened and tempered high quality carbon steel. Ideal for use with combi drills, drill drivers and impact drivers.

Stock No.	Part No.	Diameter
67436	FB102XL	10mm
67438	FB102XL	16mm
67439	FB102XL	19mm
67541	FB102XL	20mm
67674	FB102XL	22mm
67800	FB102XL	25mm



1
Metric Flat Wood Bit Set (5 Piece)

High carbon steel hardened and tempered. For use with power drills. Display packed in plastic wallet.

Contents:
5 x Dies; 13, 16, 19, 25, 32mm

Stock No.	Part No.
84451	FB/5/C



2
Titanium Nitride Coated Flat Wood Bit Set (7 Piece)

Carbon steel hardened and tempered coated with titanium Nitride for longer life. For use with power and hand drills. Display packed in soft grip case.

Contents:
7 x Flat wood drill bits: 10, 12, 16, 19, 22, 25, 32mm

Stock No.	Part No.
18560	EBS7WOOD



3
Flat Wood Bit Set (13 Piece)

Carbon tool steel hardened and tempered. Shank diameter 6mm. For use with power drills. Display packed in storage pouch.

Contents:
13 x Drill bits: 6, 8, 10, 13, 15, 16, 19, 22, 25, 28, 32, 35, 38mm diameters

Stock No.	Part No.
82634	FB/13B

1

TCT Saw Blades

Manufactured to EN847-1

Tungsten Carbide-Tipped (TCT) circular saw blade hardened and tempered to ensure a long life. High-quality precision-ground carbide teeth make the blade robust for rapid cutting. For use on hardwood, softwood, MDF, chipboard and plywood. Ideal saw blade for 85mm Mini Circular Saws.



Stock No.	Part No.	Diameter x Bore	No. of Teeth	Bushes Supplied	Type	For
09461	CSB140P	140 x 10mm	18T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09525	CSB140P	140 x 16mm	18T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09462	CSB140P	140 x 20mm	30T	13 & 16mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09463	CSB150P	150 x 20mm	18T	13 & 16mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09464	CSB150P	150 x 20mm	30T	13 & 16mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09465	CSB160P	160 x 20mm	16T	16mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09466	CSB160P	160 x 20mm	36T	16mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09497	CSB184NAP	184 x 30mm	14T	16, 20 & 28.6mm	Nail Cutting Blade	For cutting wood with nails in situ
09467	CSB180P	180 x 30mm	20T	16, 20 & 28.6mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09468	CSB180P	180 x 30mm	24T	16, 20 & 28.6mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09469	CSB180P	180 x 30mm	30T	16, 20 & 28.6mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09470	CSB180P	180 x 30mm	40T	16, 20 & 28.6mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09471	CSB184P	184 x 30mm	20T	16, 20 & 28.6mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09472	CSB184P	184 x 30mm	30T	16, 20 & 28.6mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09473	CSB184P	184 x 30mm	40T	16, 20 & 28.6mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
03637	CSB185MP/B	185 x 20mm	36T	None	Dry Metal Cutting	For cutting metal without coolant
09474	CSB190P	190 x 30mm	20T	16 & 20mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09475	CSB190P	190 x 30mm	40T	16 & 20mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09476	CSB210P	210 x 30mm	24T	16mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09477	CSB210P	210 x 30mm	40T	16mm	Cross Cut	Hard/Softwoods
09478	CSB210P	210 x 30mm	60T	16mm	Cross Cut	Plywood, Veneer and plastics
09479	CSB230P	230 x 30mm	20T	16 & 25mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09481	CSB230P	230 x 30mm	40T	16 & 25mm	Cross Cut	Hard/Softwoods
09483	CSB235P	235 x 35mm	20T	16, 25 & 30mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09484	CSB235P	235 x 35mm	30T	16, 25 & 30mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09486	CSB250P	250 x 30mm	24T	16, 20 & 25mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09487	CSB250P	250 x 30mm	40T	16, 20 & 25mm	Cross Cut	Hard/Softwoods, chipboards and composite materials
09488	CSB250P	250 x 30mm	60T	16, 20 & 25mm	Cross Cut	Plywood, Veneer and plastics
09489	CSB250P	250 x 30mm	80T	16, 20 & 25mm	Cross Cut	Laminates and plastics
09490	CSB250P	250 x 30mm	80T	16, 20 & 25mm	Cross Cut	Non-ferrous metals
09491	CSB254P	254 x 16mm	30T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09492	CSB254P	254 x 16mm	40T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
38153	CSB255P	254 x 30mm	24T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
38154	CSB255P	254 x 30mm	40T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
38155	CSB255P	254 x 30mm	64T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
38150	CSB305P	305 x 30mm	40T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
38151	CSB305P	305 x 30mm	60T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
38152	CSB305P	305 x 30mm	80T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09496	CSB315P	315 x 30mm	24T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09493	CSB315P	315 x 30mm	30T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09494	CSB315P	315 x 30mm	40T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09495	CSB315P	315 x 30mm	80T	None	Cross Cut	Laminates and plastics
09499	CSB355MP	355 x 25.4mm	80T	None	Dry Metal Cutting	For cutting metal without coolant
90485	CSB85P	85 x 10mm	24T	None	Rip and cross cut	Hard/Softwoods, chipboards and composite materials

2

TCT Cordless Construction Circular Saw Blade for Wood & Composites, 165 x 20mm

Shaped soft grip handle for user comfort with blade tensioner. Supplied with blade. Display packed.

Stock No.	Part No.	Diameter	Bore	Tooth count	Kerf
25877	SBC1	165mm	20mm	16T	1.65mm
25879	SBC2	165mm	20mm	24T	1.65mm
26013	SBC3	165mm	20mm	36T	1.49mm



3

TCT Construction Circular Saw Blades, 216 x 30mm

This Tungsten Carbide-Tipped (TCT) construction circular saw blade is hardened and tempered to ensure a long life. High-quality precision-ground carbide teeth make the blade robust and it has a general purpose thin kerf for rapid cutting. Designed for use on hardwood, softwood, MDF, chipboard, composites and wood with nails. Compatible with most 216mm circular saws with a 30mm and 25.4mm bore. EN847-1 Standard.

Minimum order 12 or multiples thereof

Stock No.	Part No.	Diameter	Bore	Tooth count	Kerf
26194	SBC4	216mm	30mm	24T	2.6mm
26258	SBC5	216mm	30mm	40T	2.6mm



4

TCT Construction Circular Saw Blades, 250 x 30mm

This Tungsten Carbide-Tipped (TCT) construction circular saw blade is hardened and tempered to ensure a long life. High-quality precision-ground carbide teeth make the blade robust and it has a general purpose thin kerf for rapid cutting. Designed for use on hardwood, softwood, MDF, chipboard, composites and wood with nails. Compatible with most 250mm circular saws with a 30mm bore. EN847-1 Standard.

Stock No.	Part No.	Diameter	Bore	Tooth count	Kerf
26465	SBC6	250mm	30mm	24T	3.0mm
26469	SBC7	250mm	30mm	40T	3.0mm





1 HSS Saw Blade, 85mm

Hardened and tempered High Speed Steel (HSS) saw blade. The blade is equipped with 72 teeth for smooth clean cuts on sheet metal, non-ferrous metals, hardwood, softwood, MDF, chipboard, plywood and plastics.

Stock No.	Part No.	Description
90486	CSB85P/HSS	HSS Saw Blade, 85mm



2 TCT Circular Saw Blades for Wood

This Tungsten Carbide-Tipped (TCT) circular saw blades hardened and tempered to ensure a long life. High-quality precision-ground carbide teeth make the blade robust for rapid cutting. Designed for use on hardwood, softwood, MDF, chipboard and plywood. Compatible with most 210mm circular saws with a 30mm bore, including Stock No. 83677. EN847-1 Standard.

Stock No.	Part No.	Diameter	Bore	Tooth count	Kerf
21660	SBW8	210mm	30mm	36T	2.8mm
21671	SBW9	210mm	30mm	48T	2.8mm
21676	SBW10	210mm	30mm	60T	2.8mm
21678	SBW11	250mm	30mm	48T	3.0mm
21680	SBW12	250mm	30mm	60T	3.0mm
21681	SBW13	250mm	30mm	80T	3.0mm
21684	SBW14	255mm	30mm	48T	2.4mm
21685	SBW15	255mm	30mm	80T	2.4mm



3 TCT Circular Saw Blades for Wood 165 x 20mm

Hardened and tempered tungsten carbide tipped (TCT) circular saw blade. High-quality precision-ground carbide teeth make the blade robust for rapid cutting. For use on hardwood, softwood, MDF, chipboard and plywood. Compatible with most 165mm circular saw machines with a 20mm and 16mm bore.

Stock No.	Part No.	Diameter	Bore	Tooth count	Kerf
20603	SBW1	165mm	20mm	24T	2.2mm
20646	SBW2	165mm	20mm	48T	2.2mm
20647	SBW3	165mm	20mm	60T	2.2mm



4 TCT Circular Saw Blades for Wood, 185 x 25.4mm

Hardened and tempered tungsten carbide tipped (TCT) circular saw blade. High-quality precision-ground carbide teeth make the blade robust for rapid cutting. For use on hardwood, softwood, MDF, chipboard and plywood. Compatible with most 185mm circular saw machines with a 25.4mm / 20mm and 16mm bore.

Stock No.	Part No.	Diameter	Bore	Tooth count	Kerf
20891	SBW4	185mm	25.4mm	24T	2.6mm
21581	SBW5	185mm	25.4mm	48T	2.6mm
21588	SBW6	185mm	25.4mm	60T	2.6mm



5 TCT Circular Saw Blades for Wood, 305 x 30mm

This Tungsten Carbide-Tipped (TCT) circular saw blade is hardened and tempered to ensure a long life. High-quality precision-ground carbide teeth make the blade robust for rapid cutting. Designed for use on hardwood, softwood, MDF, chipboard and plywood. Compatible with most 305mm circular saws with a 30mm bore, including Stock No. 79901. EN847-1 Standard.

Stock No.	Part No.	Diameter	Bore	Tooth count	Kerf
22201	SBW16	305mm	30mm	64T	3.0mm
23390	SBW17	305mm	30mm	96T	3.0mm



6 TCT Circular Saw Blades for Wood, 315 x 30mm

This Tungsten Carbide-Tipped (TCT) circular saw blade is hardened and tempered to ensure a long life. High-quality precision-ground carbide teeth make the blade robust for rapid cutting. Designed for use on hardwood, softwood, MDF, chipboard and plywood. Compatible with most 315mm circular saws with a 30mm bore, including Stock No. 84708. EN847-1 Standard.

Stock No.	Part No.	Diameter	Bore	Tooth count	Kerf
24969	SBW18	315mm	30mm	48T	3.2mm
25782	SBW19	315mm	30mm	72T	3.2mm
25873	SBW20	315mm	30mm	96T	3.2mm



7 TCT Circular Saw Blade for Laminate & Wood, 185 x 25.4mm, 60T

This Tungsten Carbide-Tipped (TCT) circular saw blade is hardened and tempered to ensure a long life. High-quality precision-ground carbide teeth make the blade robust for rapid cutting. Designed for use on laminate, hardwood, softwood, MDF, chipboard and plywood. Compatible with most 185mm circular saws with a 25.4mm, 20mm and 16mm bore, including Stock No. 55588, 56791 and 56786. EN847-1 Standard.

Stock No.	Part No.	Diameter	Bore	Tooth count	Kerf
21644	SBW7	185mm	25.4mm	60T	2.6mm



8 Reducing Bushes

For use with circular saw blades to minimise or maximise bore. Sold loose.

Stock No.	Part No.	Internal x External Dia.
49187	ACSB10	28.6mm-30mm
25537	ACSB10	30 x 25mm
28108	ACSB10	30 x 20mm
50941	ACSB10	35 x 25mm



1
TCT Construction Circular Saw Blades, 305 x 30mm

This Tungsten Carbide-Tipped (TCT) construction circular saw blade is hardened and tempered to ensure a long life. High-quality precision-ground carbide teeth make the blade robust and it has a general purpose thin kerf for rapid cutting. Designed for use on hardwood, softwood, MDF, chipboard, composites and wood with nails. Compatible with most 305mm circular saws with a 30mm bore. EN847-1 Standard.

Stock No.	Part No.	Diameter	Bore	Tooth count	Kerf
26835	SBC8	305mm	30mm	24T	3.0mm
28243	SBC9	305mm	30mm	48T	3.0mm
28362	SBC10	305mm	30mm	60T	3.0mm



2
TCT Multi-Purpose Circular Saw Blades, 165 x 20mm

This multi-purpose Tungsten Carbide-Tipped (TCT) circular saw blade is hardened and tempered to ensure a long life. High-quality precision-ground carbide teeth make the blade robust and there is a thin kerf for rapid cutting. The anti-kickback design prevents the blade feeding too quickly. Designed for use on all woods, mild steel, copper, aluminium, laminates and plastics. Compatible with most 165mm circular saws with a 20mm and 16mm bore including Stock No. 55519, 89451 and 57341. EN847-1 Standard.

Stock No.	Part No.	Diameter	Bore	Tooth count	Kerf
28363	SBM1	165mm	20mm	14T	2.0mm
29407	SBM2	165mm	20mm	20T	2.0mm



3
TCT Multi-Purpose Circular Saw Blades, 185 x 25.4mm

This multi-purpose Tungsten Carbide-Tipped (TCT) circular saw blade is hardened and tempered to ensure a long life. High-quality precision-ground carbide teeth make the blade robust and there is a thin kerf for rapid cutting. The anti-kickback design prevents the blade feeding too quickly. Designed for use on all woods, mild steel, copper, aluminium, laminates and plastics. Compatible with most 185mm circular saws with a 25.4mm, 20mm and 16mm bore including Stock No. 55588, 56791 and 56786. EN847-1 Standard.

Stock No.	Part No.	Diameter	Bore	Tooth count	Kerf
29412	SBM3	185mm	25.4mm	16T	2.2mm
30397	SBM4	185mm	25.4mm	20T	2.2mm



4
TCT Multi-Purpose Circular Saw Blades, 210 x 30mm

This multi-purpose Tungsten Carbide-Tipped (TCT) circular saw blade is hardened and tempered to ensure a long life. High-quality precision-ground carbide teeth make the blade robust and there is a thin kerf for rapid cutting. The anti-kickback design prevents the blade feeding too quickly. Designed for use on all woods, mild steel, copper, aluminium, laminates and plastics. Compatible with most 210mm circular saws with a 30mm bore including Stock No. 83677. EN847-1 Standard.

Stock No.	Part No.	Diameter	Bore	Tooth count	Kerf
30438	SBM5	210mm	30mm	16T	2.4mm
30648	SBM6	210mm	30mm	24T	2.4mm



5
TCT Multi-Purpose Circular Saw Blades, 255 x 30mm

This multi-purpose Tungsten Carbide-Tipped (TCT) circular saw blade is hardened and tempered to ensure a long life. High-quality precision-ground carbide teeth make the blade robust and there is a thin kerf for rapid cutting. The anti-kickback design prevents the blade feeding too quickly. Designed for use on all woods, mild steel, copper, aluminium, laminates and plastics. Compatible with most 255mm circular saws with a 30mm bore including Stock No. 90170 and 79899. EN847-1 Standard.

Stock No.	Part No.	Diameter	Bore	Tooth count	Kerf
31072	SBM7	255mm	30mm	24T	2.4mm
31550	SBM8	255mm	30mm	28T	2.4mm
31881	SBTCG1	255mm	30mm	80T	2.8mm
31978	SBTCG2	255mm	30mm	100T	2.8mm



6
TCT Multi-Purpose Circular Saw Blade, 355 x 25.4mm, 66T

This multi-purpose Tungsten Carbide-Tipped (TCT) circular saw blade is hardened and tempered to ensure a long life. High-quality precision-ground carbide teeth make the blade robust and there is a thin kerf for rapid cutting. The anti-kickback design prevents the blade feeding too quickly. Designed for use on all woods, mild steel, copper, aluminium, laminates and plastics. Compatible with most 355mm chop saws and petrol cut-off saws with a 25.4mm bore. EN847-1 Standard.

Stock No.	Part No.	Diameter	Bore	Tooth count	Kerf
04904	SBM9	355mm	25.4mm	66T	2.8mm



7
Draper Expert TCT Circular Saw Blades for Wood with PTFE Coating

This laser cut Titanium Carbide-Tipped (TCT) circular saw blade has a PTFE coating, which improves the ease of the cut, reduces heat in the blade and prevents rusting and resin build-up. The micrograin titanium carbide teeth provide thin cuts and little waste. The heat expansion slots are laser cut and this provides the blade with enough room to expand when it heats up. Anti-friction vents tap vibrations ensuring the blade runs more true without any unbalance. These vents also limit the amount of noise from the blade, which is great for use in a quieter working environment. The anti-kickback design prevents the blade feeding too quickly. Designed for use on hardwood, softwood, MDF, chipboard and plywood.

Stock No.	Part No.	Diameter	Bore	Tooth count	Kerf
32821	SBE1	165mm	20mm	40T	1.6mm
33005	SBE2	185mm	25.4mm	40T	1.6mm
34208	SBE3	210mm	30mm	48T	2.0mm
34700	SBE4	216mm	30mm	48T	2.0mm
35241	SBE5	250mm	30mm	60T	2.3mm
35585	SBE6	255mm	30mm	60T	2.3mm



1 Turbo-X Porcelain Diamond Blade (115mm)

Hardened and tempered diamond blade with continuous turbo-x rim for a smooth cutting finish. Ultra-thin kerf for fast cutting. For use on porcelain, marble, granite, ceramic and natural stone tiles. Suitable for dry and wet cutting, with optimum results when used wet. Compatible with most angle grinders and tile cutting machines with a 22.23mm bore.

Stock No.	Part No.	Diameter x Bore	Rim height	Max r/min
99792	DBX1	115mm x 22.23mm	10mm	13,300rpm



2 Turbo-X Porcelain Diamond Blade (180mm)

Hardened and tempered diamond blade with continuous turbo-x rim for a smooth cutting finish. Ultra-thin kerf for fast cutting. For use on porcelain, marble, granite, ceramic and natural stone tiles. Suitable for dry and wet cutting, with optimum results when used wet. Compatible with most angle grinders and tile cutting machines with a 22.23mm and 25.40mm bore.

Stock No.	Part No.	Diameter x Bore	Rim height	Max r/min
99793	DBX2	180mm x 25.40mm / 22.23mm	10mm	8,500rpm



3 Segmented Diamond Blade (85mm)

Laser welded segmented rim diamond cutting blade. Manufactured using synthetic virgin diamond material. Laser welding provides an accurate and strong bond, high-performance, extended lifetime and increased heat resistance. Hardened and tempered diamond blade with segmented rim for a faster cut. General purpose blade for use on concrete, bricks and stone. Suitable for dry and wet cutting, with optimum results when used wet.

Contents:
Cross sell with Stock No. 57475 Draper Storm Force 85mm Mini Circular Saw (480W).

Stock No.	Part No.	Diameter x Bore	Rim height	Max r/min	Blade Type
90491	DBSRD	85 x 10mm	7mm	10000	Segmented



4 Continuous Diamond Blade (110mm)

Hardened and tempered diamond blade with continuous rim to provide a smooth cutting finish. Designed for use on ceramic and natural stone tiles. Suitable for dry and wet cutting, with optimum results when used wet. Compatible with most angle grinders and tile cutting machines with a 22.23mm bore.

Stock No.	Part No.	Diameter x Bore	Rim height	Max r/min
99778	DBC1	110mm x 22.23mm	7mm	13,300rpm



5 Continuous Diamond Blade, 115mm

Hardened and tempered diamond blade with continuous rim to provide a smooth cutting finish. Designed for use on ceramic and natural stone tiles. Suitable for dry and wet cutting, with optimum results when used wet. Compatible with most angle grinders and tile cutting machines with a 22.23mm bore.

Stock No.	Part No.	Diameter x Bore	Rim height	Max r/min
99779	DBC2	115mm x 22.23mm	7mm	13,300rpm



6 Continuous Diamond Blade (180mm)

Hardened and tempered diamond blade with continuous rim to provide a smooth cutting finish. Designed for use on ceramic and natural stone tiles. Suitable for dry and wet cutting, with optimum results when used wet. Compatible with most angle grinders and tile cutting machines with a 22.23mm bore.

Stock No.	Part No.	Diameter x Bore	Rim height	Max r/min
99780	DBC3	180mm x 22.23mm	7mm	8,500rpm



7 Continuous Diamond Blade (200mm)

Hardened and tempered diamond blade with continuous rim to provide a smooth cutting finish. Designed for use on ceramic and natural stone tiles. Suitable for dry and wet cutting, with optimum results when used wet. Compatible with most tile cutting machines with a 25.40mm bore.

Stock No.	Part No.	Diameter x Bore	Rim height	Max r/min
99781	DBC4	200mm x 25.40mm	7mm	7,650rpm




1

Segmented Diamond Blade

Hardened and tempered diamond blade with segmented rim for a faster cut. General purpose blade for use on concrete, bricks, stone, granite and marble. Suitable for dry and wet cutting, with optimum results when used wet. Compatible with most angle grinders with a 22.23mm bore.

Stock No.	Part No.	Diameter x Bore	Segment height	Max r/min	Blade construction	Blade Type	For
99782	DBS1	115 x 22.23mm	10mm	13300	Sintered	Segmented	Concrete, bricks, stone, granite and marble
99783	DBS2	125 x 22.23mm	10mm	12200	Sintered	Segmented	Concrete, bricks, stone, granite and marble
99784	DBS3	230 x 22.23mm	10mm	6650	Sintered	Segmented	Concrete, bricks, stone, granite and marble
99786	DBS5	350 x 20mm / 25.40mm	10mm	4350	Sintered	Segmented	Concrete, bricks, stone, granite and marble
99785	DBS4	300 x 20mm	10mm	5100	Sintered	Segmented	Concrete, bricks, stone, granite and marble



2

Turbo Diamond Blade

Hardened and tempered diamond blade with continuous turbo rim for a fast cut and smooth finish. For use on granite, marble and stone. Suitable for dry and wet cutting, with optimum results when used wet. Compatible with most angle grinders with a 22.23mm bore.

Stock No.	Part No.	Diameter x Bore	Segment height	Max r/min	Blade construction	Blade Type	For
99788	DBT1	115 x 22.23mm	10mm	13300	Sintered	Turbo	Granite, Marble and Stone
99789	DBT2	125 x 22.23mm	10mm	12200	Sintered	Turbo	Granite, Marble and Stone
99790	DBT3	230 x 22.23mm	10mm	6650	Sintered	Turbo	Granite, Marble and Stone
99796	DBM1	115 x 22.23mm	8mm	13300	Sintered	Turbo	Granite, Marble and Stone
99791	DBT4	300 x 20mm	10mm	5100	Sintered	Turbo	Granite, Marble and Stone



3

Mortar Raking Diamond Blade (115mm)

Hardened and tempered diamond blade with segmented rim for a faster cut. Simply removes mortar joints without causing damage to brick, block or masonry. Suitable for dry and wet cutting, with optimum results when used wet. Compatible with most angle grinders with a 22.23mm bore.

Stock No.	Part No.	Diameter x Bore	Segment height	Max r/min	Blade construction	Blade Type	For
99796	DBM1	115 x 22.23mm	8mm	13300	Sintered	Turbo	Granite, Marble and Stone



4

Segmented Diamond Blade, 115mm (Pack of 2)

Twin pack of hardened and tempered diamond blades with segmented rim for a faster cut. General purpose blades for use on concrete, bricks, stone, granite and marble. Suitable for dry and wet cutting, with optimum results when used wet. Compatible with most angle grinders with a 22.23mm bore.



Stock No.	Part No.	Diameter x Bore	Rim height	Max r/min	Blade Construction
99794	DBP1	115mm x 22.23mm	10mm	13,300rpm	Sintered


5

Diamond Blade Set (3 Piece)

A pack of hardened and tempered diamond blades offering a selection of different cuts and finishes. The continuous rim provides a smooth finish and is designed for use on ceramic and natural stone tiles. The segmented rim creates a faster cut and is an effective general-purpose blade for use on concrete, bricks, stone, granite and marble, whilst the continuous turbo rim provides a fast cut and smooth finish on granite, marble and stone.

Contents:

- 1 x Continuous Diamond Blade
- 1 x Segmented Diamond Blade
- 1 x Turbo Diamond Blade



Stock No.	Part No.	Diameter x Bore	Rim height	Max r/min	Blade Construction
99795	DBP2	115mm x 22.23mm	7mm / 10mm / 10mm	13,300rpm	Sintered



1
DT101B 100mm Jigsaw Blade Set (5 Piece)

Manufactured from carbon steel, which has a ground tooth and taper back design, polished then treated to prevent rust. The 10TPI are perfectly designed for straight, fine cutting of softwoods, chipboard, plywood, fibreboard and plastics. Attached with bayonet ends. Display packed.

Stock No.	Part No.	Size	Quantity
81716	DT101B	100mm	5



4
DT101AO 83mm Jigsaw Blade Set (5 Piece)

Manufactured from carbon steel, which has a ground tooth and taper back design, polished then treated to prevent rust. The 18TPI are perfectly designed for curved, splinter free cutting on both sides of the material, suitable for cutting softwoods, chipboard, plywood, fibreboard and plastics. Attached with bayonet ends. Display packed.

Stock No.	Part No.	Size	Quantity
81721	DT101AO	83mm	5



7
DT244D 100mm Jigsaw Blade Set (5 Piece)

Manufactured from carbon steel, which has a side set and milled tooth design, then polished and treated to prevent rust. The 6TPI are perfect for curved, fast cutting of softwood, hardwoods and plyboard, attached with bayonet ends. Display packed.


Stock No.	Part No.	Size	Quantity
81727	DT244D	100mm	5



10
DT119BO 83mm Jigsaw Blade Set (5 Piece)

Manufactured from carbon steel, which has a side set and milled tooth design, then polished and treated to prevent rust. The 12TPI are perfect for cutting finer shapes from softwoods, chipboard, plyboard and fibre board and all are attached with bayonet ends. Display packed.

Stock No.	Part No.	Size	Quantity
81723	DT119BO	83mm	5



2
DT101BR 100mm Jigsaw Blade Set (5 Piece)

Manufactured from carbon steel which has ground tooth and taper back design, polished then treated to prevent rust. The 10TPI are perfectly designed for cutting laminates and Formica, attached with bayonet ends. Display packed.

Stock No.	Part No.	Size	Quantity
81718	DT101BR	100mm	5



5
DT111C 100mm Jigsaw Blade Set (5 Piece)

Manufactured from carbon steel, which has a side set and milled tooth design, then polished and treated to prevent rust. The 8TPI are perfect for fast course cutting of softwoods, chipboard and fibreboards all are attached with bayonet ends. Display packed.

Stock No.	Part No.	Size	Quantity
81724	DT111C	100mm	5



8
DT301CD 115mm Jigsaw Blade Set (5 Piece)

Manufactured from carbon steel, which has a ground tooth and taper back design and polished then treated to prevent rust. The 8TPI are perfectly designed for straight medium to fine cutting on hardwoods, softwoods, plywood, particle board and laminates. Attached with bayonet ends. Display packed.


Stock No.	Part No.	Size	Quantity
81728	DT301CD	115mm	5



11
DT144D 100mm Jigsaw Blade Set (5 Piece)

Manufactured from carbon steel, which has a side set and milled tooth design, then polished and treated to prevent rust. The 6TPI are perfect for straight, fast cutting of softwood, chipboard, plywood and fibre board and all are attached with bayonet ends. Display packed.

Stock No.	Part No.	Size	Quantity
81725	DT144D	100mm	5



3
DT101D 100mm Jigsaw Blade Set (5 Piece)

Manufactured from carbon steel, which has a ground tooth and taper back design, polished then treated to prevent rust. The 6TPI are perfectly designed for straight clean cuts in softwoods, chipboard and fibreboard. Attached with bayonet ends. Display packed.

Stock No.	Part No.	Size	Quantity
81719	DT101D	83mm	5



6
DT144DP 100mm Jigsaw Blade Set (5 Piece)

Manufactured from carbon steel, which has a side set and milled tooth design, then polished and treated to prevent rust. The 6TPI are perfect for straight and fast cutting of woods and all are attached with bayonet ends. Display packed.

Stock No.	Part No.	Size	Quantity
81726	DT144DP	100mm	5



9
DT119B 92mm Jigsaw Blade Set (5 Piece)

Manufactured from carbon steel, which has a side set and milled tooth design, then polished and treated to prevent rust. The 12TPI are perfect for cutting of softwoods, chipboard, plywood and fibreboards all are attached with bayonet ends. Display packed.

Stock No.	Part No.	Size	Quantity
81722	DT119B	92mm	5



12
DT118A 92mm Jigsaw Blade Set (5 Piece)

Manufactured from high speed steel, with a wave set and milled tooth design and then treated to prevent rust. The 17/24TPI are perfectly designed for cutting 1-3mm mild steel, non ferrous metal and plastics, attached with bayonet ends. Display packed.

Stock No.	Part No.	Size	Quantity
81729	DT118A	92mm	5



1
DT118B 92mm Jigsaw Blade Set (5 Piece)

Manufactured from high speed steel, with a wave set and milled tooth design and then treated to prevent rust. The 11/14TPI are perfectly designed for cutting 2-5.6mm mild steel, non ferrous metal and plastics, attached with bayonet ends. Display packed.

Stock No.	Part No.	Size	Quantity
81730	DT118B	92mm	5



2
DT118G 92mm Jigsaw Blade Set (5 Piece)

Manufactured from high speed steel, with a wave set and milled tooth design and then treated to prevent rust. The 32TPI are perfectly designed for cutting smooth straight cuts in mild steel and plastics, attached with bayonet ends. Display packed.

Stock No.	Part No.	Size	Quantity
81731	DT118G	92mm	5



3
DT318A 130mm Jigsaw Blade Set (5 Piece)

Manufactured from high speed steel, with a wave set and milled tooth design and then treated to prevent rust. The 21TPI are perfectly designed for cutting smooth straight cuts in very thin mild steel, non ferrous metals and plastics, attached with bayonet ends. Display packed.

Stock No.	Part No.	Size	Quantity
81732	DT318A	130mm	5



4
Assorted Jigsaw Blade Set (5 Piece)

An assorted set for cutting softwoods, hardwoods and plastics. Display packed in plastic case.

Contents:

- 1 x DT101B 10TPI x 100mm
- 1 x DT144D 6TPI x 100mm
- 1 x DT111C 8TPI x 100mm
- 1 x DT101D 6TPI x 100mm
- 1 x DT118A 21TPI x 75mm

Stock No.	Part No.	Size	Quantity
81734	JSBCOM5	Assorted	5



5
Assorted Jigsaw Blade Set (10 Piece)

An assorted set for cutting softwoods, hardwoods and plastics. Display packed in plastic case

Contents:

- 1 x DT101A 18TPI x 83mm
- 1 x DT119B 12TPI x 83mm
- 2 x DT111C 8TPI x 100mm
- 2 x DT101B 10TPI x 100mm
- 2 x DT101D 6TPI x 100mm
- 2 x DT144D 6TPI x 100mm

Stock No.	Part No.	Size	Quantity
81735	JSBCOM10W	Assorted	10



6
Assorted Jigsaw Blade Set (10 Piece)

An assorted set for cutting softwoods, hardwoods and plastics. Display packed in plastic case

Contents:

- 1 x DT118G 32TPI x 75mm
- 1 x DT118A 21TPI x 75mm
- 2 x DT111C 8TPI x 100mm
- 2 x DT101B 10TPI x 100mm
- 2 x DT101D 6TPI x 100mm
- 2 x DT144D 6TPI x 100mm

Stock No.	Part No.	Size	Quantity
81736	JSBCOM10	Assorted	10

7
Assorted BIM and HCS Jigsaw Blade Set for Wood and Metal (10 Piece)

Pack of 10 assorted bi-metal and high-carbon steel jigsaw blades designed for cutting wood and metal. Compatible with all jigsaw machines with a universal connection.

Contents:

- 1 x DU19B 2/12tpi x 76mm
- 1 x DU1A 1.4/17tpi x 76mm
- 2 x DU111C 8tpi x 92mm
- 1 x DU144D 6tpi x 100mm
- 1 x DU101B 10tpi x 100mm
- 1 x DU101D 6tpi x 100mm
- 1 x DU18G 31tpi x 76mm
- 1 x DU18A 21tpi x 76mm
- 1 x DU127D 8tpi x 92mm

Stock No.	Part No.	Quantity
43470	JSBCU10B	10 Piece



1

127mm Plain End Fretsaw Blades

Carbon steel with hardened steel teeth and plain ends at both ends. Suitable for cutting wood, plastics, nonferrous metals and most other materials. 12 blades per display card.

Order number of cards required (12 blades per card)

Stock No.	Part No.	Dimensions	Pitch	Grade
25498	FSB1	0.62 x 0.29	28tpi	No.2/0
25499	FSB1	0.67 x 0.32	25tpi	No.0
25500	FSB1	0.76 x 0.34	25tpi	No.1
25501	FSB1	0.82 x 0.36	20tpi	No.2
25502	FSB1	0.90 x 0.38	20tpi	No.3
25503	FSB1	0.97 x 0.40	15tpi	No.4
25504	FSB1	0.97 x 0.40	13tpi	No.5
25505	FSB1	1.13 x 0.45	13tpi	No.6
25506	FSB1	1.25 x 0.45	11tpi	No.7
25508	FSB1	1.45 x 0.50	11tpi	No.9
25509	FSB1	1.65 x 0.60	10tpi	No.12

2

127mm Pin End Fretsaw Blades

Carbon steel with hardened steel teeth with pin ends at both ends. Suitable for cutting wood, plastics, nonferrous metals and most other materials. For use with Draper Fretsaw Stock No. 89334 and 22791 and other manufacturers similar fretsaws. 12 blades per display card.

Order number of cards required (12 blades per card)

Stock No.	Part No.	Dimensions	Pitch
25513	FSB2	2.8 x 0.50mm	10tpi
25512	FSB2	2.8 x 0.50mm	15tpi
25511	FSB2	2.4 x 0.25mm	18tpi
25510	FSB2	2.4 x 0.25mm	25tpi

3

Bi-metal Reciprocating Saw Blades for Multi-Purpose Cutting, 200mm, 6-12tpi (Pack of 2)

Pack of two BIM reciprocating saw blades manufactured to a high quality with progressive tooth pitch. For fast straight cutting of ferrous and non-ferrous sheet metals, thin metals, hardwood, softwood, plywood, plastic and laminate. Compatible with most reciprocating/sabre saw machines with a universal 1/2" connection. These blades are similar to Bosch S3456XF blades.

Stock No.	Part No.	Blade length	Teeth
43065	DS3456XF	200mm	6-12tpi

4

Bi-metal Reciprocating Saw Blades for Metal, 150mm (Pack of 5)

Pack of 5 BIM reciprocating saw blades manufactured to a high quality ensuring a robust sharp blade. For flexible cutting of ferrous and non-ferrous sheet metals. Compatible with most reciprocating/sabre saw machines with a universal 1/2" connection.

Stock No.	Part No.	Blade Length	Blade
43460	DS922HF	150mm	10tpi
43459	DS922BF	150mm	14tpi
43444	DS922AF	150mm	24tpi

5

Bi-metal Reciprocating Saw Blades for Metal, 150mm, 10-14tpi (Pack of 5)

Pack of 5 BIM reciprocating saw blades manufactured to a high quality ensuring a robust sharp blade. For flexible cutting of ferrous and non-ferrous sheet metals of 3-10mm thickness. Compatible with most reciprocating/sabre saw machines with a universal 1/2" connection.

Stock No.	Part No.
43463	DS922VF

6

Bi-metal Reciprocating Saw Blades, 225mm (Pack of 5)

Pack of 5 BIM reciprocating saw blades manufactured to a high quality ensuring a robust sharp blade. For flexible cutting of ferrous and non-ferrous sheet metals. Compatible with most reciprocating/sabre saw machines with a universal 1/2" connection.

Stock No.	Part No.	Blade Length	Teeth
38594	DS1122BF	225mm	14tpi
38631	DS1122EF	225mm	18tpi
38593	DS1122AF	225mm	24tpi

7

Bi-metal Reciprocating Saw Blades for Multi-Purpose Cutting, 225mm, 10tpi (Pack of 5)

Pack of five BIM reciprocating saw blades manufactured to a high quality. For flexible cutting of ferrous and non-ferrous sheet metals, thin metals, hardwood, softwood, plywood, plastic and laminate. Compatible with most reciprocating/sabre saw machines with a universal 1/2" connection. These blades are similar to Bosch S1122HF blades.

Stock No.	Part No.	Blade Length	Teeth
38754	DS1122HF	225mm	10tpi

8

Bi-metal Reciprocating Saw Blades for Metal Cutting, 150mm, 8-14tpi (Pack of 5)

Pack of five BIM reciprocating saw blades manufactured to a high quality with progressive tooth pitch. For fast straight cutting of ferrous and non-ferrous sheet metals and thin metals. Compatible with most reciprocating/sabre saw machines with a universal 1/2" connection. These blades are similar to Bosch S123XF blades.

Stock No.	Part No.	Blade length	Teeth
38755	DS123XF	150mm	8-14tpi

9

Bi-metal Reciprocating Saw Blades for Multi-Purpose Cutting, 300mm, 6tpi (Pack of 5)

Pack of five BIM reciprocating saw blades manufactured to a high quality with progressive tooth pitch. Heavy-duty for fast curved cutting of ferrous and non-ferrous sheet metals, thin metals, hardwood, softwood, plywood, plastic and laminate. Compatible with most reciprocating/sabre saw machines with a universal 1/2" connection. These blades are similar to Bosch S1411DF blades.

Stock No.	Part No.	Blade length	Teeth
38756	DS1411DF	300mm	6tpi



1
Reciprocating Saw Blades for Wood Cutting, 240mm, 5tpi (Pack of 5)

Pack of five reciprocating saw blades made from high-carbon steel manufactured to a high standard. For fast, efficient cutting of hardwood, softwood, plywood, plastic and laminate. Compatible with most reciprocating/sabre saw machines with a universal 1/2" connection. These blades are similar to Bosch S1531L blades.

Stock No.	Part No.	Blade length	Teeth
38803	DS1531L	240mm	5tpi



2
Reciprocating Saw Blades for Pruning & Coarse Wood & Plastic Cutting, 300mm, 3tpi (Pack of 5)

Pack of five reciprocating saw blades made from high-carbon steel manufactured to a high standard. Perfect for general pruning around the garden. For fast coarse cutting of hardwood, softwood, plywood, plastic and laminate. Compatible with most reciprocating/sabre saw machines with a universal 1/2" connection.

Stock No.	Part No.	Blade length	Teeth
42615	DS1617K	300mm	3tpi



3
Reciprocating Saw Blades for Wood and Plastic Cutting

Pack of five reciprocating saw blades made from high-carbon steel manufactured to a high standard. For clean straight cutting of hardwood, softwood, plywood, plastic and laminate. Compatible with most reciprocating/sabre saw machines with a universal 1/2" connection.

Stock No.	Part No.	Blade length	Teeth
43063	DS2345X	200mm	6-10tpi
38589	DS111K	225mm	3tpi



4
Reciprocating Saw Blades for Wood and Plastic Cutting

Pack of five reciprocating saw blades made from high-carbon steel manufactured to a high standard. For fast curved plunge cutting of hardwood, softwood, plywood, plastic and laminate. Compatible with most reciprocating/sabre saw machines with a universal 1/2" connection.


Stock No.	Part No.	Blade length	Teeth
43066	DS617K	150mm	3tpi
43430	DS644D	150mm	6tpi



5
Bi-metal Reciprocating Saw Blades for Plaster Cutting, 150mm, 6tpi (Pack of 5)

Pack of five BIM reciprocating saw blades manufactured to a high quality. For fast, clean curved cutting of plaster. Compatible with most reciprocating/sabre saw machines with a universal 1/2" connection. These blades are similar to Bosch S628DF blades.

Stock No.	Part No.	Blade length	Teeth
43426	DS628DF	150mm	6tpi



6
Assorted Reciprocating Saw Blades for Multi-Purpose Cutting, 150mm (Pack of 5)

Pack of five assorted BIM and HCS reciprocating saw blades manufactured to a high standard. For cutting ferrous and non-ferrous sheet metals, thin metals, hardwood, softwood, plywood, plastic and laminate. Compatible with most reciprocating/sabre saw machines with a universal 1/2" connection.

Contents:

- 2 x HCS Saw Blades for Wood, 150mm, 6tpi
- 1 x Bi-metal Saw Blades for Metal, 150mm, 24tpi
- 1 x Bi-metal Saw Blades for Metal, 150mm, 10tpi
- 1 x Bi-metal Saw Blades for Metal, 150mm, 10-14tpi

Stock No.	Part No.	Blade length	Teeth
52517	RSBCOM5	150mm	6, 10, 10-14 and 24tpi



1

Wood Bandsaw Blades

Our choice of bandsaw blades for hard and soft woods and plastics is made from high-performance steel to maximise the benefit of bandsaws in delivering faster and more accurate cuts, safely and efficiently.

Stock No.	Part No.	Blade Length	Blade Width	Pitch
14253	BB1400	1400mm	1/4"	6tpi
14254	BB1400	1400mm	3/8"	6tpi
14259	BB1400	1400mm	1/2"	6tpi
76728	BB1712	1712mm	1/4"	6tpi
76729	BB1712	1712mm	3/8"	6tpi
76730	BB1712	1712mm	1/2"	6tpi
76732	BB1712	1712mm	1/2"	14tpi
25766	BB1785	1785mm	1/4"	6tpi
25767	BB1785	1785mm	3/8"	6tpi
25768	BB1785	1785mm	1/2"	6tpi
01801	BB1575	1575mm	1/2"	14tpi
00523	BB1575	1575mm	3/8"	6tpi
00367	BB1575	1575mm	1/4"	6tpi
63341	BB2235	2235mm	1/4"	6tpi
63343	BB2235	2235mm	3/8"	6tpi
63344	BB2235	2235mm	1/2"	6tpi
63342	BB2235	2235mm	1/2"	14tpi
45860	BB2240	2240mm	5/8"	4tpi
45863	BB2240	2240mm	3/4"	4tpi
76738	BB2560	2560mm	1/4"	6tpi
76740	BB2560	2560mm	1/2"	6tpi
76742	BB2560	2560mm	1/2"	14tpi
45901	BB2560	2560mm	5/8"	4tpi
45924	BB2560	2560mm	3/5"	4tpi



2

Metal Bandsaw Blades

Metal cutting bandsaw blade with teeth made from high-performance M42 high-speed cobalt steel and backing material in alloy tempered steel. Suitable for cutting ferrous metals such as steel, alloy and iron. Also, non-ferrous metals including aluminium, copper and brass.

Stock No.	Part No.	Blade Length	Blade Width	Pitch
14255	BB1400	1400mm	1/4"	24tpi
25764	BB1425	1425mm	1/4"	24tpi
32057	BB1505	1505mm	1/4"	24tpi
28112	BB1638	1638mm	1/2"	24tpi
76731	BB1712	1712mm	1/4"	24tpi
76741	BB2560	2560mm	1/4"	24tpi
14532	BB3345	3345mm	1/4"	24tpi

1 Jointing Biscuits

Solid stamped beech for greater strength. For use with Draper Biscuit Jointer Stock No. 75303 and other manufacturers similar machines. Packed in polybags of 100 pieces (approx.) with header card. *Assorted biscuits packed in the approximate numbers 0=25, 10=25 and 20=50.

Stock No.	Part No.	Size
07260	APT82E	No.0
07259	APT82E	No.10
07258	APT82E	No.20
07261	APT82E	Assorted



2 Router Bit Sets (12 Piece)

Assortment of router bits with T.C.T. heads to suit most applications. Supplied in display case.

Contents:
 3 x straight bits - 6, 12, 16mm diameter
 1 x 90° 'V' or groove bit
 1 x dovetail bit 12.7mm diameter. 45° chamfer bit
 1 x bearing flush trim bit (or flush) - 12.7mm diameter
 2 x rounding bits - radii 6.3 and 9.5mm
 1 x core box bit radius 6.3mm
 1 x cove bit radius 6.3mm
 1 x roman ogee bit radius 4mm
 1 x hexagon key

Stock No.	Part No.	Diameter
72892	DRB12A	1/4"
72893	DRB12B	1/2"

3 Router Bit Set (4 Piece)

1/4" and 1/2" shank extra long router bits with TCT heads especially for use with extra thickness laminate used by kitchen fitters. Supplied with hexagon key. Display packed in storage case.

Contents:
 1 x Flush Twin Flute with bearing: 1/4" shank; 12.7 x 25mm long
 2 x Flush Straight Twin Flute: 1/2" shank; 12.7 x 50mm long
 1 x Flush Straight Twin Flute: 1/2" shank; 12.7 x 63mm long


Stock No.	Part No.
89993	RB26

4 Router Bit Dispenser Complete with 98 Assorted Router Bits

Heavy duty countertop dispenser of assorted router bits in plastic hang-up boxes. Supplied with stock and hangers. Carton packed.

Contents:
 6 x plastic boxes of 1/2" straight 12.7 x 50mm twin flute bits Stock No. 75350
 4 x plastic boxes of 1/2" flush 12.7 x 50mm twin flute bits with bearing Stock No. 75352
 6 x plastic boxes of 1/4" straight 9.5 x 25mm twin flute bits Stock No. 75332
 6 x plastic boxes of 1/4" straight 12.7 x 25mm twin flute bits Stock No. 75334
 6 x plastic boxes of 1/4" straight 6.35 x 25mm twin flute bits Stock No. 75331
 6 x plastic boxes of 1/4" straight 10.0 x 25mm twin flute bits Stock No. 75333
 6 x plastic boxes of 1/4" straight 3.0 x 11mm single flute bits Stock No. 75330
 6 x plastic boxes of 1/4" flush 12.7 x 25mm twin flute bits with bearing Stock No. 75335
 6 x plastic boxes of 1/4" rounding 25.0 x 7mm radius twin flute bits Stock No. 75341
 6 x plastic boxes of 1/4" rounding 32.0 x 9mm radius twin flute bits Stock No. 75342
 4 x plastic boxes of 1/4" beading 38.0 x 20mm radius twin flute bits Stock No. 75339
 6 x plastic boxes of 1/4" chamfering 30.0mm x 45° chamfer twin flute Stock No. 75340
 6 x plastic boxes of 1/4" roman ogee 35.0 x 17mm twin flute Stock No. 75338
 6 x plastic boxes of 1/4" groove 12.7mm x 90° twin flute Stock No. 75336
 6 x plastic boxes of 1/4" groove 19.0mm x 90° twin flute Stock No. 75337
 6 x plastic boxes of 1/4" core box bit 12.7 x 6.35mm radius twin flute Stock No. 75345
 6 x plastic boxes of 1/4" rebate 32.0 x 12mm twin flute Stock No. 75344

Stock No.	Part No.	Dimensions
90862	*RBS	300 x 300 x 500mm



5 1/4 and 1/2 Shank Router Bits with TCT Heads To Suit Most Applications. Display Packed in Plastic Boxes.

Stock No.	Part No.	Shank Diameter	Description
75330	RB1	1/4"	Straight 3 x 11mm, single flute
75331	RB2	1/4"	Straight 6.35 x 25mm, twin flute
75332	RB3	1/4"	Straight 9.5 x 25mm, twin flute
75333	RB4	1/4"	Straight 10 x 25mm, twin flute
75334	RB5	1/4"	Straight 12.7 x 25mm, twin flute
75349	RB20	1/2"	Straight 12.7 x 25mm, twin flute
75350	RB21	1/2"	Straight 12.7 x 50mm, twin flute
75351	RB22	1/2"	Straight 19 x 25mm, twin flute
75335	RB6	1/4"	Flush 12.7 x 25mm, twin flute with bearing for flush trimming
75352	RB23	1/2"	Flush 12.7 x 50mm, twin flute with bearing for flush trimming
75336	RB7	1/4"	Groove 12.7mm x 90°, twin flute, for chamfering or decorative grooves
75337	RB8	1/4"	Groove 19mm x 90°, twin flute, for chamfering or decorative grooves
75345	RB16	1/4"	Core Box Bit 12.7 x 6.35mm radius, twin flute, for round bottom cuts
75346	RB17	1/4"	Dovetail 14mm diameter, twin flute, for dovetail joints
75341	RB12	1/4"	Rounding 25 x 7mm radius, twin flute, for rounded edges
75342	RB13	1/4"	Rounding 32 x 9mm radius, twin flute, for rounded edges
75343	RB14	1/4"	Rounding 38 x 14mm radius, twin flute, for rounded edges
75340	RB11	1/4"	Chamfering 30mm x 45°, twin flute, 45° chamfer
75344	RB15	1/4"	Rebate 32 x 12mm, twin flute
75338	RB9	1/4"	Roman Ogee 35 x 17mm, twin flute
75339	RB10	1/4"	Beading 38 x 20mm, twin flute, for inset rounded edges
75360	RB19	1/4"	Biscuit No. 20, for cutting slots for jointing biscuits
75347	RB18	1/4"	Biscuit No. 10, for cutting slots for jointing biscuits
75362	RB25	1/2"	Biscuit No. 20, for cutting slots for jointing biscuits
75353	RB24	1/2"	Biscuit No. 10, for cutting slots for jointing biscuits



1 Metal Cutting Discs

Manufactured to EN12413 standards

Flat cutting disc designed for fast straight cutting on various metal working applications including steel, structural steel and sheet metal. Manufactured from premium quality aluminium oxide, which has been resin bonded and reinforced with fibreglass to improve the strength and performance of the disc. The bore has a stainless-steel ring to allow the cutting disc to be safely mounted onto the machine.

Stock No.	Part No.	Diameter	Bore	Thickness
94767	CGF2	75mm	10mm	1mm
94768	CGF3	100mm	16mm	1mm
94769	CGF4	100mm	16mm	2.5mm
94770	CGF5	115mm	22.23mm	1mm
94773	CGF8	115mm	22.23mm	2.5mm
94774	CGF9	125mm	22.23mm	1mm
94775	CGF10	230mm	22.23mm	2mm
94776	CGF11	300mm	20mm	3mm
94778	CGF12	355mm	25.4mm	3mm
94772	CGF7	115mm	22.23mm	1mm
94771	CGF6	115mm	22.23mm	1mm
94658	CGF1	50mm	10mm	1.5mm



2 Stainless-Steel/Inox Metal Cutting Disc, 115 x 1 x 22.23mm

Manufactured to EN12413 standards

Flat cutting disc designed for fast straight cutting of stainless-steel (inox). Also suitable for use on other metal working applications including steel, structural steel and sheet metal. Manufactured from premium quality aluminium oxide, which has been resin bonded and reinforced with fibreglass to improve the strength and performance of the disc. Ultra-thin 1mm disc for rapid efficient cutting. The bore has a stainless-steel ring to allow the cutting disc to be safely mounted onto the machine. Compatible with 115mm angle grinders with a 22.23mm bore. Manufactured to EN12413 standards.

Stock No.	Part No.	Diameter	Bore	Thickness
94779	CGF13	115mm	22.23mm	1mm



3 Multi-Purpose Cutting Disc, 115 x 1.2 x 22.23mm

Manufactured to EN12413 standards

Flat cutting disc designed for fast straight cutting on various metal working applications including stainless-steel (inox), steel, structural steel and sheet metal. Also suitable for use on stone, tiles and PVC. Manufactured from premium quality aluminium oxide, which has been resin bonded and reinforced with fibreglass to improve the strength and performance of the disc. Ultra-thin 1.2mm disc for rapid efficient cutting. The bore has a stainless-steel ring to allow the cutting disc to be safely mounted onto the machine. Compatible with 115mm angle grinders with a 22.23mm bore. Manufactured to EN12413 standards.

Stock No.	Part No.	Diameter	Bore	Thickness
94780	CGF14	115mm	22.23mm	1.2mm



4 Flat Stone Cutting Discs

Flat cutting discs made from premium quality resin bonded silicon carbide. Reinforced with fibreglass to improve the strength and performance. Designed for fast straight cutting of stone.

Stock No.	Part No.	Diameter	Bore	Thickness
94781	CGF15	115mm	22.23mm	2.5mm
94782	CGF16	230mm	22.23mm	2.5mm



5 DPC Metal Cutting Discs

Manufactured to EN12413 standards

Depressed Centre (DPC) cutting disc designed for cutting on various metal working applications including steel, structural steel and sheet metal. Manufactured from premium quality aluminium oxide, which has been resin bonded and reinforced with fibreglass to improve the strength and performance of the disc. The bore has a stainless-steel ring to allow the cutting disc to be safely mounted onto the machine.

Stock No.	Part No.	Diameter	Bore	Thickness
94783	CGD1	10mm	16mm	2.5mm
94784	CGD2	115mm	22.23mm	2.5mm
94785	CGD3	230mm	22.23mm	2mm



6 DPC Metal Grinding Discs

Manufactured to EN12413 standards

Depressed Centre (DPC) grinding disc designed for grinding on various metal working applications including steel, structural steel and sheet metal. Manufactured from premium quality aluminium oxide, which has been resin bonded and reinforced with fibreglass to improve the strength and performance of the disc. The bore has a stainless-steel ring to allow the cutting disc to be safely mounted onto the machine. Manufactured to EN12413 standards.

Stock No.	Part No.	Diameter	Bore	Thickness
94791	CGD4	50mm	10mm	4mm
94792	CGD5	100mm	16mm	6mm
94793	CGD6	115mm	22.23mm	6mm

7 Inox Flat Metal Cutting Discs, 115 x 22.23mm

A pack of ten inox metal cutting discs made from premium quality resin-bonded aluminium oxide. The discs are ultra-thin for rapid cutting and the reinforced fibreglass construction improves the strength and performance of the disc. Suitable for fast cutting of stainless steel, steel, structural steel and sheet metal. Compatible with 115mm angle grinders with 22.23mm bore. Supplied as a set of ten discs in a storage tin.

Contents:

1 x Inox Flat Metal Cutting Discs, 115 x 22.2 x 1.2mm (Pack of 10)

Stock No.	Part No.	Diameter	Bore	Thickness	Pack Size
94772	CGF7	115mm	22.23mm	1mm	100
08940	CGF17	115mm	22.23mm	1.2mm	10
94771	CGF6	115mm	22.23mm	1mm	10





1
Aluminium Oxide Bench Grinding Wheel 36G (150mm x 16mm)

Conforms to EN12413.

A high-quality, hard-wearing aluminium oxide bench grinding wheel with coarse grit. Suitable for general grinding, deburring and tool sharpening on non-ferrous metals and steel. Dry-cutting use only. Manufactured with a 31.75mm bore and supplied with 5 reduction rings enabling each bench grinding wheel to fit most bench grinders with a bore size between 12.7 – 31.75mm. Compatible with Draper Bench Grinder: 83420.

Stock No.	Part No.	Dimension	Grit
99564	BG15016C	150 x 16mm	36g



2
Aluminium Oxide Bench Grinding Wheel 60G (150mm x 16mm)

Conforms to EN12413

A high-quality, hard-wearing aluminium oxide bench grinding wheel with fine grit. Suitable for general grinding, deburring and tool sharpening on non-ferrous metals and steel. Dry-cutting use only. Manufactured with a 31.75mm bore and supplied with 5 reduction rings enabling each bench grinding wheel to fit most bench grinders with a bore size between 12.7 – 31.75mm. Compatible with Draper Bench Grinder: 83420.

Stock No.	Part No.	Dimension	Grit
99565	BG15016F	150 x 16mm	60g



3
Aluminium Oxide Bench Grinding Wheel 36G (150mm x 20mm)

Conforms to EN12413.

A high-quality, hard-wearing aluminium oxide bench grinding wheel with coarse grit. Suitable for general grinding, deburring and tool sharpening on non-ferrous metals and steel. Manufactured with a 31.75mm bore and supplied with 5 reduction rings enabling each bench grinding wheel to fit most bench grinders with a bore size between 12.7 – 31.75mm. Compatible with 19mm and 20mm wheel face Draper Bench Grinders: 66804, 05095, 83421, 29620.

Stock No.	Part No.	Dimension	Grit
99566	BG15020C	150 x 20mm	36g



4
Aluminium Oxide Bench Grinding Wheel 60G (150mm x 20mm)

Conforms to EN12413.

A high-quality, hard-wearing aluminium oxide bench grinding wheel with fine grit. Suitable for general grinding, deburring and tool sharpening on non-ferrous metals and steel. Dry-cutting use only. Manufactured with a 31.75mm bore and supplied with 5 reduction rings enabling each bench grinding wheel to fit most bench grinders with a bore size between 12.7 – 31.75mm. Compatible with 19mm and 20mm wheel face Draper Bench Grinders: 66804, 05095, 83421, 29620.

Stock No.	Part No.	Dimension	Grit
99567	BG15020F	150 x 20mm	60g



5
Silicon Carbide Bench Grinding Wheel 120G (150mm x 20mm)

Conforms to EN12413.

A high-quality, hard-wearing silicon carbide bench grinding wheel with ultra-fine grit. Suitable for sharpening tungsten carbide tip (TCT) tools and grinding non-ferrous metals including alloys. Dry-cutting use only. Manufactured with a 31.75mm bore and supplied with 5 reduction rings enabling each bench grinding wheel to fit most bench grinders with a bore size between 12.7 – 31.75mm. Compatible with 19mm and 20mm wheel face Draper Bench Grinders: 66804, 05095, 83421, 29620.

Stock No.	Part No.	Dimension	Grit
99568	BG15020S	150 x 20mm	120g



6
White Aluminium Oxide Bench Grinding Wheel 80G (150mm x 20mm)

Conforms to EN12413.

A high-quality, hard-wearing white aluminium oxide bench grinding wheel with extra fine grit. Suitable for sharpening high speed steel (HSS) tools and grinding non-ferrous metals including alloys. Dry-cutting use only. Manufactured with a 31.75mm bore and supplied with 5 reduction rings enabling each bench grinding wheel to fit most bench grinders with a bore size between 12.7 – 31.75mm. Compatible with 19mm and 20mm wheel face Draper Bench Grinders: 66804, 05095, 83421, 29620.

Stock No.	Part No.	Dimension	Grit
99569	BG15020W	150 x 20mm	80g



7
Aluminium Oxide Bench Grinding Wheel, 200 x 25mm, 36 Grit

Conforms to EN12413.

A high-quality, hard-wearing aluminium oxide bench grinding wheel with coarse grit. Suitable for general grinding, deburring and tool sharpening on non-ferrous metals and steel. Dry-cutting use only. Manufactured with a 31.75mm bore and supplied with 5 reduction rings enabling each bench grinding wheel to fit most bench grinders with a bore size between 12.7 – 31.75mm. Compatible with Draper Bench Grinders: 29621, 05097.

Stock No.	Part No.	Dimension	Grit
99570	BG20025C	200 x 25mm	36G




8
Aluminium Oxide Bench Grinding Wheel, 200 x 25mm, 60 Grit

Conforms to EN12413.

A high-quality, hard-wearing aluminium oxide bench grinding wheel with fine grit. Suitable for general grinding, deburring and tool sharpening on non-ferrous metals and steel. Dry-cutting use only. Manufactured with a 31.75mm bore and supplied with 5 reduction rings enabling each bench grinding wheel to fit most bench grinders with a bore size between 12.7 – 31.75mm. Compatible with Draper Bench Grinders: 29621, 05097.

Stock No.	Part No.	Dimension	Grit
99571	BG20025F	200 x 25mm	60G





1

Wire Brushes

Brassed crimped steel wire with 6mm diameter shank. Display packed.

Stock No.	Part No.	Diameter
41427	342P	50mm
41429	342P	75mm
41428	342P	100mm



2

Hollow Cup Wire Brushes

Brassed crimped steel wire with 6mm diameter shank. Display packed.

Stock No.	Part No.	Diameter
41432	344P	50mm
41433	345P	75mm



3

Wire Cup Brush (40mm)

Brassed crimped steel wire with 6mm diameter shank. Display packed.

Stock No.	Part No.
41431	343P



4

75mm Wire Brush

Crimped steel wire with 6mm diameter bore. Display packed.

Stock No.	Part No.
41435	340P



5

Crimped Steel Wire Brushes

For use with Draper bench grinders and other manufacturers similar machines. Supplied with reducing bushes size; 12.7, 16, 20, 22.2 and 26mm. Display packed.

Stock No.	Part No.	Diameter x Bore	Width	Type
33879	AGW6C	150 x 50mm	19mm	Coarse
33880	AGW8C	200 x 50mm	25mm	Coarse



6

Twisted Wire Wheel (75mm)

Heavy duty wheel with integral 6mm shank. For descaling, deburring, removing rust, adhesive residues and preparing/cleaning welding seams. Display packed.

Stock No.	Part No.
41434	349P



7

28 x 100mm Wire Brush

For metal cleaning and rust removal. Crimped steel wire fill, 55mm brush length with 6mm diameter shank. Display packed.

Stock No.	Part No.
41436	337P



8

Flat Top Decarbonizing Wire Brushes

Brassed crimped steel wire brush with flat trim. 6mm diameter shanks. Brush length 25mm. Display packed.

Stock No.	Part No.	Diameter
41437	347P	13mm
41438	347P	26mm



9

Decarbonizing Brush Set (2 Piece)

Brassed crimped steel wire brushes with flat and pointed trims. Shanks 6 x 35mm long. Display packed.

Stock No.	Part No.
41439	DC2P

10

Countertop Display of Cup and Rotary Wire Brushes

Countertop display of various cup and rotary wire brushes. All have 6mm integral shanks. Countertop display size 220 x 220mm. Shrink wrapped for security.

Contents:

- 6 x Wire Brushes 50mm dia. (Stock No.41427)
- 12 x Wire Brushes 75mm dia. (Stock No.41429)
- 12 x Wire Cup Brushes 50mm dia. (Stock No.41431)
- 6 x Hollow Cup Wire Brushes 50mm dia. (Stock No.41432)

Stock No.	Part No.
41440	WW-ASTC





1 Wire Cup Brushes (75mm)

Manufactured from 0.3mm hardened brassed steel wire. Designed for use with angle grinders. The unique rounded edges of the cup prevent the wires breaking whilst in use and thereby prolong the life of the brush and enhance performance. Display packed.

Stock No.	Part No.	Thread
41441	346P	M10 x 1.25
41442	346P	M14 x 2.0



2 Twist Knot Wire Cup Brushes

Manufactured from 0.5mm hardened steel wire. Designed for use with angle grinders. M14 thread. Carton packed.

Stock No.	Part No.	Diameter	Thread	Speed RPM
41447	CB61TP	60mm	M14	11,000r/min
41449	CB80TP	80mm	M14	8500r/min
41450	CB100TP	100mm	M14	8500r/min



3 Crimped Wire Cup Brushes

Manufactured from 0.3mm hardened brassed steel wire. Designed for use with angle grinders. M14 thread. Display packed.

Stock No.	Part No.	Diameter	Thread	Speed RPM
41443	CB61CP	60mm	M14	11,000r/min
41444	CB80CP	80mm	M14	8500r/min
41445	CB100CP	100mm	M14	8500r/min
41446	CB125CP	125mm	M14	7500r/min



4 Twist Knot Wire Cup Brushes

Expert Quality, industrial quality manufactured from 0.5mm hardened steel wire. Designed for use with angle grinders. Carton packed.

Stock No.	Part No.	Diameter	Thread	Speed RPM
52630	CB60T	60mm	M10	11,000r/min
52631	CB61T	60mm	M14	11,000r/min
52632	CB80T	80mm	M14	8500r/min
52633	CB100T	100mm	M14	8500r/min



5 Crimped Wire Cup Brushes

Expert Quality, industrial quality manufactured from 0.3mm hardened brassed steel wire. Designed for use with angle grinders. Carton packed.

Stock No.	Part No.	Diameter	Thread	Speed RPM
52634	CB60C	60mm	M10	11,000r/min
52635	CB61C	60mm	M14	11,000r/min
52636	CB80C	80mm	M14	8500r/min
52637	CB100C	100mm	M14	8500r/min
52638	CB125C	125mm	M14	7500r/min



6 Wire Wool (150g)

Wire wool manufactured from steel. Ideal for buffing, cleaning, cutting, and removing. Select the grade required. Display packed.

Stock No.	Part No.	Grit Grade	Weight
82581	WWVF	#00 Fine	150g
82580	WWF	#0 Medium/Fine	150g



7 Mounted Grinding Point Set (5 Piece)

Rotary grinding stones suitable for use on most metals. Comprising five assorted shapes and abrasive types. Manufactured from aluminium oxide. Maximum working speeds 3000-6000 r/min. Shank diameter 6mm. Display packed.

Stock No.	Part No.	Diameter
49301	4693	6mm



8 Mounted Grinding Point Set (5 Piece)

Rotary grinding stones suitable for use on most metals. Comprising five assorted shapes and abrasive types. Manufactured from aluminium oxide. Maximum running speeds working 7000-8000 r/min. Shank diameter 1/8". Display packed.

Stock No.	Part No.
49294	4800



9 Rubber Backing Disc (125mm)

Supplied with 6mm diameter arbor assembly. For use with 125mm diameter sanding discs. Display packed.

Stock No.	Part No.
83815	D5B



10 Backing Pads

Backing pads for angle grinders. Supplied with locking flange nut. Display packed.

Stock No.	Part No.	Description	Thread
58608	APT8	100mm	M10
58609	APT9	115mm	M14
58620	APT11	125mm	M14
45976	APT124	180mm	M14



11 Backing Pad (175mm)

For use with the angle polishers. M14 thread with hook and loop fixing. Packed in polythene bag with header card.

Stock No.	Part No.
46294	APT118



1
Air Angle Sander Backing Pad, 175mm
175mm backing pad.

Stock No.	Part No.
25141	A4237/57



2
Polishing Sponges (90mm)
For use with the Draper Compact Soft Grip Air Polisher Kit Stock No.47616. Hook and loop fixing. Sold loose.

Stock No.	Part No.	Colour
48198	AAT01	White-fine
48199	AAT02	Yellow-coarse



3
Lambswool Polishing Bonnet (75mm)
For use with the Draper Compact Soft Grip Air Polisher Kit Stock No.47616. Hook and loop fixing. Sold loose.

Stock No.	Part No.
48200	AAT03



4
Polishing Sponges
Polishing sponges for use with hook and loop backing pads. Designed for polishing, cutting and restoring paintwork.

Stock No.	Part No.	Course	Size	Colour
92374	APT80	Ultra Soft	80mm	Red
92384	APT80	Soft	80mm	Black
92385	APT80	Medium	80mm	Blue
92402	APT80	Firm	80mm	White
92403	APT80	Coarse	80mm	Yellow
02107	APT125	Soft	125mm	Black
02108	APT125	Medium	125mm	Blue
02110	APT125	Firm	125mm	White
02111	APT125	Coarse	125mm	Yellow
01793	APT150	Soft	150mm	Black
01794	APT150	Medium	150mm	Blue
01795	APT150	Firm	150mm	White
01796	APT150	Coarse	150mm	Yellow
02106	APT125	Ultra-Soft	150mm	Red
01792	APT150	Ultra soft	180mm	Red
01786	APT180	Ultra soft	180mm	Red
01787	APT180	Soft	180mm	Black
01788	APT180	Medium	180mm	Blue
01790	APT180	Firm	180mm	White
01791	APT180	Coarse	180mm	Yellow



5
M14 Polishing Sponges (150mm)
Polishing sponges fitted with a backing pad for use with M14 thread arbors. Designed for polishing, cutting and restoring paintwork.

Stock No.	Part No.	Type	Size	Colour
01781	APT150M14	Ultra soft	125mm	Red
01782	APT150M14	Soft	150mm	Black
01783	APT150M14	Medium	150mm	Blue
01784	APT150M14	Firm	150mm	White
01785	APT150M14	Coarse	150mm	Yellow



6
180mm Polishing Sponges
For use with 180mm angle polishers. Hook and loop fixing. Packed in polythene bag with header card.

Stock No.	Part No.	Type	Colour
46296	APT121	Heavy Cut	Red
46297	APT121	Medium Cut	Orange
46298	APT121	Light Cut	Blue
46299	APT121	Soft Polish	Green
46300	APT121	Final Finish	Black



7
Lambs Wool Polishing Bonnets (125mm)
Polishing bonnets for use with 125mm polishing machines.

Stock No.	Part No.	Attach Method
71937	PTAPB	Drawstring
71951	PTAPBHL	Hook and Loop



8
Lambswool Polishing Bonnet (140mm)
Wool blend with drawstring. Display packed.

Stock No.	Part No.
49212	D2/A



1
175mm Hook & Loop Backed Lambswool Polishing Bonnet

For use with the Draper 180mm Angle Polisher Stock No.44190. Wool blend with hook and loop fixing. Packed in polythene bag with header card.

Stock No.	Part No.
46295	APT119/A

2
Cotton Polishing Bonnet (240mm)

With drawstring. Packed in polythene bag with header card.

Stock No.	Part No.
69489	APT83



3
Lambswool Polishing Bonnet (175mm)

Wool blend with drawstring. Display packed.

Stock No.	Part No.
58667	APT17/A

4
Lambswool Polishing Bonnet (240mm)

With drawstring. Packed in polythene bag with header card.

Stock No.	Part No.
69490	APT84/A





1 Sanding Discs, 115mm, Hook & Loop (Pack of 10)

- Premium quality resin bonded aluminium oxide
- Strong E-Weight backing for durability
- Hook & loop
- Eight punched holes for enhanced dust extraction
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers

Stock No.	Part No.	Grit Grade	Size	Quantity
53498	SDHAL115	40	115mm	10
53499	SDHAL115	80	115mm	10
53500	SDHAL115	120	115mm	10
53501	SDHAL115	240	115mm	10
53510	SDHAL115	Assorted	115mm	10



2 Sanding Discs, 125mm (Pack of 10)

- Premium quality resin bonded aluminium oxide
- Strong E-Weight backing for durability
- Hook & loop
- Eight punched holes for enhanced dust extraction
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers

Stock No.	Part No.	Grit Grade	Size	Quantity
54392	SDHAL125	40	125mm	10
54755	SDHAL125	80	125mm	10
54756	SDHAL125	120	125mm	10
54758	SDHAL125	240	125mm	10
54759	SDHAL125	Assorted	125mm	10



3 Sanding Discs, 150mm, Hook & Loop, (Pack of 10)

- Premium quality resin bonded aluminium oxide
- Strong E-Weight backing for durability
- Hook & loop
- Six punched holes for enhanced dust extraction
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers


Stock No.	Part No.	Grit Grade	Size	Quantity
54887	SDHAL150	40	150mm	10
54888	SDHAL150	80	150mm	10
54948	SDHAL150	120	150mm	10
54991	SDHAL150	240	150mm	10
55069	SDHAL150	Assorted	150mm	10



4 Sanding Discs, 180mm, Hook & Loop (Pack of 10)

- Premium quality resin bonded aluminium oxide
- Strong E-Weight backing for durability
- Hook & loop
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers
- Compatible with all 180mm sanders and polishers with hook and loop backing pads

Stock No.	Part No.	Grit Grade	Size	Quantity
63797	SDHAL180	40	180mm	10
55204	SDHAL180	80	180mm	10
56180	SDHAL180	120	180mm	10
56182	SDHAL180	240	180mm	10
56371	SDHAL180	320	180mm	10
58110	SDHAL180	Assorted	180mm	10



5 Gold Sanding Discs with Hook & Loop, 125mm (Pack of 10)

- Resin bonded aluminium oxide with a treatment of calcium stearate
- Heavy-duty D-Weight backing for durability
- Hook & loop with eight punched holes for enhanced dust extraction
- Ideal for sanding and finishing wood, metals - including ferrous alloys, painted surfaces, varnish, plastic and fillers
- Compatible with all 125mm random orbit sanders with a hook and loop backing pad

Stock No.	Part No.	Grit Grade	Size	Quantity
58111	SDHALG125	120	125mm	10
58113	SDHALG125	180	125mm	10
58340	SDHALG125	240	125mm	10
59766	SDHALG125	320	125mm	10
59856	SDHALG125	400	125mm	10
60161	SDHALG125	Assorted	125mm	10



6 Mesh Sanding Discs, 125mm (Pack of 10)

- High performance mesh sanding discs made from resin bonded aluminium oxide
- Able to maintain performance 10x longer than conventional sanding discs
- Hook & loop
- Highly efficient dust extraction
- Compatible with all 125mm random orbital sanders with a hook and loop backing pad

Stock No.	Part No.	Grit Grade	Size	Quantity
60164	SDMSH125	80	125mm	10
60503	SDMSH125	120	125mm	10
60504	SDMSH125	180	125mm	10
60505	SDMSH125	240	125mm	10
60608	SDMSH125	Assorted	125mm	10



7 Mesh Sanding Discs, 150mm (Pack of 10)

- High performance mesh sanding discs made from resin bonded aluminium oxide
- Able to maintain performance 10x longer than conventional sanding discs
- Hook & loop
- Highly efficient dust extraction
- Compatible with all 150mm random orbital sanders with a hook and loop backing pad

Stock No.	Part No.	Grit Grade	Size	Quantity
61012	SDMSH150	80	150mm	10
61821	SDMSH150	120	150mm	10
61873	SDMSH150	180	150mm	10
62988	SDMSH150	240	150mm	10
62989	SDMSH150	Assorted	150mm	10



8 Sanding Discs, 150mm, PSA (Pack of 10)

- Premium quality resin bonded aluminium oxide
- Strong E-Weight backing for durability
- PSA backing
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers
- Compatible with all 150mm bench sanders

Stock No.	Part No.	Grit Grade	Size
62991	SDPSA150	40	150mm
62994	SDPSA150	80	150mm
63014	SDPSA150	120	150mm
63015	SDPSA150	240	150mm
63016	SDPSA150	Assorted	150mm



1 Sanding Discs, 200mm, PSA (Pack of 5)

- Premium quality resin bonded aluminium oxide
- Strong E-Weight backing for durability
- PSA backing
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers
- Compatible with all 305mm bench sanders

Stock No.	Part No.	Grit Grade	Size	Quantity
63265	SDPSA200	Assorted	200mm	5
63023	SDPSA200	40	200mm	5
63026	SDPSA200	80	200mm	5
63031	SDPSA200	120	200mm	5
63045	SDPSA200	240	200mm	5



2 Sanding Discs, 305mm, PSA (Pack of 5)

- Premium quality resin bonded aluminium oxide
- Strong E-Weight backing for durability
- PSA backing
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers
- Compatible with all 305mm bench sanders

Stock No.	Part No.	Grit Grade	Size	Quantity
63784	SDPSA305	Assorted	305mm	5
63531	SDPSA305	40	305mm	5
63753	SDPSA305	80	305mm	5
63782	SDPSA305	120	305mm	5
63783	SDPSA305	240	305mm	5



3 Gold Sanding Discs with Hook & Loop, 150mm (Pack of 10)

- Resin bonded aluminium oxide with a treatment of calcium stearate
- Heavy-duty D-Weight backing for durability
- Hook & loop with six punched holes for enhanced dust extraction
- Ideal for sanding and finishing wood, metals - including ferrous alloys, painted surfaces, varnish, plastic and fillers
- Compatible with all 150mm random orbit sanders with a hook and loop backing pad

Stock No.	Part No.	Grit Grade	Size	Quantity
64284	SDHALG150	Assorted	150mm	10
64025	SDHALG150	120	150mm	10
64240	SDHALG150	180	150mm	10
64257	SDHALG150	240	150mm	10
64265	SDHALG150	320	150mm	10
64282	SDHALG150	400	150mm	10



4 Fibre Sanding Discs, 115mm, (Pack of 10)

- Premium quality resin bonded aluminium oxide
- Vulcanised fibre backing
- Ideal for sanding grinding, weld removal and finishing blending metals
- Suitable for removing rust, paint and weld dressing
- Compatible with all 115mm flexible backing pads

Stock No.	Part No.	Grit Grade	Size	Quantity
68376	SDFD115	24	115mm	10
68377	SDFD115	36	115mm	10
68493	SDFD115	24	115mm	10



5 Fibre Sanding Discs, 125mm, (Pack of 10)

- Premium quality resin bonded aluminium oxide
- Vulcanised fibre backing
- Ideal for sanding grinding, weld removal and finishing blending metals
- Suitable for removing rust, paint and weld dressing
- Compatible with all 125mm flexible backing pads

Stock No.	Part No.	Grit Grade	Size	Quantity
68618	SDFD125	24	125mm	10
68628	SDFD125	36	125mm	10
68976	SDFD125	60	125mm	10



6 Wet or Dry Sanding Discs with Hook and Loop, 50mm (Pack of 10)

- Made from aluminium oxide that is specially treated with an anti-clogging stearated coating
- Polyester film facilitates wet or dry sanding
- Quick fit hook and loop
- Specially-designed for sanding contoured surfaces at high speed
- Compatible with all 50mm sanders with hook and loop backing pads

Stock No.	Part No.	Grit Grade	Size	Quantity
01066	SDWOD50	320	50mm	10
01070	SDWOD50	400	50mm	10
01083	SDWOD50	600	50mm	10
01109	SDWOD50	1000	50mm	10
02012	SDWOD50	1500	50mm	10
02053	SDWOD50	2000	50mm	10



7 Wet or Dry Sanding Discs with hook and loop, 75mm (Pack of 10)

- Made from aluminium oxide that is specially treated with an anti-clogging stearated coating
- Polyester film facilitates wet or dry sanding
- Quick fit hook and loop
- Specially-designed for sanding contoured surfaces at high speed
- Compatible with all 75mm sanders with hook and loop backing pads

Stock No.	Part No.	Grit Grade	Size	Quantity
02094	SDWOD75	320	75mm	10
04409	SDWOD75	400	75mm	10
04419	SDWOD75	600	75mm	10
04426	SDWOD75	1000	75mm	10
08111	SDWOD75	1500	75mm	10
11952	SDWOD75	2000	75mm	10



1 Cloth Sanding Belt, 10 x 330mm (Pack of 5)

- Made from high performance resin bonded aluminium oxide
- Strong X-Weight backing for flexibility and durability
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers
- Compatible with all 10 x 330mm sanders

Stock No.	Part No.	Grit Grade	Size	Quantity
08682	SB10330	40	10 x 330mm	5
08683	SB10330	80	10 x 330mm	5
08684	SB10330	120	10 x 330mm	5
08685	SB10330	240	10 x 330mm	5
08686	SB10330	Assorted	10 x 330mm	5



2 Cloth Sanding Belt, 13 x 457mm (Pack of 5)

- Made from high performance resin bonded aluminium oxide
- Strong X-Weight backing for flexibility and durability
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers
- Compatible with all 13 x 457mm sanders

Stock No.	Part No.	Grit Grade	Size	Quantity
08688	SB13457	40	13 x 457mm	5
08689	SB13457	80	13 x 457mm	5
08690	SB13457	120	13 x 457mm	5
08691	SB13457	240	13 x 457mm	5
08693	SB13457	Assorted	13 x 457mm	5



3 Cloth Sanding Belt, 25 x 762mm (Pack of 5)

- Made from high performance resin bonded aluminium oxide
- Strong X-Weight backing for flexibility and durability
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers
- Compatible with all 25 x 762mm sanders

Stock No.	Part No.	Grit Grade	Size	Quantity
08694	SB25762	40	25 x 762mm	5
08695	SB25762	80	25 x 762mm	5
08698	SB25762	120	25 x 762mm	5
08701	SB25762	240	25 x 762mm	5
08702	SB25762	Assorted	25 x 762mm	5



4 Cloth Sanding Belt, 50 x 686mm (Pack of 5)

- Made from high performance resin bonded aluminium oxide
- Strong X-Weight backing for flexibility and durability
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers
- Compatible with all 50 x 686mm sanders

Stock No.	Part No.	Grit Grade	Size	Quantity
08705	SB50686	40	50 x 686mm	5
09215	SB50686	80	50 x 686mm	5
09218	SB50686	120	50 x 686mm	5
09219	SB50686	240	50 x 686mm	5
09220	SB50686	Assorted	50 x 686mm	5



5 Cloth Sanding Belt, 75 x 457mm (Pack of 5)

- Made from high performance resin bonded aluminium oxide
- Strong X-Weight backing for flexibility and durability
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers
- Compatible with all 75 x 457mm sanders

Stock No.	Part No.	Grit Grade	Size	Quantity
09233	SB75457	40	75 x 457mm	5
09234	SB75457	80	75 x 457mm	5
09235	SB75457	120	75 x 457mm	5
09236	SB75457	240	75 x 457mm	5
09237	SB75457	Assorted	75 x 457mm	5



6 Cloth Sanding Belt, 75 x 533mm (Pack of 5)

- Made from high performance resin bonded aluminium oxide
- Strong X-Weight backing for flexibility and durability
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers
- Compatible with all 75 x 533mm sanders

Stock No.	Part No.	Grit Grade	Size	Quantity
09238	SB75533	40	75 x 533mm	5
09239	SB75533	80	75 x 533mm	5
09241	SB75533	120	75 x 533mm	5
09243	SB75533	240	75 x 533mm	5
09246	SB75533	Assorted	75 x 533mm	5



7 Cloth Sanding Belt, 100 x 610mm (Pack of 5)

- Made from high performance resin bonded aluminium oxide
- Strong X-Weight backing for flexibility and durability
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers
- Compatible with all 100 x 610mm sanders

Stock No.	Part No.	Grit Grade	Size	Quantity
09247	SB100610	40	100 x 610mm	5
09248	SB100610	80	100 x 610mm	5
09256	SB100610	120	100 x 610mm	5
09257	SB100610	240	100 x 610mm	5
09258	SB100610	Assorted	100 x 610mm	5



8 Cloth Sanding Belt, 100 x 915mm (Pack of 5)

- Made from high performance resin bonded aluminium oxide
- Strong X-Weight backing for flexibility and durability
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers
- Compatible with all 100 x 915mm sanders

Stock No.	Part No.	Grit Grade	Size	Quantity
09259	SB100915	40	100 x 915mm	5
09264	SB100915	80	100 x 915mm	5
09271	SB100915	120	100 x 915mm	5
09272	SB100915	240	100 x 915mm	5
09273	SB100915	Assorted	100 x 915mm	5



1
Cloth Sanding Belts, 100 x 1220mm (Pack of 2)

- Made from high performance resin bonded aluminium oxide
- Strong X-Weight backing for flexibility and durability
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers
- Compatible with all 100 x 1220mm sanders

Stock No.	Part No.	Grit Grade	Size	Quantity
09274	SB1001220	40	100 x 1220mm	2
09275	SB1001220	80	100 x 1220mm	2
09394	SB1001220	120	100 x 1220mm	2
09403	SB1001220	180	100 x 1220mm	2



2
Cloth Sanding Belts, 150 x 1220mm (Pack of 2)

- Made from high performance resin bonded aluminium oxide
- Strong X-Weight backing for flexibility and durability
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers
- Compatible with all 150 x 1220mm sanders

Stock No.	Part No.	Grit Grade	Size	Quantity
09410	SB1501220	40	150 x 1220mm	2
09411	SB1501220	80	150 x 1220mm	2
09412	SB1501220	120	150 x 1220mm	2
09413	SB1501220	180	150 x 1220mm	2



3
Cloth Sanding Belts, 152 x 2010mm (Pack of 2)

- Made from high performance resin bonded aluminium oxide
- Strong X-Weight backing for flexibility and durability
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers
- Compatible with all 152 x 1210mm sanders

Stock No.	Part No.	Grit Grade	Size	Quantity
09415	SB1522010	40	152 x 2010mm	2
09416	SB1522010	80	152 x 2010mm	2
09417	SB1522010	120	152 x 2010mm	2
09418	SB1522010	180	152 x 2010mm	2



4
1/4 Sanding Sheets with Hook and Loop, 115 x 105mm (Pack of 10)

- Made from premium quality resin bonded aluminium oxide
- Heavy-duty E-Weight backing for durability
- Quick fit hook and loop
- Eight punched holes for enhanced dust extraction
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers

Stock No.	Part No.	Grit Grade	Size	Quantity
52388	SSA1	40	115 x 105mm	10
52390	SSA1	80	115 x 105mm	10
52391	SSA1	120	115 x 105mm	10
53118	SSA1	240	115 x 105mm	10
54347	SSA1	Assorted	115 x 105mm	10



5
1/4 Sanding Sheets, 115 x 150mm (Pack of 10)

- Made from premium quality resin bonded aluminium oxide
- Pre-cut to fit 1/4 sanders with clamping function (115 x 105mm)
- Heavy-duty E-Weight backing for durability
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers
- Compatible with most 1/4 sanders with clamping function

Stock No.	Part No.	Grit Grade	Size	Quantity
54716	SSA2	40	115 x 150mm	10
54717	SSA2	80	115 x 150mm	10
54733	SSA2	120	115 x 150mm	10
54806	SSA2	240	115 x 150mm	10
54824	SSA2	Assorted	115 x 150mm	10



6
1/3 Sanding Sheets with Hook and Loop, 93 x 190mm (Pack of 10)

- Made from premium quality resin bonded aluminium oxide
- Heavy-duty E-Weight backing for durability
- Quick fit hook and loop
- Eight punched holes for enhanced dust extraction
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers

Stock No.	Part No.	Grit Grade	Size	Quantity
54831	SSA3	40	93 x 190mm	10
54851	SSA3	80	93 x 190mm	10
54869	SSA3	120	93 x 190mm	10
54873	SSA3	240	93 x 190mm	10
55066	SSA3	Assorted	93 x 190mm	10



7
1/3 Sanding Sheets, 93 x 230mm (Pack of 10)

- Made from premium quality resin bonded aluminium oxide
- Pre-cut to fit 1/3 sanders with clamping function (93 x 190mm)
- Heavy-duty E-Weight backing for durability
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers
- Compatible with most 1/3 sanders

Stock No.	Part No.	Grit Grade	Size	Quantity
55737	SSA4	40	93 x 230mm	10
55748	SSA4	80	93 x 230mm	10
55751	SSA4	120	93 x 230mm	10
55752	SSA4	240	93 x 230mm	10
55753	SSA4	Assorted	93 x 230mm	10



8
1/2 Sanding Sheets with Hook and Loop, 115 x 230mm (Pack of 10)

- Made from premium quality resin bonded aluminium oxide
- Heavy-duty E-Weight backing for durability
- Quick fit hook and loop
- 14 punched holes for enhanced dust extraction
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers

Stock No.	Part No.	Grit Grade	Size	Quantity
55805	SSA5	40	115 x 230mm	10
55863	SSA5	80	115 x 230mm	10
55864	SSA5	120	115 x 230mm	10
55865	SSA5	240	115 x 230mm	10
55866	SSA5	Assorted	115 x 230mm	10



9
1/2 Sanding Sheets, 115 x 280mm (Pack of 10)

- Made from premium quality resin bonded aluminium oxide
- Pre-cut to fit 1/2 sanders with clamping function (115 x 230mm)
- Heavy-duty E-Weight backing for durability
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers
- Compatible with most 1/2 sanders

Stock No.	Part No.	Grit Grade	Size	Quantity
55964	SSA6	40	115 x 280mm	10
56329	SSA6	80	115 x 280mm	10
57112	SSA6	120	115 x 280mm	10
57372	SSA6	240	115 x 280mm	10
57373	SSA6	Assorted	115 x 280mm	10




1 Aluminium Oxide Finger Sanding Sheets (67 x 67 x 22mm)

- For use with Draper sanding machine (Stock No. 02063) and other manufacturers similar sanders
- Hook and loop backing
- Assorted pack comprises 1 x 60, 3 x 80, 3 x 120 and 3 x 240 grit grades

Order number of packs required (10 sheets per pack)

Stock No.	Part No.	Grit Grade	Size	Quantity
02923	APT152	60	67 x 67 x 22mm	10
02926	APT152	80	67 x 67 x 22mm	10
02927	APT152	120	67 x 67 x 22mm	10
02928	APT152	240	67 x 67 x 22mm	10
02930	APT152	Assorted	67 x 67 x 22mm	10



2 Assorted Pack of Ten Hook and Loop Aluminium Oxide Sanding Sheets (32 x 92mm)

- Aluminium oxide
- Hook and loop fixing
- Suitable for sanding wood, metal, plaster and painted surfaces
- 32 x 92mm
- For use with Draper sanding machine 57681

Stock No.	Part No.	Grit Grade	Size	Quantity
99260	APT259	60	92 x 32mm	10
99261	APT259	80	92 x 32mm	10
99262	APT259	120	92 x 32mm	10
99263	APT259	240	92 x 32mm	10
99259	APT259	Assorted	92 x 32mm	10



3 Delta Sanding Sheets, 93mm (Pack of 10)

- Made from premium quality resin bonded aluminium oxide
- Heavy-duty E-Weight backing for durability
- Quick fit hook and loop
- Six punched holes for enhanced dust extraction
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers

Stock No.	Part No.	Grit Grade	Size	Quantity
41694	SSD1	40	93mm	10
41812	SSD1	80	93mm	10
41881	SSD1	120	93mm	10
41891	SSD1	240	93mm	10
42104	SSD1	Assorted	93mm	10



4 Detail Sanding Sheets, 140mm (Pack of 10)

- Five punched holes for enhanced dust extraction
- Quick fit hook and loop
- Heavy-duty E-Weight backing for durability
- Made from premium quality resin bonded aluminium oxide
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers

Stock No.	Part No.	Grit Grade	Size	Quantity
42105	SSD2	40	140mm	10
42107	SSD2	80	140mm	10
42109	SSD2	120	140mm	10
42616	SSD2	240	140mm	10
42633	SSD2	Assorted	140mm	10



5 Detail Sanding Sheets with Hook and Loop, 140mm, SSD3 (Pack of 10)

- Made from premium quality resin bonded aluminium oxide
- Heavy-duty E-Weight backing for durability
- Quick fit hook and loop
- 19 punched holes for enhanced dust extraction
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers

Stock No.	Part No.	Grit Grade	Size	Quantity
42982	SSD3	40	140mm	10
43026	SSD3	80	140mm	10
43354	SSD3	120	140mm	10
43387	SSD3	240	140mm	10
43466	SSD3	Assorted	140mm	10



6 Detail Sanding Sheets with Hook and Loop, 140mm, SSD4 (Pack of 10)

- Extra perforated tear-off diamonds for increased detail sanding
- Heavy-duty E-Weight backing for durability
- Quick fit hook and loop
- 12 punched holes for enhanced dust extraction
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers

Stock No.	Part No.	Grit Grade	Size	Quantity
43848	SSD4	40	140mm	10
43852	SSD4	80	140mm	10
43993	SSD4	120	140mm	10
44078	SSD4	240	140mm	10
44081	SSD4	Assorted	140mm	10



7 Multi-Sanding Sheets with Hook and Loop, 102 x 62mm, 93mm (Pack of 10)

- Perforated tear off delta sheet for detail sanding
- Heavy-duty E-Weight backing for durability
- Quick fit hook and loop
- 11 punched holes for enhanced dust extraction
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers

Stock No.	Part No.	Grit Grade	Size	Quantity
44094	SSD5	40	102 x 62mm, 93mm	10
44098	SSD5	80	102 x 62mm, 93mm	10
44102	SSD5	120	102 x 62mm, 93mm	10
44333	SSD5	240	102 x 62mm, 93mm	10
44334	SSD5	Assorted	102 x 62mm, 93mm	10



8 Detail Sanding Sheets with Hook and Loop, 140mm, SSD6 (Pack of 10)

- Made from premium quality resin bonded aluminium oxide
- Heavy-duty E-Weight backing for durability
- Quick fit hook and loop
- Seven punched holes for enhanced dust extraction
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers

Stock No.	Part No.	Grit Grade	Size	Quantity
08611	SSD6	40	140mm	10
08617	SSD6	80	140mm	10
08619	SSD6	120	140mm	10
08625	SSD6	240	140mm	10
08626	SSD6	Assorted	140mm	10



1 Abrasive Drum Set (25 Piece)

- Suitable for use with any variable speed drill or multi-tool
- Supplied with 20 abrasive sleeves in plastic case for convenience

Stock No.	Part No.	Grit Grade	Quantity
93525	ADS25	Assorted	25



2 Pack of Three Aluminium Oxide Sanding Sleeves (45 x 60mm)

- Pack of three fibre backed aluminium oxide sanding sleeve
- Supplied with a plastic spindle which has a locking feature for use with Draper and other manufacturers similar sanding rollers
- Size - 45 x 60mm x 80 Grit

Stock No.	Part No.	Grit Grade	Size	Quantity
93353	APT255	80	60 x 45mm	3
93354	APT255	120	60 x 45mm	3
93357	APT255	240	60 x 45mm	3
93358	APT255	Assorted	60 x 45mm	3



3 Aluminium Oxide Flap Wheels

- Fibre backed aluminium oxide flap wheel
- Designed for use on irregular surfaces
- Supplied with a plastic spindle which has a locking feature for use with Draper and other manufacturers similar sanding rollers

Stock No.	Part No.	Grit Grade	Size
93361	APT256	80	5 x 60mm
93360	APT256	80	10 x 60mm
93359	APT256	80	60 x 60mm



4 Polycarbide Abrasive Disc (100mm)

- Ideal for use with power tools for automotive, engineering, DIY and other applications for the removal of paint/rust and other flaking materials
- Nylon woven cord with a polyurethane coating impregnated with silicon carbide

Stock No.	Part No.	Diameter x Bore	Speed RPM	For
80664	PCPD1/C	100 x 13mm	6000r/min	Paint and rust removal



5 Abrasive Flap Wheels

- For use with power drills or with flexible shafts
- Ideal for stripping paint, metals, filler and varnish
- Suitable for use on metal, fibreglass, filler, plastic and wood

Stock No.	Part No.	Wheel Grit	Diameter	Wheel Thickness
71826	PTAFW	80	50mm	20mm
76452	PTAFW	60	50mm	20mm
76456	PTAFW	40	50mm	20mm
71919	PTAFW60	80	60mm	30mm
76465	PTAFW60	60	60mm	30mm
76466	PTAFW60	40	60mm	30mm
76467	PTAFW80	80	80mm	30mm
76468	PTAFW80	60	80mm	30mm
76485	PTAFW80	40	80mm	30mm



6 Sanding Rolls, 115mm x 5m (General Purpose)

- Made from premium quality resin bonded aluminium oxide
- Strong D-Weight backing for flexibility and durability
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers
- Can be used for sanding by hand and it is also compatible with 1/2 sheet sanders

Stock No.	Part No.	Grit Grade	Size
89373	SRR5	60	115mm x 5m
89486	SRR5	80	115mm x 5m
89529	SRR5	120	115mm x 5m



7 Sanding Rolls, 115mm x 5m (Woodworking)

- Made from premium quality resin bonded aluminium oxide
- Strong D-Weight backing for flexibility and durability
- Specially designed for woodworking applications
- Can be used for sanding by hand and it is also compatible with 1/2 sheet sanders

Stock No.	Part No.	Grit Grade	Size
89725	SRY5	60	115mm x 5m
89843	SRY5	80	115mm x 5m
89887	SRY5	120	115mm x 5m



8 General Purpose Sanding Sheets, 230 x 280mm (Pack of 10)

- Made from aluminium oxide which is resin-bonded for durability
- C-Weight backing paper for pliability and strength
- Ideal for sanding and finishing wood, metal, aluminium alloy, painted surfaces, plastic and fillers
- Suitable for hand sanding and compatible with most hand sanding blocks

Stock No.	Part No.	Grit Grade	Size	Quantity
37778	HSSG	60	230 x 280mm	10
37779	HSSG	100	230 x 280mm	10
37780	HSSG	150	230 x 280mm	10
37781	HSSG	Assorted	230 x 280mm	10



9 Wet or Dry Sanding Sheets, 230 x 280mm (Pack of 10)

- Made from latex backed silicon carbide that is resin-bonded
- C-Weight backing paper for pliability and strength
- Ideal for automotive sanding, sanding wood furniture and finishing wood and metal
- Suitable for hand sanding and compatible with most hand sanding blocks

Stock No.	Part No.	Grit Grade	Size	Quantity
37782	HSSWD	320	230 x 280mm	10
37783	HSSWD	400	230 x 280mm	10
37786	HSSWD	600	230 x 280mm	10
37787	HSSWD	1000	230 x 280mm	10
37788	HSSWD	1200	230 x 280mm	10
37789	HSSWD	1500	230 x 280mm	10
37790	HSSWD	2000	230 x 280mm	10



1 Silicon Carbide Abrasive Roll, 38mm x 5m, 180 Grit

- Designed to aggressively cut fast to help improve work efficiency
- Open mesh design enables dust extraction to prevent clogging
- Lasts up to 4x longer than conventional paper backed abrasives
- Can be cut to size and are also reusable/washable
- Suitable for wet or dry use, and are ideal for de-burring pipes, removing solder and general sanding applications

Stock No.	Part No.	Grit Grade	Size
37791	SCAR	180	38mm x 5m



2 Silicon Carbide Abrasive Strips, 38mm x 225mm, 180 Grit (Pack of 10)

- Designed to aggressively cut fast to help improve work efficiency
- Open mesh design enables dust extraction to prevent clogging
- Lasts up to 4x longer than conventional paper backed abrasives
- Can be cut to size and are also reusable/washable
- Suitable for wet or dry use, and are ideal for de-burring pipes, removing solder and general sanding applications

Stock No.	Part No.	Grit Grade	Size	Quantity
37792	SCAS	180	225 x 38mm	10



3 Zirconium Oxide Flap Disc, 100 x 16mm

Manufactured to EN13743 standards

- Enhanced cutting performance and efficiency
- Self-sharpening feature, which increases high stock removal and durability
- Strong X-weight polyester-cotton backing allows flexible and fast cutting on medium to high-pressure grinding and finishing applications
- Designed for contoured and flat-edged work. Suitable for sanding, grinding, stock removal and weld preparation of metal, carbon steel, stainless steel, sheet metal, wood and plastic
- Compatible with 100mm air angle grinders with a 16mm bore

Stock No.	Part No.	Diameter	Bore	Grit Grade
81912	FDZ100	100mm	16mm	40G
82351	FDZ100	100mm	16mm	60G
82354	FDZ100	100mm	16mm	80G

4 Aluminium Oxide Flap Discs, 115 x 22.23mm

Manufactured to EN13743 standards

- Premium-quality resin-bonded aluminium oxide disc providing durability and fast results
- Strong X-weight polyester-cotton backing allows flexible and fast cutting on medium to high-pressure grinding and finishing applications
- Designed for contoured and flat-edged work
- Suitable for sanding, grinding, stock removal and weld preparation of metal, carbon steel, stainless steel, sheet metal, wood and plastic
- Compatible with 115mm angle grinders with a 22.23mm bore

Stock No.	Part No.	Diameter	Bore	Grit Grade	Quantity
82356	FDA115	115mm	22.23mm	40	1
82360	FDA115	115mm	22.23	60	1
82870	FDA115	115mm	22.23mm	80	1
83070	FDAB115	115mm	22.23mm	80	10



5 Zirconium Oxide Flap Discs, 115 x 22.23mm

Manufactured to EN13743 standards

- Enhanced cutting performance and efficiency
- Self-sharpening feature, which increases high stock removal and durability
- Strong X-weight polyester-cotton backing allows flexible and fast cutting on medium to high-pressure grinding and finishing applications
- Designed for contoured and flat-edged work. Suitable for sanding, grinding, stock removal and weld preparation of metal, carbon steel, stainless steel, sheet metal, wood and plastic
- Compatible with 115mm angle grinders with a 22.23mm bore

Stock No.	Part No.	Diameter	Bore	Grit Grade	Quantity
83157	FDZ115	115mm	22.23mm	40G	1
83715	FDZ115	115mm	22.23mm	60G	1
84042	FDZ115	115mm	22.23mm	80G	1
84096	FDZB115	115mm	22.23mm	40G	10
85724	FDZB115	115mm	22.23mm	60G	10
85752	FDZB115	115mm	22.23mm	80G	10



6 Black Polycarbide Strip Disc, 115mm, 22.23mm, 180 Grit

- Made from black silicon carbide
- Better suited for light work and contoured surfaces
- Ideal for general cleaning applications, rust and paint removal, and surface preparation
- Compatible with 115mm angle grinders

Stock No.	Part No.	Diameter	Bore	Grit
37607	SDB115	115mm	22.23mm	180



7 Polycarbide Strip Disc, 115mm, 22.23mm, 180 Grit, Purple

- Made from purple silicon carbide
- Better suited for tougher jobs and faster stock removal
- Ideal for general cleaning applications, rust and paint removal, and surface preparation
- Compatible with 115mm angle grinders

Stock No.	Part No.	Diameter	Bore	Grit
37608	SDP115	115mm	22.23mm	180



8 Zirconium Oxide Flap Discs

- Enhanced cutting performance and efficiency
- Self-sharpening feature which increases high stock removal and durability
- Strong and trimmable plastic backing
- Ideal for contoured and flat-edged surfaces when sanding, grinding, removing rust and weld preparation
- Compatible with 115mm angle grinders

Stock No.	Part No.	Diameter	Bore	Grit
86010	EFDZ115	115mm	M14x2	40
86066	EFDZ115	115mm	M14x2	60
87232	EFDZ115	115mm	M14x2	80



9 Ceramic Flap Discs

- Enhanced cutting rate and durability
- Self-sharpening feature which increases high stock removal and durability
- Strong and trimmable plastic backing
- Ideal for contoured and flat-edged surfaces when sanding, grinding, removing rust and weld preparation
- Compatible with 115mm angle grinders

Stock No.	Part No.	Diameter	Grit
87331	EFDC115	115mm	40
87480	EFDC115	115mm	60
87776	EFDC115	115mm	80





1 4 way Chuck Key

Convenient four armed chuck key to fit type 1, 2, 3 and 4 chucks. Display packed.

Stock No.	Part No.
43862	MK4



2 Chuck Key

Type 1 chuck key with 11 gear teeth suitable for light duty chucks with 6mm (approx.) pilot hole. Can be used with all chucks with the above specification. SAE 1008 steel hardened and tempered. Display packed.

Stock No.	Part No.
92451	DK10



3 Chuck Key

Type 1 chuck key with 10 gear teeth suitable for medium to heavy duty chucks with 6mm (approx.) pilot hole. Can be used with all chucks with the above specification including machine tool chucks (lathes, pillar drills etc.) SAE 1008 steel hardened and tempered. Display packed.

Stock No.	Part No.
92485	DK30



4 Chuck Key

Type 3 chuck key with 11 gear teeth suitable for heavy duty chucks with 8mm (approx.) pilot hole. Can be used with all chucks with the above specification including machine tool chucks (lathes, pillar drills etc.). Display packed.

Stock No.	Part No.
76984	DK60



5 Geared Drill Chucks for Mains, Cordless and Air Drills

For use with most manufacturers rotary, hammer and air powered drills. Display packed.

Stock No.	Part No.	Thread
75290	APT206A	10mm x 3/8" x 24UNF
75292	APT204A	13mm x 3/8" x 24UNF
75294	APT201A	13mm x 1/2" x 20UNF



6 Keyless Chucks for Mains and Cordless Drills

For use with most manufacturers rotary and hammer drills. Carton packed.

Stock No.	Part No.	Thread
75281	APT205A	10mm x 3/8" x 24UNF
75282	APT203A	13mm x 3/8" x 24UNF
75286	APT200A	13mm x 1/2" x 20UNF



7 Keyless Metal Chuck Sleeve for Mains and Cordless Drills

For use with most manufacturers rotary and hammer drills. Carton packed.

Stock No.	Part No.	Thread
14744	APT207	13mm x 1/2" x 20UNF



8 Keyless Plastic Chuck Sleeve for Mains and Cordless Drills

For use with most manufacturers rotary and hammer drills. Carton packed.

Stock No.	Part No.	Thread
75280	APT208	10mm x 3/8" x 24UNF



1

Accessory Kit for Multi-Tools (200 Piece)

Various accessories for Draper Multi - Tools and other manufacturers similar machines. Display packed in storage case.

Contents:

- 1 x Grinding points
- 1 x Polishing wheels
- 1 x Cutter/milling points
- 1 x Grinding wheels
- 1 x Cutting wheels
- 1 x Sanding drums
- 1 x HSS drill bits and brush wheels

Stock No.	Part No.
88626	APT104



2

Diamond Burr Set (30 Piece)

Diamond coated burr set with 1/8" shank. Suitable for use with many materials, including ceramics, glass, plastic, fibreglass, steel, aluminium and wood. Display packed.

Stock No.	Part No.
45001	APT127



3

Drill Powered Pump

Plastic bodied pump for use with portable electric drill of 400W or more. Acetal copolymer body with stainless steel internal parts. Running speed 2000-3000r/min. Delivery rate approximately 2497-2591 litres per hour. Maximum head height 15M. Supplied with 1 set of spare washers and vanes. Bore I/D 16mm. Display packed.

Not suitable for use with volatile solutions, i.e. glycol, methyl, etc.

Stock No.	Part No.
33081	DPP2



4

Drill Powered Pump

Bakelite body with rubber turbine for durability. Pumping capacity 1000L per hour. Supplied with two 13mm adaptors for 6.5mm diameter pipe. Display packed.

Stock No.	Part No.
18937	DPP1



5

Vertical Drill Stand

For use with hand held electric drills with collar diameters of 43mm or 38mm with supplied reducing bush. Solid column bar and sturdy base with slots for fitting machine vice. Features depth adjustment scale and stop. Display carton.

Stock No.	Part No.
54488	DS1



1 Oscillating Multi-Tool Accessories

Universal oscillating multi-tool accessories, suitable for use with Draper and other manufacturers oscillating multi-tools. Designed for a host of different tasks.

Stock No.	Part No.	Description	Size
70458	APT502	Plunge Cutting Blade (10mm)	10mm
70459	APT503	Plunge Cutting Blade (20mm)	20mm
70467	APT508	Plunge Cutting Blade (44mm)	44mm
70468	APT509	Plunge Cutting Blade (65mm)	65mm
70457	APT501	Plunge Cutting Blade (88mm)	88mm
70461	APT505	Plunge Cutting Blade (34mm)	34mm
70466	APT507	Plunge Cutting Blade (34mm)	34mm
70460	APT504	Plunge Cutting Blade (34mm)	34mm
70465	APT506	Plunge Cutting Blade (68mm)	68mm
70456	APT500	Plunge Cutting Blade (68mm)	68mm
70469	APT510	Diamond Coated Cutting Blade (88mm)	88mm
70470	APT511	Carbide Coated Blade (88mm)	88mm
70472	APT512	Carbide Rasp	78mm
70473	APT513	Diamond Coated Cutting Blade (52mm)	52mm
70474	APT514	Scraping Blade	53mm
70475	APT515	Hook and Loop Backing Pad	93mm

2 Multi-Tool Plunge Cutter (5 Piece)

Pack of five oscillating multi-tool plunge cut blades. Designed for cutting ferrous and non-ferrous metal, wood, plastic and plasterboard. Universal fitting for use with Draper and other manufacturers' oscillating multi-tools.

Stock No.	Part No.
70476	APT507/5



3 Oscillating Multi-Tool Blade Set Including Ceramics (8 Piece)

Pack of eight commonly used oscillating multi-tool blades. Designed for cutting ferrous and non-ferrous metal, wood, plastic and plasterboard. With blades included for cutting ceramics, including floor and wall tiles, and removing grout and mortar. Universal fitting for use with Draper and other manufacturers' oscillating multi-tools.

- Contents:**
- 1 x 20mm plunge cutting blade
 - 2 x 34mm plunge cutting blade
 - 1 x 34mm triple ground plunge cutting blade
 - 1 x 65mm plunge cutting blade
 - 1 x 80mm circular cutting blade
 - 1 x 88mm diamond circular cutting blade
 - 1 x 70mm carbide tipped blade

Stock No.	Part No.
70480	APT517



4 Multi-Tool Blade Set (15 Piece)

Pack of 15 popular oscillating multi-tool blades. Designed for cutting ferrous and non-ferrous metal, wood, plastic and plasterboard. The sanding sheets are suitable for a wide range of surfaces. Universal fitting for use with Draper and other manufacturers' oscillating multi-tools.

- Contents:**
- 1 x 34mm plunge HCS cutting blade
 - 1 x 34mm plunge bi-metal cutting blade
 - 1 x 88mm circular cutting blade
 - 1 x 93x93x93mm hook and loop backing pad
 - 10 x 93x93x93mm hook and loop aluminium oxide sanding sheets (5 x medium grit and 5x fine grit)
 - 1 x adaptor

Stock No.	Part No.
70481	APT518

5 Multi-Tool Blade Set (20 Piece)

20-piece set comprising of the most popular oscillating multi-tool blades. Designed for cutting ferrous and non-ferrous metal, wood, plastic and plasterboard. There is also a scraper and blades included for removing grout and mortar. The sanding sheets are suitable for a wide range of surfaces. Universal fitting for use with Draper and other manufacturers' oscillating multi-tools.

- Contents:**
- 1 x 34mm plunge cutting blade
 - 1 x 34mm triple ground cutting blade
 - 1 x 44mm plunge cutting blade
 - 1 x 68mm cutting
 - 1 x 68mm triple ground cutting blade
 - 1 x 88mm circular cutting blade
 - 1 x 78mm carbide rasp
 - 1 x 64mm carbide cutting blade
 - 1 x 80 x 80 x 80mm abrasive backing pad
 - 10 x 80x80x80mm aluminium oxide sanding sheets (5 x 80grit & 5 x 120grit)
 - 1 x scraper blade

Stock No.	Part No.
70485	APT520



6 Oscillating Multi-Tool Blade Set (8 Piece)

Pack of 8 popular oscillating multi-tool blades. Designed for cutting ferrous and non-ferrous metal, wood, plastic and plasterboard. Universal fitting for use with Draper and other manufacturers' oscillating multi-tools.

- Contents:**
- 2 x 34mm plunge cutting blade
 - 1 x 34mm fine plunge cutting blade
 - 2 x 68mm triple ground cutting blade
 - 1 x 68mm cutting blade
 - 1 x 34mm cutting blade
 - 1 x 44mm cutting blade

Stock No.	Part No.
70483	APT519



1

Universal Accessories for Oscillating Tools

Universal mount accessories for Draper oscillating tool Stock No. 23666 and other manufacturers similar machines*.

Stock No.	Part No.	Description	Size
26809	APT300Z6/U	HSS Segment Carpet Cutter	100mm dia.
26808	APT300Z5/U	Double Sided Sanding Finger	36 x 45 x 45mm
26807	APT300Z4/U	Diamond Segment Saw Blade	85mm dia.
26130	APT300Z3/U	HSS Segment Saw Blade	66mm, 18tpi
26129	APT300Z2/U	Bi-Metal Wing Devil Saw Blade	36 x 30mm, 18tpi
26128	APT300Z1/U	Bi-Metal Wing Devil Saw Blade	36 x 22mm, 18tpi
26124	APT300Z/U	36 x 22mm	Bi-Metal Step Precision Saw Blade
26118	APT300X/U	Bi-Metal Plunge Cutter	20mm, 18tpi
26117	APT300W/U	Bi-Metal Plunge Cutter	10mm, 20tpi
26110	APT300S/U	HCS Plunge Cutter	10mm, 20tpi
26108	APT300R/U	HCS Plunge Cutter	90 x 90 x 90mm
26101	APT300P/U	Sanding Pad	90 x 90 x 90mm
26098	APT300O/U	Sanding Finger Sheet (10)	50 x 50 x 36mm
26097	APT300N/U	Sanding Finger	35 x 45 x 45mm
26093	APT300M/U	Diamond Segment Saw Blade	65mm dia.
26088	APT300L/U	Carbide Tipped Saw Blade	65mm dia.
26087	APT300K/U	Carbide Rasp	35 x 45 x 45mm
26086	APT300J/U	Triangular Carbide Rasp	70.5 x 79.5 x 79.5mm
26085	APT300I/U	Caulk Removal Blade	10-28 x 50mm
26083	APT300H/U	Rigid Scraper Blade	51.5 x 73mm
26080	APT300G/U	Flexible Scraper Blade	51.5 x 73mm
26079	APT300F/U	HHS Circular Saw Blade	85mm dia. x 18tpi
26075	APT300E/U	HHS Circular Saw Blade	85mm dia. x 18tpi
26074	APT300D/U	Circular Saw Blade	88mm dia. x 18tpi
26073	APT300C/U	Circular Saw Blade	63mm dia. x 18tpi
26072	APT300B/U	Segmented Saw Blade	88mm dia. x 18tpi
26057	APT300A/U	Segmented Saw Blade	63mm dia. x 18tpi



1
RCD Safety Adaptor, 13A

Easy-to-use two button (reset and test) operation circuit breaker with an indicator light. Suitable for use with electric lawn mowers, grass and hedge trimmers, and other power tools where cables are in danger of being cut, causing a risk of electrocution. Also ideal for use with appliances around the house or workshop, especially where water is present. No wiring is needed - it simply plugs into a standard 13A socket. Tested to BS7071 and BS1363.

Stock No.	Part No.
10205	RCD3/B



2
24 Hour Mechanical Timers (Pack of 3)

48 on/off settings per 24 hours. Minimum setting time 30 minutes. Manual override switch. Rated 8A/2000W. Correctly used this timer can save the user energy and money. Display packed in threes.

Order number of packs required (3 per pack)

Stock No.	Part No.
02118	MT3B



3
7 Day Digital Timers (Pack of 2)

140 programmable on/off settings per week, countdown and random functions. AM, PM or 24 hour settings. Battery back up. Rated 8A/2000W. Correctly used this timer can save the user energy and money. Display packed in twos.

Order number of packs required (2 per pack)

Stock No.	Part No.
44912	DT2



4
230V USB Charger (1 Amp)

A lightweight and convenient USB charger which has the USB port located on the top of the plug. Compatible with most mobile phones, simply connect the USB cable directly to the device (max 1 amp). Perfect when travelling or as a spare charger around the home.

Stock No.	Part No.
93038	AUSB(UK)



5
UK to European Travel Adaptor

Conforms to BS 8546

Allows UK and ROI three pin plugs to be used in European round two-pin sockets. Maximum current 13A.

Stock No.	Part No.
98439	TAE1



6
4 Way Extension Lead, 5m

4-way extension socket with a 5-metre cable ideal for use with all household appliances including computers and peripherals up to and including 13A. Fitted with 13A fused UK 3 pin plug and conforms to latest BS regulations.

Stock No.	Part No.
02916	EL4/5M



7
4 Way Extension Lead (1M)

4-way extension socket with 1-metre cable ideal for use with all household appliances including computers and peripherals up to and including 13A. Fitted with 13A fused UK 3 pin plug and conforms to latest BS regulations.

Stock No.	Part No.
02910	EL4/1M



8
6 Way Extension Lead with Surge Protection (2M)

6-way extension socket with surge protection. 2 metre 3 core cable suitable for use with all household appliances including computers and peripherals up to and including 13A. The anti-surge feature helps to avoid current 'spikes' damaging computers and delicate electronics. Fitted with 13A fused UK 3 pin plug and conforms to latest BS regulations.

Stock No.	Part No.
02989	ES6/2M



1 Retractable Electric Cable Reels

Integral ceiling/wall bracket with easily detachable impact resistant case. The bracket swivels through 180° helping keep workspaces free from unwanted lengths of cable. Fitted with thermal cut out switch and patented position lock which allows the user to stop the cable at any point. Supplied with 1.5mm² cable.

Stock No.	Part No.	Length
15051	RCR10	10m
15052	RCR20	20m



2 230V Heavy Duty Industrial Four Socket Cable Reel (25m)

Complies with BS1363A and EN61242 Specifications

Industrial quality four socket cable reel. Attached with a metal frame and easy wind action. Fitted with thermal cut out switch. 2.5mm cable, Maximum load fully unwound 13A, 3600W. Fitted with approved plug. Sold loose.

***Maximum load fully unwound 13A, 3600W**

Stock No.	Part No.	Description	Length
02122	DCR25HDA	25M Reel	25m



3 230V Four Socket Industrial Cable Reels

Complies with BS1363A and EN61242 Specifications

Industrial quality with a four socket plate. Sturdy metal frame with easy wind handle. Fitted with thermal cut out switch. 25M cable reel has 1.25mm cable and 50M cable reel has 1.5mm cable. Maximum load fully unwound 13A, 3120W. Fitted with approved plug. Sold loose.

***Maximum load fully unwound 13A, 3120W**

Stock No.	Part No.	Description	Length
02121	DCR2513ID	25m Reel	25m
02120	DCR5013ICE	50m Reel	50m



4 230V Four Socket Cable Reels

Complies with BS1363A and EN61242 Specifications

Four socket cable reel attached with a sturdy plastic case with integrated carry handle and easy wind action. Fitted with thermal cut out switch. 1.25mm cable. Maximum load fully unwound 13A, 3120W. Fitted with approved plug. Sold loose.

Stock No.	Part No.	Description	Length
02127	DCR1510D	15m Reel	15m
02119	DCR2513E	25m Reel	25m



5 230V Twin Socket Cable Reel

Complies with BS1363A and EN61242 Specifications

Robust, easy wind action with built-in hand grip and twin socket. Fitted with a thermal cut out switch. 1.25mm cable. Maximum load fully unwound 13A, 3120W. Fitted with approved plug. Sold loose.

Stock No.	Part No.	Length	Power Source
02126	DCR1010D	10m	230V



6 2-way 10m Cable Reel with LED Worklight

A Limited Edition 10 metre, two socket cable reel extension lead with thermal cut out for safety protection in case of electrical overload. The reel stands on its side to show a powerful, bright, cool-white LED light controlled by an on/off switch providing a convenient, integrated work area light. Two 13A outlet sockets each fitted with a spring-loaded flap to keep dirt and dust out when not in use. Manufactured from a good quality, robust plastic housing. IP44 rating. 13 Amp. Max capacity 3120W. Please note all cable reels should be used fully unwound to carry to their maximum rated load safely.

Stock No.	Part No.
99294	DCR10/LED



1 230V Extension Cables with Plug and Socket (16A)

Complies to latest EN standards

14M (approx.) long with 16A approved plug and 16A socket. Spare approved plugs and sockets are available separately.

Stock No.	Part No.	Length
17568	EL241A	1.5mm ²
17569	EL241B	Cable-2.5mm ²



2 230V Site Plug, 16A

Complies to latest EN standards

This heavy-duty 230V site plug is for use with 16A transformers. The splashproof IP44 rating makes it suitable for use on construction sites and a variety of outdoor environments such as marinas and campsites.

Stock No.	Part No.
03717	230VSP16



3 230V IP44 Site Socket (16A)

IP44 rated 230V site socket, conforms to latest EN regulations. A spring-hinged lid protects socket when not in use. IP44 splash proof rating makes this socket ideal for use in a variety of outdoor environments including marinas, campsites and on construction sites.

Stock No.	Part No.	Power Source	Amp
02991	SS230V/16A	230V	16A



4 230V Adaptor Lead (16A Plug to 13A Socket)

Complies to latest EN standards

Ideal for powering 13A appliances from a 16A three pin approved plug. Packed in polythene bag.

Stock No.	Part No.
17573	240VFL1



5 230V Adaptor (16A Plug to 13A Socket)

Complies to latest EN standards

13A socket with 16A approved plug. Packed in polythene bag.

Stock No.	Part No.
17574	240VMP1



6 230V Site Sockets (32A)

Complies to latest EN standards

IP44 rated 230V site sockets, manufactured to EN60309 specifications.

Stock No.	Part No.	Amp	Power Source
63725	230VSS32	32A	230V



7 230V IP44 Site Plug (32A)

IP44 rated 230V site plug, conforms to latest EN regulations. IP44 splash proof rating makes this plug ideal for use in a variety of outdoor environments including marinas, campsites and on construction sites.

Stock No.	Part No.	Power Source	Amp
03141	SP230V/32A	230V	32A



8 230V 3-Way Splitter, 16A

This 230V 3-way splitter is for use with transformers allowing up to three tools to be powered from one socket. Three 16A sockets attached to a 16A plug. Heavy-duty and impact resistant making it ideal for construction sites and industrial use. Manufactured to EN60309. Splash proof IP44 rating.

Stock No.	Part No.
03720	230VSSP16



1 110V Twin Socket Cable Reel (25M)

Complies to latest EN standards

Robust, easy wind action with built - in hand grip and twin childproof socket outlets, gated for safety. Fitted with thermal cut out switch and attached to a metal frame. 1.5mm cable, maximum load fully unrolled 16A, 1750W. Fitted with approved plug. Sold loose.

***Maximum load fully unrolled 16A, 1750W**

Stock No.	Part No.	Length
02124	DCR25/110B	25m



2 110V Extension Cables with Plug and Socket

Complies to latest EN standards

For use with Draper Site Transformers and other manufacturers similar transformers. 14M (approx.) long with 16A plug and 16A socket. Spare plugs and sockets are available separately.

Stock No.	Part No.	Description	Length	Cable Size	Power Source
17570	EL110A	Cable-1.5mm ²	14m	1.5mm ²	110V
17571	EL110B	Cable-2.5mm ²	14m	2.5mm ²	110V



3 110V Site Plugs

This IP44 110V site plug conforms to the latest EN regulations. The IP44 splashproof rating makes this plug ideal for use in a variety of outdoor environments, including marinas, campsites and on construction sites.

Stock No.	Part No.	Power Source	Amp
08963	SP110V/16A	110V	16A
08965	SP110V/32A	110V	32A



4 110V Site Socket, 32A

This IP44 110V site socket conforms to the latest EN regulations. The spring-hinged lid protects the socket when not in use. The IP44 splashproof rating makes this socket ideal for use in a variety of outdoor environments, including marinas, campsites and on construction sites.

Stock No.	Part No.	Power Source	Amp
08962	SS110V/32A	110V	32A



5 110V Site Socket, 16A

Complies to latest EN standards

This heavy-duty 110V site socket is for use with 16A transformers. The spring-hinged lid protects the socket when not in use. Manufactured to EN60309. The splashproof IP44 rating makes it suitable for use on construction sites and a variety of outdoor environments such as marinas and campsites.

Stock No.	Part No.
03715	110VSS16



6 110V Site Plugs

Complies to latest EN standards

IP44 rated 110V site plugs, manufactured to EN60309 specifications.

Stock No.	Part No.	Amp	Power Source
63675	110VSP32	32A	110V



7 110V 3-Way Splitter, 16A

Complies to latest EN standards

This 110V 3-way splitter is for use with transformers allowing up to three tools to be powered from one socket. Three 16A sockets attached to a 16A plug. Heavy-duty and impact resistant making it ideal for construction sites and industrial use. Manufactured to EN60309. Splash proof IP44 rating.

Stock No.	Part No.
03712	110VSSP16

8 3.3kVA 230V to 110V Portable Site Transformer

Complies to latest EN standards

Built with a tough corrosion - resistant case and fitted with thermal overload protection and two 16A sockets these site transformers are ideal for use with all 110V power tools and halogen lighting on building sites. Fitted with 2M (approx.) cable and approved plug. Carton packed.

Stock No.	Part No.	Description	Power Source
31264	DPT3300/2B	230V to 110V	16

